

SimTek[®] Molded Fence Products



Durability in stone and wood textures

Our finish is molded from real wood and stone to deliver the most authentic look available today. Simtek's innovative alternative to traditional masonry walls won't crumble, peel, chip or crack due to settlement, or stain like traditional walls.

STONE

Ecostone[®] Collection

Ecostone in Dark Gray Granite



1. Dear



1 1



NOOD

We create beautiful backyards

SimTek decorative walls offer elegance, privacy, and security for your yard. They provide a secluded place for you and your family to spend time together in the place that matters most — your home.

Ecostone in Brown Granite



Built on quality and timeless design





BLOCKS 98% OF DIRECT SOUND














We create strong barriers

SimTek fence panels are extremely durable for privacy and

security. Engineered with steel-reinforced polyethylene, our fence has a dynamic wind load testing up to 115 mph, and will withstand significant impact. Simtek fence panels are also fade-free and uniquely graffiti resistant.






Ashland in Red Cedar



We enhance outdoor spaces

SimTek fence panels have the same look on both sides, thus enhancing both you and your neighbor's outdoor living space. Our fence colors contain UV inhibitors to maintain vibrancy, and its polymers have been tested to withstand extreme weather conditions with little to no fading.





We create quiet spaces

SimTek fence panels can help make your exterior living space quieter. SimTek fence panels block 98% of direct sound, with an (STC) sound transmission

class of up to 26.

BLOCKS 98% OF DIRECT SOUND

Quality construction

Our fence panels are manufactured with quality in mind. SimTek® Fence has reinvented fence manufacturing with its **patented design** of rotationally-molded fence allowing realistic granite-stone appearance, dramatic wood texture, and superior performance. SimTek Fence will never need painting or staining and will not warp, fade or crack. SimTek withstands extreme temperatures and is resistant to any negative organic process. Also, Simtek panels are made from a proprietary blend of polyethylene, so no trees are cut down for the purpose of manufacturing our fence.

之间的







Ecostone[®] Collection


Available Colors

To designate color when ordering, add color code to the end of the item number. (example: FP48X96BEG) BEIGE GRANITE (BEG)





BROWN GRANITE (BRN)



PRODUCT NUMBER QUANTITY / (COLOR) DESCRIPTION FENCE SECTIONS EcoStone Fence Panel FP48X96 __ 48 in. H x 96 in. W Note: Fence section includes panel with steel reinforcement 5 IN. X 5 IN. POSTS Line Post with Hardware LP102 ___ 5 x 5 x 102 in. End Post with Hardware EP102 ____ 5 x 5 x 102 in.

4 ft. High / 8 ft. Wide - Sections and Posts

Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.

Corner Post with

Hardware 5 x 5 x 102 in.

102* Post Height		74"	Minimum top of post to ground level Ground Level
5" x 5" Post	72"	28"	30" - 36" Hole Depth

6 ft. High / 6 ft. Wide - Sections and Posts PRODUCT NUMBER QUANTITY / (COLOR) DESCRIPTION FENCE SECTIONS EcoStone Fence Panel FP72X72 ____ 72 in. H x 72 in. W

Note: Fence section includes panel with steel reinforcement

CP102 ___

5 IN. X 5 IN. POSTS		
	LP102	Line Post with Hardware $5 \times 5 \times 102$ in.
	EP102	End Post with Hardware 5 x 5 x 102 in.
	CP102	Corner Post with Hardware 5 x 5 x 102 in.


Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.

QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION
FENCE SECTI	ONS	
	FP48X96	EcoStone Fence Panel 48 in. H x 96 in. W (For 96 in. Height order (2) 48 in. H Panel)
Note: Fence section includes panel with steel reinforcement		

5 IN. X 5 IN. POSTS		
	LP142	Line Post with Hardware $5 \times 5 \times 142$ in.
	EP142	End Post with Hardware $5 \times 5 \times 142$ in.
	CP142	Corner Post with

Corner Post with Hardware 5 x 5 x 142 in.

Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.









DARK GRAY GRANITE (BLK)

4 ft. High / 8 ft. Wide – Post Caps			
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION	
POST CAPS			
	PC5X5	Post Cap Square 5 in. x 5 in.	
	PC5X10	Post Cap 45 Degree	
	PC5X10G	Post Cap Double Inline	

See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

We have everything you need to complete your installation

Posts





102 in. and 142 in.

102 in. and 142 in. Corner Post

02	in. and

142 in. End Post

Post Caps











Gates See page 16

Gap Fillers For a finished look, see page 19

Post Skirts

For finishing concrete installations, see page 19

6 ft. High / 6 ft. Wide – Post Caps			
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION	
POST CAPS			
	PC5X5	Post Cap Square 5 in. x 5 in.	
	PC5X10	Post Cap 45 Degree	
	PC5X10G	Post Cap Double Inline	

See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

8 ft. High /	8 ft. Wide – Post (Caps	
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTIC	N
POST CAPS			
	PC5X5	Post Cap Sq	uare 5 in. x 5 in.
	PC5X10	Post Cap 45	Degree
	PC5X10G	Post Cap Do	uble Inline
	Cut Panel Suppo (sold separately): • A support meta required on any bottom panel.	al bracket is	See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

Ashland[®] Collection

Available Colors

QUANTITY

FENCE SECTIONS


To designate color when ordering, add color code to the end of the item number. (example: FP48X96BEG) WALNUT BROWN (DBR)



the literate of the sadded a



RED CEDAR (RCD)



4 ft. High / 8 ft. wide – Sections and Posts			
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION	
FENCE SECTI	ONS		
	WP48X96	Ashland Fence Panel 48 in. H x 96 in. W	
Note: Fence section includes panel with steel reinforcement			
5 IN. X 5 IN. POSTS			
	10102	Line Post with Hardware	

 LP102	Line Post with Hardware 5 x 5 x 102 in.
 EP102	End Post with Hardware 5 x 5 x 102 in.
 CP102	Corner Post with Hardware 5 x 5 x 102 in.

Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.

DESCRIPTION

Ashland Fence Panel

Hardware $5 \times 5 \times 102$ in.

6 ft. High / 6 ft. Wide - Sections and Posts PRODUCT NUMBER

/(COLOR)

102" Post Height	74" Minimum to grou	top of post Ind level Ground Level
5" X 5" Post	72" 72" 72" 72" 72" 72" 72" 72"	" Hole Depth


	WP72X72	Ashland Fence Panel 72 in. H x 72 in. W
Note: Fence section	on includes panel with stee	el reinforcement
5 IN. X 5 IN. PO	STS	
	LP102	Line Post with Hardware 5 x 5 x 102 in.
	EP102	End Post with Hardware 5 x 5 x 102 in.
	CP102	Corner Post with Hardware 5 x 5 x 102 in

Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.

QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION
FENCE SECT	TIONS	
	WP48X96	Ashland Fence Panel 48 in. H x 96 in. W (For 96 in. Height order (2) 48 in. H Panel)

5 IN. X 5 IN. POSTS			
	LP142	Line Post with Hardware $5 \times 5 \times 142$ in.	
	EP142	End Post with Hardware 5 x 5 x 142 in.	
	CP142	Corner Post with Hardware 5 x 5 x 142 in.	

Note: Posts include panel support brackets and screws. (LP) = two brackets and two 1.25 in. screws. (CP) = two brackets, two 1.25 in. screws and four 3 in. screws. (EP) and (GP) = one bracket, one 1.25 in. screw and two 3 in. screws.







NANTUCKET GRAY (GRY)

DARK GRAY OAK (BLK)

4 ft. High / 8	3 ft. Wide – Post (Caps
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION
POST CAPS		
	PC5X5	Post Cap Square 5 in. x 5 in.
	PC5X10	Post Cap 45 Degree
	PC5X10G	Post Cap Double Inline

See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

We have everything you need to complete your installation

Posts





102 in. and 142 in.

¹⁰² in. and 142 in. Corner Post


02	in. and

142 in. End Post

Post Caps













Gates See page 16

Gap Fillers For a finished look, see page 19

Post Skirts

For finishing concrete installations, see page 19

6 ft. High / 6	6 ft. Wide – Post G	Caps
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION
POST CAPS		
	PC5X5	Post Cap Square 5 in. x 5 in.
	PC5X10	Post Cap 45 Degree
	PC5X10G	Post Cap Double Inline

See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

8 ft. High /	8 ft. Wide – Post	Caps	
QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION	1
POST CAPS			
	_ PC5X5	Post Cap Squa	are 5 in. x 5 in.
	PC5X10	Post Cap 45 D	egree
	_ PC5X10G	Post Cap Dou	ble Inline
	Cut Panel Support (sold separately) • A support met required on an bottom panel.	: al bracket is ny cut edge of	See pages 16-19 for compatible Gates, Post Skirts, Gap Fillers and more!

Gates & Accessories



The best gates in the industry.

SimTek privacy molded fence gates are built to last, so you can rest assured your fence will endure whatever life throws at it. Gates come in 3-ft., 4-ft., 5-ft. and 6-ft. widths and may be double hung for 7-ft., 8-ft., 9-ft., 10-ft., 11-ft. or 12-ft. openings.

SimTek molded Ecostone and Ashland gates have an internal frame of 1.5" x 1.5", 14-gauge, heavy-duty galvanized steel.



Each gate comes complete with two self-closing hinges, a latch, and a striker rod.

Hinges thread directly into the interior metal frame of the gate.

Our spring loaded, self-closing hinges meet national pool codes. Check with your local building code official as local codes may vary.*



Single hung gate, Ashland in Walnut Brown

Inside-to-Inside Post Spacing for Gates

GATE WIDTH	SINGLE OPENING	DOUBLE DRIVE WITH 3 FT. GATE	DOUBLE DRIVE WITH 4 FT. GATE	DOUBLE DRIVE WITH 5 FT. GATE	DOUBLE DRIVE WITH 6 FT. GATE
3 ft. Wide Gate	38.5″	76.0″	88.0″	100.0″	111.0″
4 ft. Wide Gate	50.5″	88.0″	100.0″	112.0″	123.0"
5 ft. Wide Gate	62.5″	100.0″	112.0″	124.0″	135.0″
6 ft. Wide Gate	73.5″	111.O″	123.0″	135.0″	146.0″

*For more information including installation instructions,

please visit our website: www.certainteed.com/fence/simtek/

Ecostone[®] – Gates

To designate color when ordering, add color code to the end of the item number. (example: GP102BEG)

BEIGE GRANITE (BEG) BROWN GRANITE (BRN) DARK BROWN GRANITE (DBR) GRAY GRANITE (GRY) DARK GRAY GRANITE (BLK)

QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION
Ecostone Ga	ites – 4 ft. High / 8 ft.	Wide
	GT48X48	EcoStone Gate 48 in. H X 48 in. W with Hardware
	GP102	Gate Post with Hardware $5 \times 5 \times 102$ in.
	801401	Self Close Hinge Set Black
	LATCH	Combo Latch / Striker Rod Set
	DRG36	Drop Rod Gate Hardware
Ecostone Ga	ntes – 6 ft. High / 6 ft.	Wide
	GT72X72	EcoStone Gate 70 in. H X 71 in. W with Hardware

 GT72X72	EcoStone Gate 70 in. H X 71 in. W with Hardware
 GT72X60	EcoStone Gate 70 in. H X 60 in. W with Hardware
 GT72X48	EcoStone Gate 70 in. H X 48 in. W with Hardware
 GT72X36	EcoStone Gate 70 in. H X 36 in. W with Hardware
 GP102	Gate Post with Hardware $5 \times 5 \times 102$ in.
 801401	Self Close Hinge Set Black
 LATCH	Combo Latch / Striker Rod Set
 DRG36	Drop Rod Gate Hardware

Ecostone Gates - 8 ft. High / 8 ft. Wide

 GT96X48
 GP142
 801401
 LATCH
 DRG36

EcoStone Gate 96 in. H X 48 in. W with Hardwar	re
Gate Post with Hardware 5 x 5 x 142 in.	
Self Close Hinge Set Black	
Combo Latch / Striker Rod Set	
Drop Rod Gate Hardware	

Ashland[®] - Gates

/ (COLOR)

QUANTITY

when ordering, add
color code to the end
of the item number.
(example: GP102RCD)

To designate color

WALNUT BROWN (DBR) RED CEDAR (RCD) NANTUCKET GRAY (GRY) DARK GRAY OAK (BLK)

PRODUCT NUMBER DESCRIPTION

Ashland Gates - 4 ft. High / 8 ft. Wide				
	WT48X48	Ashland Gate 48 in. H X 48 in. W with Hardware		
	GP102	Gate Post with Hardware $5 \times 5 \times 102$ in.		
	801401	Self Close Hinge Set Black		
	LATCH	Combo Latch / Striker Rod Set		
	DRG36	Drop Rod Gate Hardware		

Ashland Gates - 6 ft. High / 6 ft. Wide

 WGT72X72	Ashland Gate 70 in. H X 71 in. W with Hardware
 WGT72X60	Ashland Gate 70 in. H X 60 in. W with Hardware
 WGT72X48	Ashland Gate 70 in. H X 48 in. W with Hardware
 WGT72X36	Ashland Gate 70 in. H X 36 in. W with Hardware
 GP102	Gate Post with Hardware $5 \times 5 \times 102$ in.
 801401	Self Close Hinge Set Black
 LATCH	Combo Latch / Striker Rod Set
 DRG36	Drop Rod Gate Hardware

Ashland Gates - 8 ft. High / 8 ft. Wide

- WT96X48 ____ GP142 ____ 801401 LATCH DRG36
- Ashland Gate 96 in. H X 48 in. W with Hardware Gate Post with Hardware 5 x 5 x 142 in. Self Close Hinge Set Black Combo Latch / Striker Rod Set Drop Rod Gate Hardware


Accessories

Gate Posts



142 in. Gate Post

Gate Hardware



Accessories & Concrete



Concrete Mounting Accessories

SimTek Fence can be installed on top of a 10 inch minimum width, poured concrete wall or on a flat concrete surface. Our concrete mounting brackets are made with heavy steel plates and have vertical members. They attach to the concrete with wedge anchors and are bolted to the posts.

Mounting brackets are available for lines, ends, corners, and gate posts. Decorative skirts are used to cover the plates and anchor bolts for a finished look.

Ecostone and Ashland – Concrete Mounting Brackets				
	CMBLP6FG	Concrete Mounting Bracket 24 in. Line Post 6H 8x5 Base Plate		
	CMBEP6FG	Concrete Mounting Bracket 24 in. End Post 6H 6.5x5 Base Plate		
	CMBCP6FG	Concrete Mounting Bracket 24 in. Corner Post 6H 7x7 Base Plate		
	CMBGP6FG	Concrete Mounting Bracket 24 in. Gate Post 6H 8x5 Base Plate		
	CMBLP8FG	Concrete Mounting Bracket 24 in. Line Post 8H 8x5 Base Plate		
	CMBEP8FG	Concrete Mounting Bracket 24 in. End Post 8H 8x5 Base Plate		

Ecostone and Ashland - Concrete Mounting Post Caps and Skirts

PC5X5	Post Cap Square 5 in. x 5 in.
PC5X10	Post Cap 45 Degree
PC5X10G	Post Cap Double Inline
SKIRTLP	Line Post Skirt
SKIRTCP	Corner Post Skirt
SKIRTEG	End Post / Gate Post Skirt
	PC5X10 PC5X10G SKIRTLP SKIRTCP

NEED HELP

Contact SimTek Fence Customer Service

866-648-9336 simtekinfo@certainteed.com www.certainteed.com To designate color when ordering Ecostone, add color code to the end of the item number. (example: GP102**BEG**)

BEIGE GRANITE (BEG) BROWN GRANITE (BRN) DARK BROWN GRANITE (DBR) GRAY GRANITE (GRY) DARK GRAY GRANITE (BLK) To designate color when ordering Ashland, add color code to the end of the item number. (example: GP102**RCD**)

WALNUT BROWN **(DBR)** RED CEDAR **(RCD)** NANTUCKET GRAY **(GRY)** DARK GRAY OAK **(BLK)**

Ecostone[®] and Ashland[®] – Accessories

QUANTITY	PRODUCT NUMBER / (COLOR)	DESCRIPTION		
Ecostone and Ashland - 4 ft. High / 8 ft. Wide				
	SKIRTLP	Line Post Skirt		
	SKIRTCP	Corner Post Skirt		
	SKIRTEG	End Post/Gate Post Skirt		
	GF1X42	Gap Filler 1 in. Corner / Gate Post		
	GF2X42	Gap Filler 2 in. Line / End Post		
	CPSB48X96	Cut Panel Support Bracket 4 ft. X 8 ft. Panel		
Ecostone and Ashland – 6 ft. High / 6 ft. Wide				
	SKIRTLP	Line Post Skirt		
	SKIRTCP	Corner Post Skirt		
	SKIRTEG	End Post/Gate Post Skirt		
	GF1X42	Gap Filler 1 in. Corner / Gate Post		
	GF2X42	Gap Filler 2 in. Line/End Post		
	CPSB72X72	Cut Panel Support Bracket 6 ft. X 6 ft. Panel		
Ecostone an	d Ashland – 8 ft. High	/ 8 ft. Wide		
	SKIRTLP	Line Post Skirt		
	SKIRTCP	Corner Post Skirt		
	SKIRTEG	End Post/Gate Post Skirt		
	GF1X42	Gap Filler 1 in. Corner / Gate Post		
	GF2X42	Gap Filler 2 in. Line / End Post		
	CPSB48X96	Cut Panel Support Bracket 4 ft. X 8 ft. Panel		
Ecostone and Ashland – Brackets and Screws				
	FPB	Fence Panel Bracket-Zinc		
	SCB	Slip Cover Bracket		
	SCREW125	SCREW 1.25 in. (14X1.25)		

See page 12 for Ecostone Sections and Posts See page 14 for Ashland Sections and Posts

Concrete Mounting Bracket Details









Line Shoe











Corner Shoe



Gate Shoe





installation. Be certain that your

retaining wall is at least 10" wide so the bolts can be anchored properly.

Accessories

Post Skirts

For finishing concrete installations









Concrete installation showing post skirts, Ecostone in Beige Granite

Line Shoe Skirt

End Shoe Skirt

Corner Shoe Skirt

Gate Shoe Skirt







NOA Approval 22-0616.10



For full warranty information, please visit our website



Proudly made in the United States



U.S. Patents 7,478,797 / 7,635,114 Foreign Patents Pendings



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM20 Moores Road, Malvern, PA 19355Professional: 800-233-8990Consumer: 800-782-8777certainteed.com