

## SAFETY DATA SHEET

Issue Date 24-Apr-2015 Revision Date 10-May-2015 Version 2

#### 1. IDENTIFICATION

Product identifier

**Product Name** #67 Roofer's Choice Mobile Home Aluminum Roof Coating

Other means of identification

**Product Code** RC067 **Synonyms** None

Recommended use of the chemical and restrictions on use

**Recommended Use** Sealant.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Company Contact: Technical Services

Telephone Number: 800-486-1278

Web Site: www.henry.com www.ca.henry.com

Emergency telephone number

**Emergency Telephone** CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

## 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral                              | Not classified |
|--|----------------|
| Acute toxicity - Dermal                            | Not classified |
| Acute toxicity - Inhalation (Gases)                | Not classified |
| Acute toxicity - Inhalation (Vapors)               | Not classified |
| Acute toxicity - Inhalation (Dusts/Mists)          | Not classified |
| Skin corrosion/irritation                          | Category 2     |
| Serious eye damage/eye irritation                  | Category 2A    |
| Respiratory sensitization                          | Not classified |
| Skin sensitization                                 | Not classified |
| Germ cell mutagenicity                             | Not classified |
| Carcinogenicity                                    | Not classified |
| Reproductive toxicity                              | Not classified |
| Specific target organ toxicity (single exposure)   | Not classified |
| Specific target organ toxicity (repeated exposure) | Not classified |
| Aspiration toxicity                                | Not classified |
| Flammable liquids                                  | Category 3     |

#### Label elements

#### **Emergency Overview**

## Warning

#### Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

Flammable liquid and vapor



**Appearance** paste

Physical state liquid

Odor Petroleum distillates

## **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. - No smoking Wash face, hands and any exposed skin thoroughly after handling

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

IF INHALED: Call a POISON CENTER or doctor if you feel unwell In case of fire: Use Water spray, fog or regular foam for extinction

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Harmful to aquatic life with long lasting effects

Unknown acute toxicity

29.97% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Substance</u>

| Chemical Name          | CAS No.    | Weight-% | Trade Secret |
|------------------------|------------|----------|--------------|
| Petroleum Asphalt      | 8052-42-4  | 25-45    | *            |
| Stoddard solvent       | 8052-41-3  | 25-45    | *            |
| Aluminum               | 7429-90-5  | 5-15     | *            |
| Perlite                | 93763-70-3 | 5-15     | *            |
| 1,2,4 Trimethylbenzene | 95-63-6    | 0.1-1    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

## RC067- #67 ROOFER'S CHOICE MOBILE HOME ALUMINUM ROOF COATING

Revision Date 10-May-2015

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Drowsiness.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Incompatible materials Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines** 

exposure limits established by the region specific regulatory bodies.

| Chemical Name                  | ACGIH TLV   | OSHA PEL  | NIOSH IDLH  |
|--------------------------------|---|---|---|
| Petroleum Asphalt<br>8052-42-4 | TWA: 0.5 mg/m <sup>3</sup> benzene soluble aerosol fume, inhalable fraction | -   | Ceiling: 5 mg/m <sup>3</sup> fume 15 min                          |
| Stoddard solvent<br>8052-41-3  | TWA: 100 ppm  | TWA: 500 ppm<br>TWA: 2900 mg/m³<br>(vacated) TWA: 100 ppm<br>(vacated) TWA: 525 mg/m³ | IDLH: 20000 mg/m³<br>Ceiling: 1800 mg/m³ 15 min<br>TWA: 350 mg/m³ |

### **Appropriate engineering controls**

**Engineering Controls** Showers

> Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state liquid **Appearance** paste

Odor Petroleum distillates Color **Odor threshold** No information available black

Property Values Remarks • Method No information available

рH Melting point / freezing point Boiling point / boiling range

No information available °C >= 150

Flash point 40 °C **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** 9% Lower flammability limit: 1%

# RC067- #67 ROOFER'S CHOICE MOBILE HOME ALUMINUM ROOF COATING

@ 40 °C

Revision Date 10-May-2015

Vapor pressureNo information availableVapor densityNo information available

Relative density 0.9 - 1.3

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity >100 mm2/s

Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

## Incompatible materials

Strong oxidizing agents.

## **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information No data available

**Inhalation** May cause irritation of respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Irritating to eyes.

**Skin contact** Irritating to skin.

**Ingestion** No data available.

| Chemical Name     | Oral LD50          | Dermal LD50           | Inhalation LC50 |
|-------------------|--------------------|-----------------------|-----------------|
| Petroleum Asphalt | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | -               |
| 8052-42-4         |                    |                       |                 |

#### Information on toxicological effects

**Symptoms** Vapors may cause drowsiness and dizziness.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicity No information available. Carcinogenicity No information available.

| Chemical Name     | ACGIH | IARC     | NTP | OSHA |
|-------------------|-------|----------|-----|------|
| Petroleum Asphalt | -     | Group 2B | -   | X    |
| 8052-42-4         |       |          |     |      |

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

ATEmix (oral) 5,602.00 ATEmix (dermal) 5,602.00 ATEmix (inhalation-gas) 99.999.00 ATEmix (inhalation-dust/mist) 14.01 ATEmix (inhalation-vapor) 99,999.00

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

49.4 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

Not readily biodegradable.

#### **Bioaccumulation**

No information available.

| Chemical Name     | Partition coefficient |
|-------------------|-----------------------|
| Petroleum Asphalt | >6                    |
| 8052-42-4         |                       |

Other adverse effects No information available

Not applicable Ozone

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

Not regulated (If shipped in NON BULK packaging by ground transport) DOT

TDG Not regulated

IATA

UN/ID no. UN1999 Proper shipping name Tars, Liquid

**Hazard Class Packing Group** Ш

**IMDG** 

UN/ID no. UN1999 Proper shipping name Tars, Liquid

**Hazard Class Packing Group** 

**Description** May be transported as non-hazardous in accordance with IMDG 2.3.2.5

## 15. REGULATORY INFORMATION

All components used in this product are on the TSCA Inventory and the Canadian DSL.

#### International Inventories

**TSCA** Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Does not comply **IECSC** Complies KECL Complies **PICCS** Complies **AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard No **Reactive Hazard** No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

ALCOMING IN TOOL GOATING

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

## **U.S. State Right-to-Know Regulations**

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

Revision Date 10-May-2015

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

 Issue Date
 24-Apr-2015

 Revision Date
 10-May-2015

**Revision Note** 

No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**