

WEATHERWASH COATINGS SDS: WOOD STAIN

SECTION 1 - IDENTIFICATION

Company: WW Co. LLC

Reactive Stains: Wood Stain

Colors: Storm, Mist, Pined, Oaked, Rusted

Size: 32 oz, 128 oz, 640 oz

Classification: 64-19-7, 11121-90-7

Formula: $2(C_2H_3O_2)Fe$, CMnPSSi

Distributor: Weatherwash Coatings, Co. 1343 S 1110 W | Orem UT 84058

Chemical Information: sales.weatherwash@gmail.com

Section 2 - Hazard Identification

Emergency Overview: No hazardous components present as defined by OSHA, WHMIS, DOT, or EPA

Potential Health Effects:

Eyes: May cause irritation

Skin: May cause irritation with prolonged exposure

Ingestion: May cause abdominal discomfort, nausea, and diarrhea if ingested

Inhalation: May cause irritation with prolonged exposure

SECTION 3 – INGREDIENT INFORMATION

Principal Hazardous Components: No hazardous components present as defined by OSHA, WHMIS, DOT, or EPA

Other ingredients: Potable Water, Carbohydrate, Spices

Hazard Symbols: None Listed

Risk Phases: None Listed

Section 4 - First-Aid Measures

Emergency and First Aid Procedures:

Eyes: In case of contact with eyes, rinse immediately with plenty of water. If irritation continues seek medical advice.

Skin: Rinse with plenty of water. If irritation continues seek medical advice.

Ingestion: If swallowed, do not induce vomiting; drink plenty of water or milk. Seek medical advice immediately.

Inhalation: Move casualty to fresh air. If irritation continues seek medical advice.

Section 5 - Fire-Fighting Measures

Flammable Limits: None

Flash Point: Not flammable

Extinguishing Media: Use dry chemical, CO₂, or appropriate foam

NFPA Rating: Health: 1 Fire: 0 Reactivity: 0

Flammable Limits in Air % by Volume: N/A

Auto-ignition Temperature: N/A

Special Firefighting Procedures: For precaution firefighters should wear NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: N/A

WEATHERWASH COATINGS SDS: WOOD STAIN

Section 6 - Accidental Release Measures

Steps to Take in Case Material Is Released or Spilled: Use caution during clean up.

Personnel should wear proper protective equipment & clothing.

Absorb material with suitable absorbent and containerize for disposal.

Dispose in accordance with all Local, State & Federal regulations.

Section 7 - Handling and Storage

Precautions: Keep container tightly closed in a cool, dry, well-ventilated place. Avoid freezing. Suitable for any general chemical storage.

Section 8 - Exposure Controls/Personal Protection

Respiratory Protection: None needed under normal condition of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded

Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower

Protective Gloves: Wear natural rubber, neoprene, PVC, or equivalent gloves to limit possible skin irritation

Eye Protection: Splash proof chemical safety goggles

Ventilation: N/A

Local Exhaust: Preferred

Section 9 - Physical and Chemical Properties

Melting Point: approx. 0°C (32°F)

Boiling Point: approx. 100°C (212°F)

Vapor Pressure: Not Determined

Vapor Density (Air=1): Not Determined

Percent Volatile by Volume: 0%

Specific Gravity (H₂O=1): Not Determined

Solubility in Water: Highly Soluble

Appearance: Gray/Brown, translucent

Odor: Mild

Auto Ignition: No

Weight per Gallon: 8 lbs

Viscosity: ~0.894

Odor: Mild odor, non-toxic

Evaporation Rate: Not determined

Section 10 - Stability and Reactivity

Stability: Stable

Conditions to Avoid: Do not store in metal.

Incompatibility (Materials to Avoid): None

Hazardous Decomposition Products: CO_x

Hazardous Polymerization: None

Section 11 - Toxicological Information

Toxicity Data: Biochemically, hematologically and histopathologically non-toxic

Effects of Overexposure: N/A

Acute: See Section 2

Chronic: Not listed as a carcinogen by IARC, NTP or OSHA.

Conditions Aggravated by Overexposure: Respiratory Disorders

Target Organs: Respiratory system, Skin, Eyes

Primary Route(s) of Entry: Inhalation, Ingestion, Skin contact

WEATHERWASH COATINGS SDS: WOOD STAIN

Section 12 - Ecological Information

All care should be taken to prevent release into the environment.

Section 13 - Disposal Considerations

Waste Disposal Methods: Dispose in accordance with all applicable Local, State, and Federal regulations. Always contact a permitted waste disposer to assure compliance.

Section 14 - Transport Information

DOT Proper Shipping Name: N/A

Section 15 - Regulatory Information

EPA TSCA Status: Does not contain ingredients subject to reporting of TSCA 12 (B)

OSHA Communication Standard (29 CFR 1910.1200): Not Hazardous

CERCLA Section 103 RQ(Ib.): Not Hazardous

RCRA Section 261.33: Not Hazardous

California Prop 65: Does not contain ingredients on the Prop 65 substance list, which the state of California has found to cause cancer, birth defects, or other reproductive effects.

SECTION 16 – OTHER INFORMATION: INCLUDING SATE OF PREPARATION OR LAST REVISION

The information provided in this MSDS represents a compilation of data drawn directly from various sources available to us. Weatherwash Coatings makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material. Furthermore, the manufacturer assumes no responsibility for harm caused by the abnormal use of this material even if reasonable safety procedures are followed. Prepared in California, 11/11/16

Glossary

CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
DOT	Department of Transportation
EPA	Environmental Protection Agency
IARC	International Agency of Research on Cancer
MSHA	Mine Safety and Health Administration
N/A	Not Applicable
NIOSH	National Institute for Occupational Safety & Health
NTP	National Toxicology Program
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limit
ppm	Parts per Million
RCRA	Resource Conservation and Recovery Act
SARA	Superfund Amendments & Reauthorization Act
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
WHMIS	Workplace Hazardous Materials Information System