SAFETY DATA SHEET

Issuing Date 08-Apr-2021

Revision Date 09-Apr-2021

Revision Number 0

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Preserva Wood Semi-Transparent (Architect Series)

Other means of identification

Product Code(s) 1300018

Recommended use of the chemical and restrictions on use

Recommended Use Stains

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Preserva Products

Address 12860 Earhart Ave

Auburn California 95602 United States

Telephone Phone:5308870177

E-mail cindy@preservawood.com

Emergency telephone number

Company Emergency Phone

Number

5308870177

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4



Appearance Multiple Colors

Physical state Oil Liquid

Odor Slight

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes serious eye irritation
Causes damage to organs through prolonged or repeated exposure
May be fatal if swallowed and enters airways
Combustible Liquid



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Keep away from flames and hot surfaces. - No smoking Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation. Toxic to aquatic life.

Unknown acute toxicity 99.34 % of the mixture consists of ingredient(s) of unknown toxicity

97.64 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.34 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)



Page 2/11

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	=	50 - 60%	-	-
Supplier Trade Secret	=	20 - 30%	-	-
Supplier Trade Secret	-	0 - 10%	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce

vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Keep product and empty container away from heat and sources of ignition. In the event of

fire, cool tanks with water spray.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact with

skin, eyes or clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from



heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	08	SHA PEL		NIOS	H IDLH
Supplier Trade Secre	t	-		TWA: 5 mg/m³ mist, respirable				m ³ total mist
				fraction		TWA:	5 mg/m ³	respirable mist
				TWA: 15 mg/m³ mist, total				
			(vac		(vacated) TWA: 15 mg/m³ total			
				dust, mist				
) TWA: 5 mg/m³			
 					le fraction, mist			
Supplier Trade Secre	t	TWA: 5 mg			A: 5 mg/m ³			
		STEL: 10 m	•	(as	(as oil mist)			
	_	(as oil mi						/ a =
Supplier Trade Secre	t	TWA: 5 mg/m ³ r	•	TWA: 10 mg/m³ fume		IDLH: 2500 mg/m³ Fe dust and		
			mg/m³ total dust			me		
				TWA: 5 mg/m³ respirable		1 00 %	TWA: 5 mg/m³ Fe dust and fume	
				fraction			tu	me
				(vacated) TWA: 10 mg/m ³ fume and total dust Iron oxide				
				(vacated) TWA: 5 mg/m ³				
				respirable fraction regulated under Rouge				
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V		Quebec
Supplier Trade Secret		, iibortu	Dillon	- Cidilibia	Ontario I W/(L			A: 10 mg/m ³
Cappilor riddo coolor								13 1119/111
Supplier Trade Secret	7	TWA: 5 mg/m ³ TWA: 1		0 mg/m ³ TWA: 5 mg/m		3	TW	'A: 5 mg/m ³
			TWA: 3 mg/m ³				TW	A: 10 mg/m ³
			TWA: 5 mg/m ³					-
			STEL: 10 mg/m ³					

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

> **Eyewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.



exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state AppearanceOil; Liquid
Multiple Colors

Odor Slight

Color No information available
Odor Threshold No data available

Property Values Remarks Method

pH UNKNOWN

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point 63 C / 145 F
Evaporation Rate No data available None known
Flammability (solid, gas) No data available None known
Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.9

Water Solubility Virtually insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

No information available **Explosive properties** No information available **Oxidizing properties Softening Point** No information available Molecular Weight No information available **VOC Content (%)** No information available No information available **Liquid Density Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.



Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause irritation. May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Repeated exposure may

cause skin dryness or cracking. May cause irritation. Prolonged contact may cause redness

and irritation.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

Unknown acute toxicity 99.34 % of the mixture consists of ingredient(s) of unknown toxicity

97.64 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.34 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.34 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Supplier Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	
Supplier Trade Secret	> 10000 mg/kg (Rat)	-	-	

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Fish Toxicity to	
			microorganisms	
Supplier Trade Secret	No data available	96h LC50: = 2.2 mg/L	No data available	No data available
		(Lepomis macrochirus)		
		96h LC50: = 2.4 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: = 45 mg/L		
		(Pimephales promelas)		
Supplier Trade Secret	No data available	96h LC50: = 100000	No data available	No data available
		mg/L (Danio rerio)		

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

MobilityNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods



Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 331

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON-REGULATED

Hazard Class N/A

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA Not applicable NON REGULATED

Hazard Class N/A

IMDG/IMO Not applicable

Hazard Class N/A

RID Not applicable

ADR Not applicable

ADN Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend



1300018 - Preserva Wood Semi-Transparent (Architect Series)

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret		Χ	Χ		
1					
Supplier Trade Secret	Х	Х	Х		

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical Properties -

IMIS Health hazards 2 * Flammability 2 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110



1-800-572-6501

Issuing Date 08-Apr-2021

Revision Date 09-Apr-2021

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

