



FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: HTH Ultimate Mineral Brilliance Chlorinating Granules

EPA Registration Number: 1258-1346

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| | | |
|---|-------------------------------|---|
| Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 | REVISION DATE: | 05/26/2015 |
| | SUPERCEDES: | 02/27/2015 |
| | MSDS Number: | 000000026285 |
| | SYNONYMS: | None |
| | CHEMICAL FAMILY: | Hypochlorite |
| | DESCRIPTION / USE FORMULA: | Swimming pool water treatment NOT APPLICABLE/MIXTURE |

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing solids : Category 2
Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1B
Serious eye damage : Category 1
Acute toxicity (Inhalation) : Category 3
Specific target organ toxicity - single exposure : Category 3

GHS Label element

Hazard pictograms :





- Signal word : Danger
- Hazard statements : H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
- Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P260 Do not breathe vapours.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
Disposal:
P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>CAS OR CHEMICAL NAME</u> | <u>CAS #</u> | <u>% RANGE</u> |
|-----------------------------------|--------------|----------------|
| CALCIUM HYPOCHLORITE | 7778-54-3 | 50 - 70 |
| SODIUM CHLORIDE | 7647-14-5 | 15 - 25 |
| MAGNESIUM SULFATE HEPTAHYDRATE | 10034-99-8 | 14 - 18 |
| CALCIUM HYDROXIDE | 1305-62-0 | 0 - 6 |
| CALCIUM CARBONATE | 471-34-1 | 0 - 4 |
| Calcium chloride | 10035-04-8 | 0 - 4 |
| CALCIUM CHLORATE | 10137-74-3 | 0 - 4 |
| Hexametaphosphate | 68915-31-1 | 0 - 1 |
| ALUMINUM SULFATE, ANHYDROUS | 10043-01-3 | 0 - 1 |
| Water | 7732-18-5 | 10 - 16 |

SECTION 4. FIRST AID MEASURES

| | |
|-----------------|--|
| General Advice: | Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. |
| Inhalation: | IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| Skin Contact: | IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Eye Contact: | IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |



Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire., This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric., NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1 Oxidizer

Flammable Properties

Flash Point: Not applicable
Autoignition Temperature: Not applicable
Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds.
Fire Fighting Instructions: Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.
Upper Flammable / Explosive Limit, % in air: Not applicable
Lower Flammable / Explosive Limit, % in air: Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

Spill Mitigation Procedures

Air Release: Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.

Water Release: This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.



Land Release: Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.

Additional Spill Information : Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.

Storage: Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.

Shelf Life Limitations: Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.



Incompatible Materials for Storage: Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire.

Do Not Store At temperatures Above: Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Respirator Type : A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Nitrile, Natural rubber, Neoprene (This includes: gloves, boots, apron, protective suit)

Components with workplace control parameters

| Components (CAS-No.) | Value | Control parameters | Basis (Update) |
|----------------------------------|-------|--------------------|------------------|
| CALCIUM HYPOCHLORITE (7778-54-3) | TWA | 1 mg/m3 | ARCH OEL* |
| CALCIUM HYPOCHLORITE (7778-54-3) | Conc | 37 - 48 mg/m3 | NIOSH/GUIDE IDLH |
| CALCIUM HYDROXIDE (1305-62-0) | TWA | 5 mg/m3 | ACGIH (02 2014) |

ARCH OEL: Arch Recommended Occupational Exposure Guideline.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



| | |
|--|---|
| Physical State: | solid |
| Form | Free flowing, powder |
| Color: | white |
| Odor: | Chlorine-like |
| Molecular Weight: | (Active ingredient)143.00 g/mol |
| pH : | 10 - 10.7 solution |
| Boiling Point: | Not applicable |
| Melting point/freezing point | Not applicable |
| Density: | 0.9 - 1.1g/cc |
| Vapor Pressure: | (@ 25 Deg. C) Not applicable |
| Vapor Density: | Not applicable |
| Viscosity: | Not applicable |
| Fat Solubility: | No data |
| Solubility in Water: | Approximately 18% (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue. |
| Partition coefficient n-octanol/water: | Not applicable |
| Evaporation Rate: | Not applicable |
| Oxidizing: | Oxidizer |
| Volatiles, % by vol.: | Not applicable |
| VOC Content | Not applicable |
| HAP Content | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | |
|-----------------------------------|---|
| Stability and Reactivity Summary: | Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 1 oxidizer. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product. |
| Conditions to Avoid: | Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid. |
| Chemical Incompatibility: | This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. |
| Hazardous Decomposition Products: | Chlorine |
| Decomposition Temperature: | 170 - 180 °C - , 338 - 356 °F- |



SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

| | | | |
|--------------------------------|---------------------------------|---------------|-------|
| CALCIUM HYPOCHLORITE | LD50 (65% calcium hypochlorite) | 850 mg/kg | Rat |
| SODIUM CHLORIDE | LD50 = | 3,000 mg/kg | Rat |
| CALCIUM HYDROXIDE | LD50 = | 7,340 mg/kg | Rat |
| Calcium chloride | > | 1,000.0 mg/kg | |
| Hexametaphosphate | LD50 = | 3,053 mg/kg | Rat |
| ALUMINUM SULFATE, ANHYDROUS | LD50 = | 1,930 mg/kg | Rat |
| | LD50 = | 6,207 mg/kg | Mouse |

Component Animal Toxicology

Dermal LD50 value:

| | | | |
|--------------------------------|---------------------------------|---------------|--------|
| CALCIUM HYPOCHLORITE | LD50 (65% calcium hypochlorite) | > 2,000 mg/kg | Rabbit |
| SODIUM CHLORIDE | LD50 > | 10,000 mg/kg | Rabbit |
| CALCIUM HYDROXIDE | No data | | |
| Hexametaphosphate | no data available | | |
| ALUMINUM SULFATE, ANHYDROUS | LD50 No data | | |

Component Animal Toxicology

Inhalation LC50 value:

| | | |
|--------------------------------|---|---------------|
| CALCIUM HYPOCHLORITE | Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only) = | 2.04 mg/l |
| | Rat | |
| | Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = | 0.51 mg/l |
| | Rat | |
| SODIUM CHLORIDE | Inhalation LC50 1 h > | 42 mg/l Rat |
| CALCIUM HYDROXIDE | No data | |
| Calcium chloride | Respiratory irritant | |
| Hexametaphosphate | LC50 4 h > | 3.69 mg/l Rat |
| ALUMINUM SULFATE, ANHYDROUS | Inhalation LC50 No data | |



Product Animal Toxicity

Oral LD50 value: LD50 Approximately 850 mg/kg Rat

Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit

Inhalation LC50 value: Inhalation LC50 1 h (Nose Only) > 2.04 mg/l Rat Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.

Eye Irritation: Corrosive to eyes.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Subchronic / Chronic Toxicity: There are no known or reported effects from repeated exposure except those secondary to burns.

Reproductive and Developmental Toxicity: Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.

Mutagenicity: Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage to humans is judged not significant.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).

SECTION 12. ECOLOGICAL INFORMATION

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

Bluegill - (nominal, static). 96 h LC50 Approximately 0.12 mg/l Based on extrapolation from studies using calcium hypochlorite.



- Rainbow trout (*Salmo gairdneri*), - (nominal, static). 96 h LC50 Approximately 0.22 mg/l Based on extrapolation from studies using calcium hypochlorite.
- Daphnia magna, - (nominal, static). 48 h LC50 Approximately 0.15 mg/l Based on extrapolation from studies using calcium hypochlorite.
- Bobwhite quail - LC50 > 7,000 ppm Based on extrapolation from studies using calcium hypochlorite.
- Mallard ducklings - LC50 > 7,000 ppm Based on extrapolation from studies using calcium hypochlorite.
- Bobwhite quail - LD50 Approximately 4,800 mg/kg Based on extrapolation from studies using calcium hypochlorite.

Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

- Bluegill - (nominal, static). 96 h LC50 0.088 mg/l
- Rainbow trout (*Salmo gairdneri*), - (nominal, static). 96 h LC50 0.16 mg/l
- Daphnia magna, - (nominal, static). 48 h LC50 0.11 mg/l
- Bobwhite quail - Dietary LC50 > 5,000 ppm
- Mallard ducklings - Dietary LC50 > 5,000 ppm
- Bobwhite quail - Oral LD50 3,474 mg/kg

Ecological Toxicity Values for: ALUMINUM SULFATE, ANHYDROUS

- Largemouth bass - 96 h LC50 = 250 mg/l
- Mosquito fish - 96 h LC50 = 235 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.

Disposal Methods : As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D001



SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 2880
Description of the goods : Calcium hypochlorite, hydrated mixtures
: (Calcium hypochlorite)
Class : 5.1
Packing group : II
Labels : 5.1
Emergency Response : 140
Guidebook Number

TDG

UN number : 2880
Description of the goods : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
Class : 5.1
Packing group : II
Labels : 5.1

IATA

UN number : 2880
Description of the goods : Calcium hypochlorite, hydrated mixture
(Calcium hypochlorite)
Class : 5.1
Packing group : II
Labels : 5.1
Packing instruction (cargo aircraft) : 562
Packing instruction (passenger aircraft) : 558
Packing instruction (passenger aircraft) : Y544

IMDG-CODE

UN number : 2880
Description of the goods : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
(Calcium hypochlorite)
Class : 5.1
Packing group : II
Labels : 5.1
EmS Number 1 : F-H
EmS Number 2 : S-Q

Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION



This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!
Hazard statements : Harmful if swallowed.
Harmful if absorbed through skin.
Harmful if inhaled.
Corrosive. Causes skin burns.
Corrosive. Causes irreversible eye damage.
This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------------|-----------|--------------------|-----------------------------|
| Calcium hypochlorite | 7778-54-3 | 10 | 14 |

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

| | |
|----------------------|------------|
| Calcium hypochlorite | 7778-54-3 |
| Calcium dihydroxide | 1305-62-0 |
| Calcium carbonate | 471-34-1 |
| Calcium chlorate | 10137-74-3 |
| Aluminium sulphate | 10043-01-3 |

Pennsylvania Right To Know

| | |
|---------------------------------|------------|
| Calcium hypochlorite | 7778-54-3 |
| Sodium chloride | 7647-14-5 |
| magnesium sulphate heptahydrate | 10034-99-8 |
| Calcium dihydroxide | 1305-62-0 |
| Calcium carbonate | 471-34-1 |
| calcium chloride | 10035-04-8 |
| Calcium chlorate | 10137-74-3 |
| Aluminium sulphate | 10043-01-3 |

New Jersey Right To Know

| | |
|----------------------|-----------|
| Calcium hypochlorite | 7778-54-3 |
| Sodium chloride | 7647-14-5 |



| | |
|------------------------------------|------------|
| magnesium sulphate heptahydrate | 10034-99-8 |
| Calcium dihydroxide | 1305-62-0 |
| Calcium carbonate | 471-34-1 |
| Calcium chlorate | 10137-74-3 |
| Aluminium sulphate | 10043-01-3 |

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .