

NEW



STEEL PIPE SOLUTIONS GUIDE





THE WORLD LEADER
IN CORDLESS INNOVATION




STEEL PIPE CONNECTION SOLUTIONS


GROOVING




M18 FUEL™ RINGER™
Roll Groover for 1-1/4" - 4"
Sch 10/40, 6" Sch 10
2927-22



BLACK IRON
■ 1-1/4" to 6" Sch 10
■ 1-1/4" to 4" Sch 40




GALVANIZED STEEL
■ 1-1/4" to 6" Sch 10
■ 1-1/4" to 4" Sch 40




STAINLESS STEEL
■ 1-1/4" to 6" Sch 10
■ 1-1/4" to 2" Sch 40




M18 FUEL™ RINGER™
Roll Groover for 2" - 6"
Sch 10/40
2928-22



BLACK IRON
■ 2" to 6" Sch 10
■ 2" to 6" Sch 40



GALVANIZED STEEL
■ 2" to 6" Sch 10
■ 2" to 6" Sch 40



STAINLESS STEEL
■ 2" to 6" Sch 10
■ 2" Sch 40

THREADING



M18 FUEL™ Compact Pipe Threader
w/ ONE-KEY™ with 1/2" - 1-1/4"
Compact Die Heads
2870-22

UP TO 1-1/4" PIPE CAPACITY



M18 FUEL™ Pipe Threader
w/ ONE-KEY™
2874-22

UP TO 2" PIPE CAPACITY



MX FUEL™ Pipe Threading Machine
MXF512-2XC

UP TO 2" PIPE CAPACITY

PRESS



M12™ FORCE LOGIC™
Press Tool Kit
2473-20

**1/2" - 1"
STEEL PIPE CAPACITY***



M18™ FORCE LOGIC™
Press Tool Kit w/ ONE-KEY™
2922-20

**1/2" - 2"
STEEL PIPE CAPACITY***



M18™ FORCE LOGIC™
Long Throw Press Tool Kit
2773-20L

**1/2" - 4"
STEEL PIPE CAPACITY***

*with IPS Jaws (Sold Separately)




M18 FUEL™

DRIVEN TO OUTPERFORM.™

RINGER™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations – the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software – that deliver unmatched power, run-time and durability. The M18 FUEL™ RINGER™ Roll Groover is the industry's first cordless roll groover. Delivering on the fastest setup and unparalleled portability, the M18 FUEL™ RINGER™ enables operators to work where it's most convenient without the limitations of a cord. Simply put, the M18 FUEL™ RINGER™ Roll Groover is designed to optimize the productivity of on-site grooving.

2 REDLINK PLUS™
INTELLIGENCE



2927-22

3 REDLITHIUM™
FORGE™

2927-22
XC8.0
BATTERY PACKS
FITS M18™ TOOLS



REDLITHIUM
FORGE

2928-22
HD12.0
BATTERY PACKS
FITS M18™ TOOLS



REDLITHIUM
FORGE

UP TO
50 2.5" SCH 10
GROOVES
PER CHARGE

2927-22

UP TO
25 3" SCH 40
GROOVES
PER CHARGE

2928-22


FASTEST,
SETUP TO FINISH
WORK ANYWHERE

EASIEST
WAY TO
GROOVE

RINGER™ ROLL GROOVER

**FASTEST, SETUP TO FINISH
WORK ANYWHERE**


WORK WHERE IT'S MOST CONVENIENT



EASY TRANSPORT



WORK ANYWHERE



SET AND GO



EASIEST WAY TO GROOVE

ELIMINATES CRANKING,
MOST CONTROLLED



Hands-Free Grooving



Groove Depth Offset
Delivers Precise
Adjustments



UP TO
50 2.5" SCH 10* / 25 3" SCH 40**
GROOVES PER CHARGE

ALL DAY RUN-TIME ON SITE

1
CHARGE

=
50

2.5" SCH 10
GROOVES*

REDLITHIUM
FORGE
XC8.0

1
CHARGE

=
25

3" SCH 40
GROOVES**

REDLITHIUM
FORGE
HD12.0




* with 2927-22

** with 2928-22





FRONT HANDLE
Work anywhere with single-handed carry



BUMP STOP
Confidently operate in tight spaces



GROOVE CONTROL PANEL
Quick, simple control to automate the grooving process



GROOVE DEPTH OFFSET DIAL
Controls groove depth to deliver consistent results



PIPE MATERIAL, SCHEDULE, AND SIZE SELECTORS



RINGER™
FUEL
BRUSHLESS
Milwaukee
FUEL
ONEKEY

GROOVING ROLLERS
Deliver consistent results and eliminate cranking

ONEKEY™ COMPATIBLE
TRACK AND MANAGE.

2927-22

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS	
	2927	2928
Capacity	1-1/4" – 6" Sch 10 1-1/4" – 4" Sch 40	2" – 6" Sch 10/40
Radial Clearance	<4.5"	
Axial Clearance	17"	
Groove Depth Offset	Yes	
LED Work Light	Yes	
Weight (Tool-Only)	42 lbs	45 lbs



SCAN FOR INSTRUCTIONS AND MAINTENANCE INFORMATION
or visit <https://qr.mke.tl/2aaca>



M18 FUEL™ RINGER™ Roll Groover for 1-1/4" – 4" Sch 10/40, 6" Sch 10
2927-22

Includes: 2927-20 RINGER™ Roll Groover for 1-1/4" – 4" Sch 10/40, 6" Sch 10, (2) M18™ REDLITHIUM™ FORGE™ XC8.0 Battery Packs, M18™ & M12™ Rapid Charger and Carrying Case



M18 FUEL™ RINGER™ Roll Groover for 2" – 6" Sch 10/40
2928-22

Includes: 2928-20 RINGER™ Roll Groover for 2" – 6" Sch 10/40, (2) M18™ REDLITHIUM™ FORGE™ HD12.0 Battery Packs, M18™ & M12™ Rapid Charger and Carrying Case



Pipe Diameter Tape Measure
48-22-1006

MOST DURABLE. EASIEST STORAGE.





DRIVEN TO OUTPERFORM.™

The MX FUEL™ Equipment System revolutionizes the light equipment market by delivering the performance, run-time and durability demanded by the trades without the hazards associated with emissions, noise, vibration and the frustrations of gas maintenance. This completely compatible system goes beyond the limitations of gasoline and power cord units, utilizing the industry's most advanced batteries, motors and electronics to deliver a best-in-class experience for users. This is Equipment Redefined.



1

REDLITHIUM™
BATTERY PACK

2

REDLINK PLUS™
INTELLIGENCE

3

POWERSTATE™
BRUSHLESS
MOTOR

EASIEST TRANSPORT,
**WORK
ANYWHERE**



**FASTEST,
SET UP**
TO CLEAN UP



UP TO
140 3/4"
THREADS
PER CHARGE

LESS DOWN TIME

1

CHARGE

=

140

3/4" THREADS
PER CHARGE

CUT, REAM AND THREAD

REDLITHIUM
XC406

PIPE THREADING MACHINE



DUAL SPEED

- High Speed - 57 RPM
- Low Speed - 36 RPM

REAR HAMMER CHUCK

Drive roll grooving attachment without disassembly



TRACK AND MANAGE.

DURABLE METAL HOUSING

Built to handle jobsite demands

CART SPRINGS

Gas springs support weight for easiest set up

CARRIAGE RELEASE LEVER

Used to raise and lower the machine

DIE HEAD w/ MICRO-ADJUST

- Easiest most controlled adjustments
- Self oiling and self releasing

SELF CONTAINED OIL RESERVOIR

Enables cleanest threading and transportation

OIL PLUG

Enables clean and easy oil changes

TRANSPORTATION HANDLES

Lift point for transportation around site



SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Pipe Capacity	1/8" – 2"
Self-Contained Oil Reservoir	Yes
Self-Oiling	Yes
Dual Hammer Chucks	Yes
Collapsible Cart	Yes

DESCRIPTION	SPECIFICATIONS
Housing Material	All Metal Construction
Micro Adjust Die Head	Yes
Length / Width (Tool-Only)	45" / 28"
Height / Weight	44" / 240 lbs



MX FUEL™ Pipe Threading Machine MXF512-2XC

Includes: MXF512-0 MX FUEL™ Pipe Threading Machine, Cart, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger, NPT Pipe Threading Die Head w/ Micro Adjust, 1/2" – 3/4" High Speed NPT Universal Pipe Threading Die Set, 1" – 2" High Speed NPT Universal Pipe Threading Die Set, Cutting Wheel and Dark Thread Cutting Oil






DIE HEADS w/ MICRO-ADJUST

49-16-5100, 49-16-5103

EASIEST, MOST CONTROLLED
ADJUSTMENTS



UNIVERSAL PIPE THREADING DIES



PART NO.	SIZE	DESCRIPTION	TYPE
48-36-1201	1/2" – 3/4"	1/2" – 3/4" Alloy NPT Universal Pipe Threading Dies	Alloy
48-36-1202	1" – 2"	1" – 2" Alloy NPT Universal Pipe Threading Dies	Alloy
48-36-1203	1/2" – 3/4"	1/2" – 3/4" High Speed NPT Universal Pipe Threading Dies	High Speed
48-36-1204	1" – 2"	1" – 2" High Speed NPT Universal Pipe Threading Dies	High Speed
48-36-1205	1/2" – 3/4"	1/2" – 3/4" High Speed for Stainless NPT Universal Pipe Threading Dies	High Speed for Stainless
48-36-1206	1" – 2"	1" – 2" High Speed for Stainless NPT Universal Pipe Threading Dies	High Speed for Stainless

OTHER ACCESSORIES




Threading Jaw Inserts
for Coated Pipe (6 pk)
49-16-5102



Threading Jaw
Inserts (6 pk)
49-16-5104



Dark Thread
Cutting Oil
49-08-5100



Reamer Cone
49-16-5105



4 Pc Replacement
Cutter Wheels
48-36-1401



DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations – the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software – that deliver unmatched power, run-time and durability. The M18 FUEL™ Pipe Threader w/ ONE-KEY™ revolutionizes pipe threading. Featuring AUTOSTOP™ kickback control, the tool protects against severe kickback. This, combined with the integrated side-grip for easier thread starts, delivers unrivaled tool control. Simply put, the M18 FUEL™ Pipe Threader w/ ONE-KEY™, the world's first cordless pipe threader, threads faster than corded alternatives and delivers unmatched productivity.



1 POWERSTATE™
BRUSHLESS MOTOR

2 REDLINK PLUS™
INTELLIGENCE

3 REDLITHIUM™
HIGH OUTPUT™
HD12.0 BATTERY PACK
FITS M18™ TOOLS

AUTOSTOP™ KICKBACK CONTROL

AUTOSTOP™: SENSES KICKBACK & AUTOMATICALLY SHUTS TOOL OFF

Kickback Control
MILWAUKEE® M18 FUEL™


No Protection Against Kickback
Corded Competitor

SIDE-GRIP THREAD STARTS

NO ENGAGEMENT WITH SPINNING DIE HEAD

DIE HEAD RETENTION LOCK

THREADS FASTER THAN CORDED



PIPE THREADER w/ ONE-KEY™



MULTI-SPEED SELECTOR

- Optimizes thread quality across pipe sizes
- Allows for faster threading and threader removal

REINFORCED MAGNESIUM CARRY HANDLE

Reinforced magnesium for added strength and durability

DEDICATED SUPPORT ARM

- Allows for threading without a pipe stand
- Resists threading torque for maximum tool control

DIE HEAD RETENTION LOCK

Allows for the die to lock into the tool before starting to thread



ONE-KEY
COMPATIBLE
TRACK AND MANAGE.

OFFSET DIE HEAD

Creates a flat tool back allowing for threading in tighter spaces

VARIABLE SPEED TRIGGER

- Adjustable speed for optimal thread quality
- Allows for a slower, more controlled thread start

M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 BATTERY

- Up to 25 2" pipe threads per charge
- Fits M18™ Tools

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Pipe Capacity	1/8" – 2"
AUTOSTOP™	Yes
Die Head Retention Lock	Yes
Multi-Speed Selector	Yes
Compatible with RIDGID® 12-R & Reed R12+ Die Heads	Yes

DESCRIPTION	SPECIFICATIONS
Variable Speed Trigger	Yes
Offset Die Head	Yes
Reinforced Magnesium Carry Handle	Yes
Length / Width (Tool-Only)	26.3" / 4.8"
Height / Weight (Tool-Only)	8.5" / 22.3 lbs



M18 FUEL™ Pipe Threader w/ ONE-KEY™ Kit 2874-22HD

Includes: 2874-20 Pipe Threader w/ ONE-KEY™, (2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs, M18™ & M12™ Rapid Charger, Threading Support Arm and Carrying Case.







DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, the M18 FUEL™ Compact Pipe Threader w/ ONE-KEY™ is the lightest cordless threading solution, delivering the most controlled threading experience.





1 POWERSTATE™
BRUSHLESS MOTOR



2 REDLINK PLUS™
INTELLIGENCE




3 REDLITHIUM™
HIGH OUTPUT™
XC8.0 BATTERY PACK
FITS M18™ TOOLS



LIGHTEST CORDLESS THREADER

UP TO 40% LIGHTER SOLUTION




- MILWAUKEE® M18 FUEL™
- Cordless Competitor

*Weighed with Tool, Battery & 1" Die Head


ENHANCED SAFETY, KICKBACK CONTROL

AUTOSTOP™: SENSES KICKBACK & AUTOMATICALLY SHUTS TOOL OFF



SIDE-GRIP THREAD STARTS

NO ENGAGEMENT WITH SPINNING DIE HEAD



COMPACT PIPE THREADER w/ ONE-KEY™



DIE HEAD RETENTION LOCK

Allows for the die to lock into the tool before starting to thread

LIGHTWEIGHT AND COMPACT DESIGN

Optimized for threading applications up to 1-1/4"

DEDICATED SUPPORT ARM

- Allows for threading without a pipe stand
- Resists threading torque for maximum tool control

ONE-KEY™ COMPATIBLE TRACK AND MANAGE.



SIDE GRIP THREAD STARTS

Side grip eliminates the need to touch the moving die head

COMPACT FORGED ALUMINUM DIE HEAD

Lightweight and maximum durability

VARIABLE SPEED TRIGGER

- Adjustable speed for optimal thread quality
- Allows for a slower, more controlled thread start

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Pipe Capacity	1/8" – 1-1/4"
AUTOSTOP™	Yes
Die Head Retention Lock	Yes
Variable Speed Trigger	Yes
Length (Tool-Only)	19.7"
Height / Weight (Tool-Only)	8.2" / 10.6 lbs



M18 FUEL™ Compact Pipe Threader w/ ONE-KEY™ with 1/2" – 1-1/4" Compact Die Heads 2870-22

Includes: 2870-20 Compact Pipe Threader w/ ONE-KEY™, (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Packs, M18™ & M12™ Rapid Charger, Threading Support Arm, 1/2" – 1-1/4" Compact NPT Portable Pipe Threading Forged Aluminum Die Heads and Carrying Case.





NEW

FORGED ALUMINUM DIE HEADS

INDUSTRY'S
LIGHTEST
DIE HEADS



MILITARY GRADE
FORGED ALUMINUM
Lightweight and
maximum durability



UP TO 25%
LARGER SLOTS
For easy use



- Less nesting
- Easy oil application

EXPLORE MORE SOLUTIONS

DIE HEADS



2874-22HD

PART NO.	SIZE	DESCRIPTION
48-36-1001	1/2"	Alloy NPT Die Head
48-36-1002	3/4"	
48-36-1003	1"	
48-36-1004	1-1/4"	
48-36-1005	1-1/2"	
48-36-1006	2"	HIGH SPEED NPT Die Head
48-36-1007	1/2"	
48-36-1008	3/4"	
48-36-1009	1"	
48-36-1010	1-1/4"	
48-36-1011	1-1/2"	HIGH SPEED NPT Die Heads Kit
48-36-1012	2"	
48-36-1060	1/2" – 2"	

Replacement dies sold separately.
*When compared to 1/2" – 2" competitive die heads.

COMPACT DIE HEADS



2870-22

PART NO.	SIZE	DESCRIPTION
48-36-1307	1/2"	Compact Alloy NPT Die Head
48-36-1308	3/4"	
48-36-1309	1"	
48-36-1310	1-1/4"	
48-36-1063	1/2" – 2"	Compact Alloy NPT Die Heads Kit



PORTABLE PIPE THREADING DIES



PART NO.	SIZE	DESCRIPTION	TYPE
48-36-1101	1/2"	1/2" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1102	3/4"	3/4" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1103	1"	1" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1104	1-1/4"	1-1/4" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1105	1-1/2"	1-1/2" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1106	2"	2" Alloy NPT Portable Pipe Threading Dies	Alloy
48-36-1107	1/2"	1/2" High Speed NPT Portable Pipe Threading Dies	High Speed
48-36-1108	3/4"	3/4" High Speed NPT Portable Pipe Threading Dies	High Speed
48-36-1109	1"	1" High Speed NPT Portable Pipe Threading Dies	High Speed
48-36-1110	1-1/4"	1-1/4" High Speed NPT Portable Pipe Threading Dies	High Speed
48-36-1111	1-1/2"	1-1/2" High Speed NPT Portable Pipe Threading Dies	High Speed
48-36-1112	2"	2" High Speed NPT Portable Pipe Threading Dies	High Speed

THE SMALLEST, MOST INTELLIGENT PRESS TOOL

M18™ FORCE LOGIC™
Long Throw Press Tool Kit
2773-20L



ADJUST



Adjustable stroke for optimized cycle time

ACCESS



Lightest, in-line design for unrivaled access

PRESS



Longest calibration interval, 50,000 cycles



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Force	7,200 lbs
Pipe Capacity	1/4" – 4" (Varies by Material)
Approx. Cycle Time	4 Second Stroke (8 Second Extended Stroke)
Calibration Interval	50,000 Cycles
Length (without battery & jaw)	18.3"
Weight (without battery & jaw)	7.3 lbs

KIT

M18™ FORCE LOGIC™
Long Throw
Press Tool Kit
2773-20L

Includes: 2773-20L Long Throw Press Tool, (2) M18™ REDLITHIUM™ XC3.0 Battery Packs, Multi-Voltage Charger and Carrying Case. Jaws Not Included.




SCAN FOR PRESS SOLUTIONS GUIDE

To View Additional Kit Configurations, Compatible Accessories & Compatible Jaws and Rings



or visit <https://qr.mke.tl/2x3qm>

PIVOTING INTERFACE



Greater Access in Tight Applications

BLOCKING SYSTEM

COMPETITOR



Improper Mismatch

MILWAUKEE®



Improper Mismatch Blocked

Prevents Ring & Ring Jaw Mismatch



In-line Tool Design & Pivoting Interface Deliver
Unrivaled Access in Tight Spaces

THE SMALLEST, MOST INTELLIGENT PRESS TOOL

M18™ FORCE LOGIC™
Press Tool Kit w/ ONE-KEY™
2922-20



ACCESS



Lightest, in-line design
for unrivaled access

ALIGN



Easy open jaw for
one-handed use

PRESS



Auto-cycle ensures
full press every time

REPORT



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Force	7,200 lbs
Pipe Capacity	1/4" to 4" Dependent on Fitting System
Approx. Cycle Time	4 Seconds
Calibration Interval	50,000 Cycles
Length (without battery & jaw)	14.1"
Weight (without battery & jaw)	5.3 lbs

KIT

M18™ FORCE LOGIC™
Press Tool Kit
w/ ONE-KEY™
2922-20

Includes: 2922-20 Press Tool w/
ONE-KEY™, (2) M18™ REDLITHIUM™
CP2.0 Battery Packs, Multi-Voltage
Charger and Carrying Case.




SCAN FOR PRESS SOLUTIONS GUIDE

To View Additional Kit Configurations,
Compatible Accessories &
Compatible Jaws and Rings



or visit <https://qr.mke.tl/2x3qm>

PIVOTING INTERFACE



Greater Access in Tight Applications

BLOCKING SYSTEM

COMPETITOR



Improper Mismatch

MILWAUKEE®



Improper Mismatch
Blocked

Prevents Ring & Ring Jaw Mismatch



In-line Tool Design & Pivoting Interface Deliver
Unrivaled Access in Tight Spaces

THE SMALLEST,
MOST INTELLIGENT PRESS TOOL

M12[™] FORCE LOGIC[™]
Press Tool Kit
2473-20



ACCESS



Lightest, in-line design
for unrivaled access

ALIGN



Easy open jaw for
one-handed use

PRESS



Auto-cycle ensures
full press every time



SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Force	5,400 lbs
Pipe Capacity	1/2" – 1-1/2" (Varies by Material)
Approx. Cycle Time	5 Seconds
Calibration Interval	32,000 Cycles
Length (without battery & jaw)	12.6"
Weight (without battery & jaw)	3.8 lbs

KIT

M12[™] FORCE LOGIC[™]
Press Tool Kit
2473-20

Includes: 2473-20 Press Tool,
(2) M12[™] REDLITHIUM[™]
CP1.5 Battery Packs,
M12[™] Charger and Carrying Case.
Jaws Not Included.




**SCAN FOR PRESS
SOLUTIONS GUIDE**
To View Additional Kit Configurations,
Compatible Accessories &
Compatible Jaws and Rings



or visit <https://qr.mke.tl/2x3qm>

PIVOTING INTERFACE



Greater Access in Tight Applications

BLOCKING SYSTEM

COMPETITOR



Improper Mismatch

MILWAUKEE[®]



Improper Mismatch
Blocked

Prevents Ring & Ring Jaw Mismatch


In-line Tool Design & Pivoting Interface Deliver
Unrivaled Access in Tight Spaces



DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations – the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software – that deliver unmatched power, run-time, and durability. The M18 FUEL™ 1/2" – 1" Steel Pipe Cutter provides the first optimized steel pipe cutting experience, delivering the easiest, consistent, clean cuts. Superior cut quality and speed allows you to maximize your productivity by giving you the fastest cut to connection process. The M18 FUEL™ Steel Pipe Cutter, the world's first cordless steel pipe cutter, delivers unmatched productivity.


M18 FUEL




2 REDLINK PLUS™ INTELLIGENCE

3 REDLITHIUM™ BATTERY PACK
FITS M18™ TOOLS
Battery and Charger Not Included.

EASIEST,
CONSISTENT,
CLEAN CUTS



FASTEST
CUT TO
CONNECTION



CONTROLLED
CUTS ON INSTALLED
& NEW PIPE



1/2" – 1" STEEL PIPE CUTTER

M18 FUEL

CUTS 1/2" – 1" STEEL PIPE



QUICK BLADE CHANGES

Exclusively compatible with Steel Pipe Cutting Blade (48-40-4062)

CUT WINDOW

Easily align layout for accurate cuts

FOLDABLE CUT FENCE

Unlocks easy, square cuts

LED LIGHT

Illuminates work surface



BLADE GUARD

Sliding mechanism keeps blade guarded throughout cut

UP TO 50 CUTS ON 1" STEEL PIPE PER CHARGE

On M18™ REDLITHIUM™ XC5.0

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Capacity	Up to 1 – 5/16" OD
Pipe Types	Carbon Steel & Galvanized Steel
Carbide Tipped Blade	Yes (Included)
Run-Time	Up to 50 Cuts per Charge (w/ XC5.0 Battery)
Length	14"
Weight	6.6 lbs
Cut Clearance	2.5"



M18 FUEL™ 1/2" – 1" Steel Pipe Cutter
3469-20

Includes: 3469-20 1/2" – 1" Steel Pipe Cutter and Steel Pipe Cutting Blade. Battery and Charger Not Included.

EXCLUSIVELY COMPATIBLE WITH



1/2" – 1" Steel Pipe Cutting Blade
48-40-4062

CLEAN CUTS





6" LEVELING TRIPOD CHAIN VISE

48-22-8690

CARRY HANDLE
For briefcase-style transportation

QUICK DEPLOY LATCH
For two-step deployment eliminating setup hassles

STABLE LOK™
Provides lifetime sturdiness

ADJUSTABLE LEG
Adjust pitch ±3° to level materials

LARGER WORK SURFACE
With dedicated tool storage

GROUNDING TAB
For welding applications

SECURES MULTIPLE MATERIALS
Up to 6" pipe

REMOVEABLE FOOT GRIP
Allows anchoring to ground

STABLE LOK™ PROVIDES LIFETIME STURDINESS

QUICKEST, PAINLESS SET-UP

ADJUSTABLE LEG FOR LEVEL ADJUSTMENTS



UNMATCHED PORTABILITY, LIFELONG STEADINESS.

EXPLORE MORE SOLUTIONS

CORDLESS BAND SAWS



2829

WIDEST RANGE OF CORDLESS BAND SAWS



Model #	Description
2829-20	M18 FUEL™ Compact Band Saw
2829S-20	M18 FUEL™ Compact Dual-Trigger Band Saw

Model #	Description
2929-20	M18 FUEL™ Deep Cut Band Saw
49-90-2029	Reaming Attachment

More model options available.

IMPACT WRENCHES



2855

GREATEST BREADTH OF IMPACT WRENCHES



Model #	Description
2855-20	M18 FUEL™ 1/2" Compact Impact Wrench w/ Friction Ring
2855P-20	M18 FUEL™ 1/2" Compact Impact Wrench w/ Pin Detent

Model #	Description
2962-20	M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Friction Ring
2962P-20	M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Pin Detent

More model options available.

PIPE WRENCHES



48-22-7318

MOST ADAPTABLE. ALL-IN-ONE.



Model #	Description
48-22-7314	CHEATER Steel Adaptable Pipe Wrench
48-22-7318	CHEATER Aluminum Adaptable Pipe Wrench
48-22-7112	12" Steel Pipe Wrench
48-22-7114	14" Steel Pipe Wrench
48-22-7118	18" Steel Pipe Wrench

Model #	Description
48-22-7215	14L Aluminum Pipe Wrench w/ POWERLENGTH™ Handle
48-22-7213	10L Aluminum Pipe Wrench w/ POWERLENGTH™ Handle
48-22-7212	12" Aluminum Pipe Wrench
48-22-7214	14" Aluminum Pipe Wrench
48-22-7218	18" Aluminum Pipe Wrench

More model options available.



Nothing but **HEAVY DUTY.**