



KITCHEN & BATH CABINETS

Quick Assembly | Ships in 5 Business Days or Less



Richmond Valencia Blue

2025 SPECIFICATION GUIDE

 MillsPride.com  866-931-6874

MillsPride.com



HomerDesignTools.com



Exclusively at



ORDER CANCELLATION, RETURN, AND POST-DELIVERY POLICY

To ensure timely processing and fast production across all made-to-order cabinetry orders, the following policies apply:

Order Cancellations

- **Semi-Custom Orders:** Semi-Custom cabinetry is built to order and moves into production quickly. Because of our fast manufacturing timelines, semi-custom orders cannot be cancelled after 72 hours once submitted. After this point, production begins and the order cannot be canceled
- **Express Orders:** Express orders follow an accelerated made-to-order timeline and cannot be cancelled once submitted

Post-Delivery Inspection

Upon delivery, customers have 30 days to report any damage or missing items. We encourage prompt inspection so we can resolve any issues quickly and efficiently.

Return Policy

If you need to return an item, you may do so within 30 days of receiving your order. Please note that customers are responsible for return freight costs and a 30% restocking fee.

Eligibility for Returns

Returned items must meet the following conditions:

- Items must not have been installed or modified
- Items must be in sellable condition
- Items must be packaged as they were originally received

Once returned items arrive at our facility, we will inspect them. If the items are in sellable condition, we will arrange a refund of the item cost, minus the 30% restocking fee and return freight.





Door Styles 4

Cabinet Construction 5

Wall Cabinets 6-9

Laundry Cabinets 10

Base Cabinets 11-13

Tall Cabinets 14-15

Accessories/ Decorative Molding *(includes crowns)* 16-17

Cabinet Frame & Opening Dimensions 18-19



Scan to
Buy Online



Scan to
Shop



Scan to
Assemble



Scan to
FAQs

PLEASE NOTE: Line drawings are artistic representations of products for general dimensioning purposes. These should not be relied upon for accurate product appearance. Please consult the website or a designer if you have any questions or specific design requirements. Photography is for illustration purposes. Actual colors may vary slightly due to the printing process. We recommend ordering a sample door to see the color and finish you like for yourself.

DOOR STYLES

RICHMOND

Shaker | RTF



- ¾" thick x 3" wide MDF Shaker frame and recessed panel door with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick x 3" wide MDF Shaker frame and recessed panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- Veiled Gray doors and drawer fronts will include a matching gray flat melamine back
- RTF door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances.
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required

STANDARD CABINET CONSTRUCTION

CABINET CONSTRUCTION



1. **CEILING PANEL** ½" thick CARB2 compliant plywood. Both sides are captured by the cabinet end panels
2. **INTERIOR FINISH** Natural birch finish that provides a durable, wipe clean surface.
3. **SOFT CLOSE DOORS** Fully concealed soft-close 6-way adjustable hinges that open 110°.
4. **ADJUSTABLE SHELVES** ¾" thick CARB2 compliant plywood with a natural birch finish and matching edge banding. Shelves are full-depth and have a 15 lb. per sq. ft. weight capacity rating.
5. **BACK PANEL** ½" thick CARB2 compliant plywood with a natural birch finished interior and raw exterior. The "clipped" back panel on corner cabinets is ¼" thick CARB2 compliant plywood.
6. **FACE FRAMES** 1½" wide x ¾" thick solid hardwood and pocket screwed.
7. **FLOOR PANEL** ½" thick CARB2 compliant plywood. Both sides are captured by the cabinet end panels.
8. **"I-BEAM" BRACES** ½" thick CARB2 compliant plywood. These full-depth braces provide stability and support.
9. **SOFT CLOSE DRAWERS** Drawer box is 5/8" thick with dovetail carpentry joints
10. **END PANELS** ½" thick CARB2 compliant plywood finished to match the cabinet face frame.
11. **INTEGRAL TOE KICK** ½" thick CARB2 compliant plywood unfinished integral toe kick provides solid backing for (MTK8) Matching Toe Kick installation



ALL CABINET SIDES are manufactured from ½" thick CARB2 compliant plywood and are finished to match the cabinet face frame.




Soft-Close Demo

WALL CABINETS

WALL CABINET CODING


STANDARD (12" DEEP)



- All wall cabinets are 12" deep unless otherwise noted.
- Cabinet depth does not include door thickness
- Standard cabinet exterior is color matched to face frame
- Soft-close hinges unless stated otherwise

12" High Double Door


- No adjustable shelf



W2412
W3012
W3612

18" High Double Door


- No adjustable shelf



W2418
W3018
W3618

24" High Double Door

- One adjustable shelf




W3024
W3624

30" High Single Door

- Two adjustable shelves

A



W0930

W1230

W1530


W1830

W2130

30" High Double Door

- Two adjustable shelves

A



W2430


W3030

W3630

30" High Wall Angle

- Two adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is 1/4" plywood

A




WA2430

36" High Single Door

- Three adjustable shelves

A



W0936

W1236

W1536


W1836

W2136

WALL CABINETS

36" High Double Door


- Three adjustable shelves



W2436
W3036
W3636

36" High Wall Angle


- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is 1/4" plywood



WA2436

42" High Single Door


- Three adjustable shelves



W0942
W1242
W1542
W1842
W2142

42" High Double Door

- Three adjustable shelves




W2442
W3042
W3642


42" High Wall Angle

- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is 1/4" plywood

A



WA2442




LAUNDRY CABINETS


60" Wide Laundry Cabinet

W6023

- One adjustable shelf
- Two soft close doors
- Multi use utility cabinet



BASE CABINET CODING




- Standard Base Cabinets are 24" deep and 34½" high
- Cabinet depth does not include door thickness
- Standard cabinet exterior sides are color matched to face frame
- Matching Toe Kick (MTK8) must be ordered separately, and field installed
- Soft-close hinges and full-extension drawer glides unless stated otherwise

24" Deep Single Full-Height Door

- Two full-depth adjustable shelves

A




B09FH

24" Deep Single Door

- One full-depth adjustable shelf

A




B12
B15
B18
B21

24" Deep Double Door

- One full-depth adjustable shelf

A




B24
B30

BASE CABINETS

24" Deep Double Door

- One full-depth adjustable shelf


A



B36

24" Deep Sink Base


- No adjustable shelf
- False drawer front
- May also be used as drop-in cooktop base



SB30

24" Deep Sink Base


- No adjustable shelf
- Two false drawer fronts
- May also be used as drop-in cooktop base



SB36

24" Deep Base - 3 Drawers

- One full-extension, soft-close standard top drawer
- Two full-extension, soft-close deep drawers




BD18


BD24

36" Easy Reach Super Suzan

- Two 26" diameter, polymer pie-cut independently revolving shelves
- Door opens 170° for easy access
- Cabinet requires a minimum 29" clearance to fit through doorway
- SOFT-CLOSE DOOR (SCD) OPTION NOT AVAILABLE




EZR3621SS



*Gray area represents void space. Cleats (not provided) are required for countertop support.

24" Deep End Panel with 1½" wide Filler

- Panel and 1½" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"




BP1.5

F

TALL CABINETS


TALL CABINET CODING



- Standard Tall Cabinets are 24" deep
- Cabinet depth does not include door thickness
- Standard cabinet exterior sides are color matched to face frame
- Soft-close hinges unless stated otherwise

24" Deep Two-Door Utility


- One fixed shelf dividing upper and lower doors, four adjustable shelves



U182484

24" Deep Two-Door Utility


- One fixed shelf dividing upper and lower doors, five adjustable shelves



U182490

24" Deep Two-Door Utility

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- TSK96 is recommended if the cabinet will be on the end of a run
- Loose toe kick box for ease of installation
- Loose toe kick box will have a finished side, but will have a seam at bottom




U182496

24" Deep Refrigerator Panel with 1½" wide Filler

- Panel and 1½" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"

F



RP1.590


RP1.596

ACCESSORIES

Filler Strips

- ¾" thick solid MDF
- Face and sides finished
- FS30, FS36, and FS42 are 3" wide

F




FS30
FS36
FS42
FS636

Tall Filler Strips

- ¾" thick solid MDF
- Face and sides finished
- FS84, FS90, and FS96 are 3" wide

F




FS84
FS90
FS96

Contemporary Crown Molding

- ¾" thick solid MDF
- Only available in RTF finishes
- TMMS8 not required

F




CMV8

Scribe Molding

- ¼" thick solid wood

F




SM8

8' Finished Toe Kick – Matches Frame Color


MTK8

- 1/4" thick MDF finished to match the cabinet face frame
- Field modified and installed


F



CABINET FRAME & OPENING DIMENSIONS



CABINET FRAME & OPENING DIMENSIONS



NOTE: 96" TALL CABINETS ARE SUPPLIED WITH LOOSE TOE KICK BOX (EXPOSED SIDES REQUIRE TSK96)

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.



Kitchen Cabinetry

15 Year Limited Warranty

Ideal Cabinetry® (warrantor) warrants to the original consumer purchaser, that all products manufactured or supplied by warrantor will be free from defects in material and workmanship. This warranty is for a period of fifteen years as long as you own the cabinetry, on product used for Residential Purposes only and is not transferable to subsequent owners. Proof of Purchase is required.

This warranty does not cover damage resulting from normal wear, accident, misuse or lack of reasonable and necessary maintenance and service; nor does it warranty the improper installation or unauthorized repair, alteration, or modification or defects in the product when the product is installed. This warranty is limited to the repair or replacement of the defective part at the sole discretion of warrantor. Warranty is limited to **MILL'S PRIDE®** branded products excluding all electrical components: Excluded items may carry separate warranties as provided directly by the manufacturer of these products.

It is our option to provide repair parts or replace with functionally equivalent product. Return of product may be required for replacements. Such repair parts or replacement shall be at warrantor's expense, but customer shall bear all other expenses, including, but not limited to, cost of removal, transportation, re-installation, communication and any special service required by customer such as, overtime labor, etc.

Cabinets may darken or lighten with age due to exposure to certain environmental conditions including but not limited to sunlight, moisture, household cleaners, smoke, etc. These variations are considered the natural characteristics of the material and finishes and are not covered under this warranty.

In the event of a warranted product performance issue, submit request including proof of purchase documentation, specific description of warranty issue (include photos) in writing to:

Warranty Department
210 Century Boulevard
Bartow, FL 33830

Due to nature of materials and finishes Ideal Cabinetry cannot guarantee warranty replacement will be an exact match.

Ideal Cabinetry® reserves the right to alter design, specifications and material without obligation to make changes to product previously manufactured.

EXCEPT TO THE EXTENT PROVIDED BY APPLICABLE LAW, ALL IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE SHORTER OF THE PERIOD PROVIDED BY LAW OR THE PERIOD OF THIS WARRANTY, AND UNDER NO CIRCUMSTANCE SHALL **MILL'S PRIDE®** BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED IN CONNECTION WITH THE PRODUCT. THE EXPRESS WARRANTY ABOVE CONSTITUTES THE ENTIRE WARRANTY AND IS IN LIEU OF ALL OTHERS EXPRESSED OR IMPLIED.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitation on how long an implied warranty lasts, therefore, the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

INDEMNITY

Ideal Cabinetry® shall not be liable for either its failure to perform or its delays in performance hereunder arising out of or resulting from causes beyond its control, including but not limited to, acts of God, acts of Representation, acts of Government, wars, fires, floods, epidemics, quarantine, strike, freight embargoes, weather or default by suppliers due to any such causes.



QUICK ASSEMBLY | SHIPS IN 5 BUSINESS DAYS OR LESS

Have Questions? Need Design Help?

 MillsPride.com  homerdesigntools.com  866-931-6874

Monday-Friday 9 A.M. to 6 P.M. EST

March 2026



CARB2 compliant



MILLSPRIDE-SPECBOOK-0326