## SAFETY DATA SHEET

Issuing Date No data available Revision Date 20-Jan-2015 Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name TIANQIU Carbon Zinc battery R03/AAA (No lead added)

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Carbon Zinc Battery

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name GUANGZHOU TIANQIU ENTERPRISE CO., LTD.

**Supplier Address** 9/F TianQiu Business Building No.16-30, He Yi Rd., San Yuan Li Ave., GuangZhou China

GUANGZHOU GUANDONG 510410 CN

**Supplier Phone Number** Phone:8620-36322277

Fax:8620-3623339

Contact Phone13825131170

Supplier Email qd@gztianqiu.com

Emergency telephone number

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4



Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word

Danger

### **Hazard Statements**

Harmful if swallowed Harmful if inhaled

Causes severe skin burns and eye damage

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure





This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance This is a battery. In case of rupture: the above hazards exist.

Appearance No data available

Physical State Solid

Odor Odorless

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician



#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

17.48% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Very toxic to aquatic life with long lasting effects

#### **Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Zinc	7440-66-6	15 - 40	*
Manganese dioxide	1313-13-9	10 - 30	*
Graphite	7782-42-5	3 - 7	*
Zinc chloride	7646-85-7	3 - 7	*
Iron	7439-89-6	1 - 5	*
Carbon black	1333-86-4	1 - 5	*
PVC (Chloroethylene, polymer)	9002-86-2	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

**General Advice** First aid is upon rupture of sealed battery.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate

medical attention/advice.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Seek immediate medical attention/advice.



Page 3/15

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get

medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary

edema may occur. Get medical attention immediately if symptoms occur.

**Ingestion** Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or

poison control center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. **Effects** 

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy

sputum, and high pulse pressure.



### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific Hazards Arising from the Chemical</u>
The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

**Uniform Fire Code** Corrosive: Other--Solid

Toxic: Solid

Oxidizer: Class 1--Solid

### **Hazardous Combustion Products**

Carbon oxides.

**Physical/Chemical Reaction** 

**Properties** 

No data available.

**Explosion Data** 

**Sensitivity to Mechanical Impact** 

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

added)

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

> ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so. Should not be released into the environment. Do not allow to enter into

soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash

before reuse. Do not breathe dust. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

**Incompatible Products** Acids. Bases. Oxidizing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH



Zinc	STEL: 10 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
7440-66-6	fraction	TWA: 15 mg/m <sup>3</sup> total dust	Ceiling: 15 mg/m <sup>3</sup> dust
	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
	fraction	fraction	STEL: 10 mg/m <sup>3</sup> fume
Manganese dioxide	TWA: 0.02 mg/m <sup>3</sup> Mn	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> Mn
1313-13-9	TWA: 0.1 mg/m <sup>3</sup> Mn	Ceiling: 5 mg/m <sup>3</sup> Mn	TWA: 1 mg/m³ Mn
	_		STEL: 3 mg/m³ Mn
Graphite	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 1250 mg/m <sup>3</sup>
7782-42-5	fraction all forms except graphite	synthetic	TWA: 2.5 mg/m <sup>3</sup> respirable
	fibers	TWA: 5 mg/m <sup>3</sup> respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
		respirable dust natural	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Zinc chloride	STEL: 2 mg/m <sup>3</sup> fume	TWA: 1 mg/m <sup>3</sup> fume	IDLH: 50 mg/m <sup>3</sup> fume
7646-85-7	TWA: 1 mg/m <sup>3</sup> fume	(vacated) TWA: 1 mg/m <sup>3</sup> fume	TWA: 1 mg/m³ fume
		(vacated) STEL: 2 mg/m <sup>3</sup> fume	STEL: 2 mg/m <sup>3</sup> fume
Carbon black	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4		(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
		, ,	TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH
PVC (Chloroethylene, polymer)	TWA: 1 mg/m <sup>3</sup> respirable	-	·
9002-86-2	fraction		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If there is a risk of contact:. Face protection shield.

**Skin and Body Protection** Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all

contaminated protective equipment before re-use. Do not breathe dust.

### 9. PHYSICAL AND CHEMICAL PROPERTIES



#### **Physical and Chemical Properties**

Physical State Solid

Appearance No data available Odor Odorless

Color No information available Odor Threshold No information available

**Property Values** Remarks Method No data available pН None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Negligible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known **Explosive properties** No data available

No data available

### **Other Information**

**Oxidizing Properties** 

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

**Particle Size Distribution** 

**U** 

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods. Excessive heat.

#### **Incompatible materials**

Acids. Bases. Oxidizing agent.

#### **Hazardous Decomposition Products**

Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:.

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

**Eye Contact** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

**Skin Contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. May be harmful if swallowed.

\_\_\_\_\_



Revision Date 20-Jan-2015

added)

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Manganese dioxide 1313-13-9	= 9000 mg/kg (Rat)	-	-
Graphite 7782-42-5	> 10000 mg/kg (Rat)	-	-
Zinc chloride 7646-85-7	= 350 mg/kg (Rat)	-	-
Iron 7439-89-6	= 984 mg/kg (Rat)	-	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

#### Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black	A3	Group 2B		Х
1333-86-4		· ·		
PVC (Chloroethylene,		Group 3		
polymer)		· ·		
9002-86-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

Chronic Toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Contains a known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as

possibly carcinogenic to humans (Group 2B) by inhalation.



Page 10/15

added)

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Blood. Central Nervous System

(CNS). Central Vascular System (CVS). Kidney. Lymphatic System. Cardiovascular

system. Liver. Lungs. Pancreas.

**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
1,190.00 mg/kg
ATEmix (inhalation-gas)
14,873.00 ppm (4 hr)
ATEmix (inhalation-dust/mist)
4.96 mg/l
ATEmix (inhalation-vapor)
36.36 ATEmix

\_\_\_\_

**U** 

### 12. ECOLOGICAL INFORMATION

This product contains a chemical which, although not listed, meets the IMDG criteria for being a severe marine pollutant

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc 7440-66-6	96h EC50: 0.11 - 0.271 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.09 - 0.125 mg/L	96h LC50: 2.16 - 3.05 mg/L (Pimephales promelas) 96h LC50: 0.211 - 0.269 mg/L (Pimephales promelas) 96h		48h EC50: 0.139 - 0.908 mg/L
	(Pseudokirchneriella subcapitata)	LC50: = 2.66 mg/L (Pimephales promelas) 96h LC50: = 30 mg/L (Cyprinus carpio) 96h LC50: = 0.45 mg/L (Cyprinus carpio) 96h		
		LC50: = 7.8 mg/L (Cyprinus carpio) 96h LC50: = 3.5 mg/L (Lepomis macrochirus) 96h LC50: = 0.24 mg/L		
		(Oncorhynchus mykiss) 96h LC50: = 0.59 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.41 mg/L (Oncorhynchus mykiss)		
Iron 7439-89-6		96h LC50: = 13.6 mg/L (Morone saxatilis)		
Carbon black 1333-86-4				24h EC50: > 5600 mg/L

### Persistence and Degradability

No information available.

### **Bioaccumulation**

Chemical Name	Log Pow
Manganese dioxide	<0
1313-13-9	

### Other adverse effects

No information available.



Page 12/15

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal methods**This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Zinc 7440-66-6	Ignitable powder Toxic
Zinc chloride 7646-85-7	Toxic Corrosive

### 14. TRANSPORT INFORMATION

DOT NOT REGULATED Proper Shipping Name NON REGULATED

Hazard Class N/A

Marine Pollutant This product contains a chemical which, although not listed, meets the IMDG criteria for

being a severe marine pollutant

TDG Not regulated

MEX Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

<u>IMDG/IMO</u> Not regulated

Hazard Class N/A

Marine Pollutant Product is a marine pollutant according to the criteria set by IMDG/IMO

RID Not regulated

ADR Not regulated

ADN Not regulated



### 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc - 7440-66-6	7440-66-6	15 - 40	1.0
Manganese dioxide - 1313-13-9	1313-13-9	10 - 30	1.0
Zinc chloride - 7646-85-7	7646-85-7	3 - 7	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc 7440-66-6		X	X	
Zinc chloride 7646-85-7	1000 lb	X		Х

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Zinc 7440-66-6	1000 lb		RQ 454 kg final RQ RQ 1000 lb final RQ
Zinc chloride 7646-85-7	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

### US State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Carbon black - 1333-86-4	Carcinogen	

### U.S. State Right-to-Know Regulations



Page 14/15

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Zinc	Х	X	X	X	
7440-66-6					
Manganese dioxide			Χ	X	Χ
1313-13-9					
Graphite	Х	X	Χ		
7782-42-5					
Zinc chloride	Х	X	Χ	X	
7646-85-7					
Carbon black	X	X	X		X
1333-86-4					
PVC (Chloroethylene, polymer)	Х				
9002-86-2					

### International Regulations

#### Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Manganese dioxide		Mexico: TWA= 0.2 mg/m <sup>3</sup>
1313-13-9 ( 10 - 30 )		
Graphite		Mexico: TWA= 2 mg/m <sup>3</sup>
7782-42-5 ( 3 - 7 )		
Zinc chloride		Mexico: TWA 1 mg/m <sup>3</sup>
7646-85-7 ( 3 - 7 )		Mexico: STEL 2 mg/m <sup>3</sup>
Carbon black		Mexico: TWA 3.5 mg/m <sup>3</sup>
1333-86-4 ( 1 - 5 )		Mexico: STEL 7 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### **WHMIS Hazard Class**

Non-controlled

### 16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 0 Flammability 0 Physical Hazard 0 Personal Protection

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 20-Jan-2015

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**



Page 15 / 15