Page: 1

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Damp Rid Drop In Tab **Product Name:**

DampRid Trade Name:

Company Name: W. M. Barr **Phone Number:** (901)775-0100

2105 Channel Avenue

Memphis, TN 38113

www.wmbarr.com Web site address:

3E 24 Hour Emergency Contact (800)451-8346 **Emergency Contact:** W.M. Barr Customer Service (800)398-3892 Information:

Intended Use: To absorb excess moisture from the air.

Product Code: FG96, FG97, FG96W, FG97W, FG96HDWS, FG96LWS, FG96D, FGAM96

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: Warning

GHS Hazard Phrases: H319: Causes serious eye irritation.

GHS Precaution Phrases: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove **GHS Response Phrases:**

> contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

No phrases apply.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects

(Acute and Chronic):

ACUTE INHALATION, SKIN CONTACT, EYE CONTACT: May cause irritation.

INGESTION: Harmful if swallowed.

CHRONIC EFFECTS: Chronic exposures to calcium chloride that cause irritation may

cause a chronic dermatitis or mucosal membrane problem.

For the minor component(s): POTASSIUM CHLORIDE: In animals, effects have been reported on the following organs after ingestion: Gastrointestinal tract, heart, and kidney. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. SODIUM CHLORIDE: Medical experience with

sodium chloride has shown a strong association between elevated blood pressure and

prolonged dietary overuse. Related effects could occur in the kidneys.

Target Organs: Stomach, Upper Respiratory Tract

Primary Routes of Entry: Ingestion, Inhalation

Medical Conditions Generally Any skin condition that disrupts the skin, such as abrasions, cuts,

psoriasis, fungal infections, etc. Any upper respiratory conditions that compromise Aggravated By Exposure:

mucosa can increase local damage

from dust contact. Any eye condition that compromises tear production, conjunctiva, or

normal corneal homeostasis.

Page: 2

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

3. COMPOSITION/INFORMATION ON INGREDIENTS

 CAS #
 Hazardous Components (Chemical Name)
 Concentration

 10043-52-4
 Calcium chloride
 60.0 -80.0 %

 7647-14-5
 Sodium chloride
 1.0 -5.0 %

 7447-40-7
 Potassium chloride
 0.5 -1.5 %

Additional Chemical

Information

Specific concentration may vary.

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

INHALATION: Remove from exposure area to fresh air.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected area with soap or mild detergent. Seek medical attention if irritation persists.

EYE CONTACT: Flush eyes with large amounts of water for at least 15 minutes. Get

medical attention.

INGESTION: Get medical attention.

Signs and Symptoms Of Exposure:

Acute Symptoms/Effects: Listed below.

Inhalation (Breathing): Inhaling dust may cause irritation to upper respiratory tract (nose and throat). Nasal mucosal and oropharyngeal eythema.

Skin: Skin Irritation. Direct abrasion of skin from solid, erythema and burn from reaction with water. Prolonged contact and occlusion may cause more severe symptoms.

Damage is localized to contact areas.

Eye: Eye Irritation. Direct abrasion of cornea from solid, erythema and burn from reaction with water, conjunctival swelling and cornea opacification from hypertonic solution and

heat. Corneal eye pain, redness, acute corneal thickening or whitening.

Ingestion (Swallowing): Consumption of solids or hypertonic solutions causes nausea,

vomiting, and increased thirst.

Delayed Symptoms/Effects:

- Chronic exposures to skin and mucus membranes that cause irritation may cause a

chronic dermatitis or mucosal membrane problem

Note to Physician: Due to irritant properties, resulting from heat created as solid aterial dissolves in water,

swallowing may result in burns/ulceration of mucus membranes. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

Not flammable or combustible.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing

None known.

Media:

Fire Fighting Instructions: Neglibile fire hazard when exposed to heat or flame. Apply cooling water to sides of

containers that are exposed to flames until well after fire is out. Extinguish fire using agent suitable for type of surrounding fire and/or chemicals. Do not sure water directly

Page: 3

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

Flammability Classification:

on the material. Avoid breathing corrosive vapors; keep upwind. Dike area to prevent

runoff and contamination of water sources.

Flammable Properties and

Hazards:

Negligible fire hazard when exposed to heat or flame.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective gear for the situation. Prevent skin and eye contact. For dry spills, place material in covered, clean dry container for disposal.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Observe all federal, state and local regulations when storing this product.

Handling:

Precautions To Be Taken in Keep in clean tightly closed dry containers. Store away from incompatible materials.

Storing:

Other Precautions: None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
10043-52-4	Calcium chloride	No data.	No data.	No data.
7647-14-5	Sodium chloride	No data.	No data.	No data.
7447-40-7	Potassium chloride	No data.	No data.	No data.

Respiratory Equipment

(Specify Type):

Use of a NIOSH approved respirator should be based on contamination levels in the workplace or situation. When warranted, use a face mask particulate respirator with a

NIOSH N95 rating.

Eye Protection: Wear safety glasses with splash shields or safety goggles/shield.

Protective Gloves: Wear appropriate protective gloves to prevent skin contact.

Other Protective Clothing: Wear appropriate protective (impervious) clothing and equipment.

Engineering Controls

(Ventilation etc.):

Provide local exhaust ventilation.

Work/Hygienic/Maintenance

Practices:

A source of clean water should be available in the work area for flushing of the eyes and

skin.

Wash hands thoroughly after use.

Do not eat, drink, or smoke in the work area.

Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that

cannot be decontaminated, such as gloves or shoes.

Page: 4

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Odorless, white to off-white pellets or flakes.

 Melting Point:
 369.00 F - 1420.00 F

 Boiling Point:
 350.00 F - 3500.00 F

Autoignition Pt:No data.Flash Pt:No data.

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 2.15 at 77.0 F **Density:** 15.4 LB/GL at 22.0 C

Vapor Pressure (vs. Air or

No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Evaporation Rate: No data.

Solubility in Water: 40 % at 68.0 F

Percent Volatile: No data.

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Reacts exothermically with water.

Instability:

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or None, under normal temperature and pressures.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Refer to section 2 for acute and chronic effects.

CAS# 10043-52-4:

Acute toxicity, LD50, Oral, Rat, 1.000 GM/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Vascular: BP lowering not charactertized in autonomic section. Skin and Appendages: Skin: After topical exposure: Corrosive.

- Canadian Journal of Comparative Medicine and Veterinary Science., Vol/p/yr: 12,216,

1948

CAS# 7647-14-5:

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, 24 H, Moderate.

Result:

Kidney, Ureter, Bladder: Changes in liver weight. Blood: Changes in erythrocyte (RBC) count.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Phosphatases.

Page: 5

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

S. 313 (TRI)

Chronic Toxicological Effects:

- "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,7, 1972

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
10043-52-4	Calcium chloride	n.a.	n.a.	n.a.	n.a.
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated by DOT

DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

S. 302 (EHS)

S. 304 RQ

EPA SARA	(Superfund Amendments and Reauthorization Act	of 1986) Lists
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)

10043-52-4	Calcium chloride	No	No	No
7647-14-5	Sodium chloride	No	No	No
7447-40-7	Potassium chloride	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or	State Lists	
10043-52-4	Calcium chloride	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
7647-14-5	Sodium chloride	CAA HAP,ODC: Inventory; CA Pf	No; CWA NPDES: No ROP.65: No	; TSCA: Yes -
7447-40-7	Potassium chloride	CAA HAP,ODC: Inventory; CA Pi	No; CWA NPDES: No ROP.65: No	; TSCA: Yes -

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

Page: 6

Revision: 09/27/2018 Supersedes Revision: 07/18/2018

16. OTHER INFORMATION

Revision Date: 09/27/2018

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.