SAFETY DATA SHEET

Issuing Date 20-Mar-2020 Revision Date 20-Mar-2017 Revision Number 0

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name LB60X Greenworks Pro 60-volt Battery

Other means of identification

Product Code(s) 1595163

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Hongkong Sun Rise Trading Ltd.

Address Room 713,No.8-9,Lane 1500,South LianHua Road,Minhang District,Shanghai,201108

China Shanghai Jiangsu 201108 China

Telephone Phone:0086-21-33581871

E-mail tefird@greenworkstools.com

Emergency telephone number

Company Emergency Phone

Number

1-855-345-3934

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral Category 4



Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Solid Physical state Solid Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed
Toxic in contact with skin
Fatal if inhaled
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment is urgent (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention



Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	-	40 - 50%	-	-
Supplier Trade Secret	1	10 - 20%	-	-
Supplier Trade Secret	1	10 - 20%	-	-
Supplier Trade Secret	1	10 - 20%	-	-
Supplier Trade Secret	1	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Phosphate(1-),	21324-40-3	4	-	-
hexafluoro-, lithium				
Supplier Trade Secret		0 - 10%	-	- -
Supplier Trade Secret	-	0 - 10%	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture



Page 3 / 14

of sealed battery.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Get medical attention immediately if

symptoms occur.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact

lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. May cause an allergic skin

reaction.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more

information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation. Itching. Rashes.

Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Avoid generation of

dust. Do not breathe dust. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 0.02 mg/m ³ Co inhalable	(vacated) Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³ Mn IDLH: 10
	particulate matter TWA: 0.02	Ceiling: 5 mg/m ³ Mn	mg/m³ Ni
	mg/m³ Mn respirable particulate		TWA: 1 mg/m ³ Mn TWA: 0.015
	matter		mg/m³ except Nickel carbonyl Ni
	TWA: 0.1 mg/m³ Mn inhalable		STEL: 3 mg/m ³ Mn
	particulate matter		
Supplier Trade Secret	TWA: 2 mg/m³ respirable	TWA: 15 mg/m ³ total dust	IDLH: 1250 mg/m ³
	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ respirable
	except graphite fibers	TWA: 5 mg/m ³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	



		I					
					le dust natural		
				(vacated) TV	VA: 10 mg/m³ total		
					synthetic		
				(vacated) TWA: 5 mg/m ³		
				respirable f	raction synthetic		
					5 mppcf natural		
Supplier Trade Secre	et	TWA: 0.2 mg/m	n ³ fume		1 mg/m ³ fume	IDLH	l: 100 mg/m ³ dust, fume
Саррио:аас Соо					m ³ dust and mist		and mist
					WA: 0.1 mg/m ³ Cu	TWA.	1 mg/m ³ dust and mist
					, fume, mist		VA: 0.1 mg/m ³ fume
Supplier Trade Secre	ot.	TWA: 1 mg/m ³	rospirable		ng/m ³ total dust		A: 10 mg/m ³ total dust
Supplier Trade Secre	5 ι						
		particulate n	nauer		g/m³ respirable	I VVA.	5 mg/m ³ respirable dust
				· ·	fraction		
				(vacated) IV	VA: 15 mg/m³ total		
					dust		
				`) TWA: 5 mg/m ³		
					able fraction		
Phosphate(1-), hexaflu	oro-,	TWA: 2.5 mg/m ³ F			2.5 mg/m ³ F		IDLH: 250 mg/m ³ F
lithium		_		(vacated)	TWA: 2.5 mg/m ³		
21324-40-3				, ,			
Supplier Trade Secre	et	TWA: 1.5 mg/m ³		TW	A: 1 mg/m ³		IDLH: 10 mg/m ³
• • • • • • • • • • • • • • • • • • • •			(vacated) TWA: 1 mg/m ³			TWA: 0.015 mg/m ³	
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Supplier Trade Secret	TWA	: 0.02 mg/m³ TWA:	TWA: 0.02 i	mg/m³ TWA:	TWA: 0.02 mg/	m ³	TWA: 0.2 mg/m ³ TWA:
Supplier Trade Societ	' ' ' '	0.2 mg/m ³		ng/m³	TWA: 0.1 mg/n		0.02 mg/m ³
Supplier Trade Secret	-	TWA: 2 mg/m ³		2 mg/m ³	TWA: 0.1 mg/m		TWA: 2 mg/m ³
Supplier Trade Secret		i wa. z mg/m	1 VVA. 2	z mg/m²	i wa. z mg/m		TVVA. 2 mg/m²
Complian Trade Count	_	MA. 0.0 mar/ma3	T\\\\ \ . \	l	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-3	TMA: 0.0 mag/mg3
Supplier Trade Secret		WA: 0.2 mg/m ³		l mg/m ³	TWA: 0.2 mg/n		TWA: 0.2 mg/m ³
		TWA: 1 mg/m ³	TWA: 0.2 mg/m ³		TWA: 1 mg/m		TWA: 1 mg/m ³
Supplier Trade Secret	Т	WA: 10 mg/m ³	TWA: 1.	.0 mg/m ³	TWA: 1 mg/m	3	TWA: 10 mg/m ³
Dhoonhoto(1 \	_	WA: 2.5 mg/m ³	T\\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	5 mg/m ³	TWA: 2.5 mg/n	3	TWA: 2.5 mg/m ³
Phosphate(1-), hexafluoro-, lithium	'	vvA. 2.5 mg/m²	1 VVA: 2.	o mg/m²	1 VVA. 2.5 mg/n	11-	I WA. Z.5 IIIg/IN
21324-40-3							
	-	MA. 4. F. maga/ma3	T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	25 mm m /mm 3	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3	T10/0 : 4 :== =:/== 3
Supplier Trade Secret	'	WA: 1.5 mg/m ³	1 VVA: 0.0	05 mg/m ³	TWA: 1 mg/m		TWA: 1 mg/m ³

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with



skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Solid
Odor Odorless

ColorNo information availableOdor ThresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

No data available Hq None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties No information available Oxidizing properties No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available Particle Size No information available Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.



Conditions to avoid Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components). May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Severely irritating to eyes. May cause burns. May cause

irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation. Toxic in contact with

skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause

blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 871.00 mg/kg

 ATEmix (dermal)
 300.00 mg/kg

 ATEmix (inhalation-vapor)
 0.50 mg/L

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 60 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	-	> 2000 mg/m³ (Rat)4 h
Supplier Trade Secret	= 30 g/kg (Rat)	-	-



Supplier Trade Secret	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Supplier Trade Secret	= 10 g/kg (Rat)	> 3 g/kg (Rabbit)	> 730 mg/m ³ (Rat) 8 h
Supplier Trade Secret	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A3	Group 2B	Reasonably Anticipated	X
		Group 1	Known	
Supplier Trade Secret	-	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Danio rerio)		
Supplier Trade Secret	-	96h LC50: = 13.6 mg/L	-	-
		(Morone saxatilis)		



	1	T	1	T =
Supplier Trade Secret	96h EC50: 0.031 - 0.054		-	48h EC50: = 0.03 mg/L
	mg/L	(Oncorhynchus mykiss)		(Daphnia magna)
	(Pseudokirchneriella	96h LC50: = 0.3 mg/L		
	subcapitata) 72h EC50:	(Cyprinus carpio) 96h		
	0.0426 - 0.0535 mg/L	LC50: = 1.25 mg/L		
	(Pseudokirchneriella	(Lepomis macrochirus)		
	subcapitata)	96h LC50: = 0.2 mg/L		
	. ,	(Pimephales promelas)		
		96h LC50: = 0.8 mg/L		
		(Cyprinus carpio) 96h		
		LC50: 0.0068 - 0.0156		
		mg/L (Pimephales		
		promelas) 96h LC50: =		
		0.112 mg/L (Poecilia		
		reticulata) 96h LC50: <		
		0.3 mg/L (Pimephales		
		promelas)		
Supplier Trade Secret	72h EC50: > 500 mg/L	96h LC50: = 5300 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Leuciscus idus) 96h		(Daphnia magna)
	subspicatus)	LC50: > 1000 mg/L		
		(Cyprinus carpio)		
Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Oncorhynchus mykiss)		
Supplier Trade Secret	72h EC50: = 0.18 mg/L	96h LC50: = 10.4 mg/L	-	48h EC50: > 100 mg/L
	(Pseudokirchneriella	(Cyprinus carpio) 96h		(Daphnia magna) 48h
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L		EC50: = 1 mg/L (Daphnia
	0.174 - 0.311 mg/L	(Cyprinus carpio) 96h		magna)
	(Pseudokirchneriella	LC50: > 100 mg/L		
	subcapitata)	(Brachydanio rerio)		

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Log Pow
Supplier Trade Secret	0.48

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.



products

Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic
Supplier Trade Secret	Ignitable powder
Supplier Trade Secret	Toxic powder Ignitable powder

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft: Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

<u>DOT</u> NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A Emergency Response Guide 147

Number

TDG

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

<u>MEX</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

ICAO

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

IATA

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 ERG Code 9F

Description UN3480, LITHIUM ION BATTERIES, 9

.....

IMDG/IMO

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class EmS-No. F-A, S-I

Description UN3480, LITHIUM ION BATTERIES, 9

RID

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class Classification code M4

Description UN3480, LITHIUM ION BATTERIES, 9

ADR

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4 **Tunnel restriction code** (E)

Description UN3480, LITHIUM ION BATTERIES, 9

ADN

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class Classification code

Special Provisions 188, 230, 310, 348, 636, 661

Description UN3480, LITHIUM ION BATTERIES, 9

Limited Quantity

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **AICS**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		40 - 50%	1.0 0.1
Supplier Trade Secret -		10 - 20%	1.0
Supplier Trade Secret -		0 - 10%	1.0
Supplier Trade Secret -		0 - 10%	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret		X		
Supplier Trade Secret		Х	Х	
Supplier Trade Secret		Х	Х	

CERCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Supplier Trade Secret	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Supplier Trade Secret -	carcinogen, 5/7/2004		
Supplier Trade Secret -	carcinogen, 10/1/1989 (metallic)		

U.S. State Right-to-Know Regulations



This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	Х		Х	X	Х
Supplier Trade Secret	Х	X	Х		
Supplier Trade Secret	Х	Х	Х	Х	Х
Supplier Trade Secret	Х	Х	Х	Х	
Phosphate(1-), hexafluoro-, lithium 21324-40-3	Х				
Supplier Trade Secret		X	Х		
Supplier Trade Secret	Х	Х	Х	Х	Х

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 20-Mar-2020

Revision Date 20-Mar-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

