


Assembly Manual for KF-Y2006 Counter & Bar Height Swivel Stool



⚠ CAUTION

THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.


Ax1	Bx1	Cx1
Dx1	Ex1	Fx5
		M6 x 30mm
Gx4	Hx4	Ix9
M6 x 18mm	M6 x 25mm	M6
Jx9	Kx1	
M6	4#	

Please read through the instructions below to familiarize yourself with the parts and steps before assembly.

Note: Do NOT use power tools for assembly.


ASSEMBLY INSTRUCTIONS

① Unpack and place seat (A), legs (B&C), foot rest (D) and swivel plate (E) on a clean surface.
Attach leg (B) to leg (C), using longest bolt (F), lock washer (I), flat washer (J) and allen wrench (K).
Note: Do not fully tighten yet.




② **Loosely** attach the bolts (H) one by one and **keep them loose**. **Do not fully tighten**. After **loosely** attach the first bolt, move on to the diagonal bolt. After all 4 bolts are attached, use allen wrench (K) to tighten.


Note: **Do NOT use power tools for assembly.**




③ Fully tighten the longest bolt (F) in step 1 with allen wrench (K). Then attach swivel plate (E) to assembled legs in step 2, using longest bolts (F), lock washers (I), flat washers (J) and allen wrench (K). Do not fully tighten yet.




④ Put assembled legs in step 3 on a flat surface. Push legs up or down as necessary to level. Once level, tighten all bolts.




⑤ Turn assembled legs in step 3 upside down, and attach them to seat (A), using shortest bolts (G), lock washers(I), flat washers(J) and allen wrench(K).
Note: Tighten all bolts.



⑥ Turn assembled chair upright and place on a flat surface.
Note: Each leg has an adjustable foot leveler to help level your chair.



⑦ Assembly complete. Enjoy.



CAUTION: PINCH POINT.
Please keep hands clear during swivel.