

WISFOR



INTRODUCTION

—— WISFOR LED Bathroom Mirror, Make Life Easier

CONTENTS

01 Brand Introduction	(01)
02 Product Introduction	(02)
Product Structure	(02)
Functions of Mirror Surface	(03)
03 Product Parameter	(05)
04 Product Installation	(05)
Warm Note Before Installation	(05)
Round/ Oval Bathroom Mirror	(06)
Rectangle Bathroom Mirror	(07)
05 Wiring Method	(08)
06 Warm Note	(09)
07 Fault Isolation Manual	(09)

01 Brand Introduction

WISFOR LED Bathroom Mirror, Make Life Easier

WISFOR has been committed to helping simplify busy lifestyles by providing consumers with quality bathroom products for years.

Features Anti-fogging/Dimmable light/Memory function, our mirror is designed with customer's demand and it comes with 1 year warranty. Perfect choice for your bathroom, bedroom and makeup room.

- We strictly implement quality control to ensure that the products are 100% safe and qualified.
- If there is any problem when you receive the mirror, please feel free to contact us by email.
- If you are satisfied with our products, please share them with your friends.
- We look forward to your comments and video feedback as well as your suggestions for us.




02 Product Introduction

Product Structure



- 1
- 2
- 3

Round Shape




- 5
- 4



- 1
- 2
- 3

Oval Shape




- 5
- 4



- 1
- 2
- 3

Rectangle Shape




- 5
- 4
- 5

- 1  On/Off Switch - Short press the button for On/Off / long press to adjust brightness
- 2  Light Change Button- Press the left/right for different lighting. White/ Warm White/ Warm Light
- 3  Anti-fog Button - Press the button for anti-fog function
- 4 Power line plug
- 5 Hanging hook

02-1 Functions of Mirror

On/Off Button - Brightness control and adjustment



Short press the button for On/Off the light
Long press to adjust light brightness



Light Change Button - adjust different lights



Short press the button to adjust from white/ warm white/ warm lighting color



White




Warm White



Warm

Anti-Fog Button - defog the mirror



Press slightly to switch on the anti-fog function



03 Parameter

Details	
Product Name	Specification
Watt Range	18w-72w
Operating Temperature	-20℃ to 50℃
LED Light Temperature	2700K to 6000K
Input Voltage	100-240V
Output Voltage	12V
Product Certification	CE UKCA UL SAA
Waterproof Rating	IP44
Service Life	>20000HRS
CRI	≥p 90Ra


04 Product Installation

Installation Precautions

1、 When installing the bathroom mirror, please first pick up the bathroom mirror and confirm the best installation height for marking, then punch for installation

2、 Make sure your face is in the middle of the mirror for a better image.

Recommend Height



04-1 Round / Oval Bathroom Mirror Installation

Tools to be prepared



Tape Measure



Pencil



Drill



Hammer




Screwdriver




Screw Kit (Set)




1.Measure the best installation height with a tape measure




2.Mark the wall with a pencil




3.Drill the marks with an electric drill.



4.Drive the expansion rubber plug into the hole.



5.Drive a screw into the hole.



6.Hang up the bathroom mirror.

04-2 Square Bathroom Mirror (Vertically/Horizontally)

Tools to be prepared



Tape Measure



Pencil



Drill




Hammer




Screwdriver




Screw Kit (Set)




1. Measure the distance of the bathroom mirror hook.




2. Lift the bathroom mirror up to confirm the best mounting height




3. Mark the wall with a pencil



4. Drill the marks with an electric drill. Drive a screw and an expansion plug into the hole.





5. Hang up the bathroom mirror.



You can hang it vertically in the same way

05 Wiring Method



Method 1



Power Plug

Extend the line of the bathroom mirror from the grooves on the side and plug it in to use.

Method 2



Reserved Wire


Cut off the plug of bathroom mirror with scissors and connect the reserved thread.

	Australian	American	European	British	Japanese
Live Wire					
Neutral Wire					
Earth Wire					No Earth Wire

06 Warm Tips

- 1. When wiring, pay attention to the electricity specification, and use waterproof tape to operate;
- 2. After using the defogging function, turn off the function in time to prevent the defogging film from being damaged;
- 3. Bathroom mirror light strip and defogging film can be replaced if damaged;

► If you have any suggestions or advice, please feel free to e-mail our customer services.



07 Fault Isolation Manual

Fault	Status	Fault Isolation	Solutions
Switch on, but the light is out of work	The touch witch doesn't work	Led drive go wrong	Change the led driver
	The touch witch works	A.switch pedestal have poor contact	Replace the switch pedestal
		B.poor contact between the led strip and terminal connection	Rewire again
		C.led strip damage	Replace the led strip
Thermal Fuse doesn't work	The touch witch works	Needs to wait for 3-5min, the Thermal Fuse area can be heating	Normal
		The Thermal Fuse get damaged if there is still no heating effect after 5min	Change the Thermal Fuse



WISFOR

WISFOR LED Bathroom Mirror, Make Life Easier

