

Polyblend® Sanded Grout

1 Product Name

Polyblend® Sanded Grout

2 Manufacturer

Custom Building Products
13001 Seal Beach Blvd.
Seal Beach, CA 90740-2757
Customer Support: 800-272-8786
Technical Services: 800-282-8786
Fax: 800- 200-7765
Email: contactus@cbpmail.net
custombuildingproducts.com

3 Product Description

A polymer-modified, cement based sanded grout that produces hard, dense joints that resist shrinking, cracking and wear. Formulated for durability, Polyblend® Sanded Grout accommodates 1/8"-1/2" (3-13 mm) joints for interior or exterior installations, including floors, countertops, walls, ceilings, showers, fountains and pools.

Uses

- Use to fill joint widths 1/8" to 1/2" (3.2 to 13 mm)
- May be used for both floor and wall installations
- Interior and exterior applications
- Residential and commercial applications
- Countertops, tub surrounds, showers and high traffic areas
- Submerged conditions (swimming pools, spas, water features and fountains)

Suitable Tile Types

- Vitreous, semi-vitreous or non-vitreous tile: ceramic, mosaic, quarry, cement body tile
- Impervious porcelain and glass tile
- Brick and stone veneer
- Cement-based precast terrazzo
- Natural stone tile

Composition of Product

Polyblend® Sanded Grout is a dry, Portland cement based grout with silica sand, inorganic aggregates and chemicals.

Benefits of Product in the Installation

- Hard, durable grout joints
- Resists shrinking, cracking, powdering and wear



Limitations to the Product

- Should not be installed when ambient or surface temperature is lower than 50°F (10°C) or higher than 100°F (38°C).
- Some ceramic, glass, marble or stone tiles can be scratched or damaged by the silica aggregate filler. Perform a test on a small area prior to use. [Polyblend® Non-Sanded Grout](#) may be appropriate for joints up to 1/8" or for tile not suited for sanded grout.
- Tile or stone with high absorption, surfaces that are porous or rough, textured surfaces and some types of porcelain tile may require sealing prior to grouting to prevent possible staining. Use [Aqua Mix® Grout Release](#) or [TileLab® SurfaceGard® Sealer](#) to prevent staining when required.
- Color variation can occur due to tile type, tile porosity, jobsite conditions, application and cleaning techniques. Variation can be minimized by following directions and using as little water as possible for cleanup.
- Chemicals in salt-based pool filtration systems can cause a reaction with blue, green and red grouts. Contact Technical Services for recommendations.

Packaging

Available in 3 sizes:

- 1 lb (.45 kg) tub
- 7 lb (3.17 kg) box
- 25 lb (11.34 kg) bag

25 lb bag and 7 lb box are available in 48 standard colors; color matching is available. 1 lb grout is available in 4 colors.

4 Technical Data

Applicable Standards

American National Standards Institute (ANSI) ANSI A108.10 & A118.6 of the American National Standards for the Installation of Ceramic Tile
ASTM International (ASTM)



Polyblend® Sanded Grout

- ASTM C109 Standard Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or (50-mm) Cube Specimens)
- ASTM C531 Standard Test Method for Linear Shrinkage
- ASTM C580 Standard Test method for Flexural Strength
- ISO 13007-3

Approvals

Polyblend® Sanded Grout exceeds ANSI A118.6 standards.

Technical Chart

Property	Test Method	Requirement	Typical Results
Pot Life			1 - 2 Hours
Shrinkage	A118.6 Section 4.3	< 0.20%	<0.08%
Water Absorption	A118.6 Section 4.4	< 10%	<8%
28 Day Compressive Strength	A118.6 Section 4.5	> 3000 psi	4650 psi (327 kg/cm sq.)
Tensile Strength	A118.6 Section 4.6	> 300 psi	423 psi (29.7 kg/cm sq.)
Flexural Strength	A118.6 Section 4.7	> 500 psi	990 psi (69.6 kg/cm sq.)

Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product can contribute towards LEED® v3 certification:

- Up to 2 points towards MR Credit 5, Regional Materials
- Up to 1 point towards IEQ Credit 4.1, Low-Emitting Materials – Adhesives & Sealants

5 Instructions

General Surface Prep

Tile or stone must be firmly bonded to a sound substrate, and setting material must be cured a minimum 24-48 hours before cement grout is applied, unless rapid-setting mortars are used. See the corresponding data for the bonding mortars used in your application. Remove spacers and ensure that the grout joints are uniform in depth and width and free of loose debris, contaminants and excess mortar. Use [TileLab® SurfaceGard® Sealer](#) to seal tile or stone subject to staining or when using a grout that contrasts with the color of the tile.

Mixing Ratios

- Mix 2 qt (1.89 L) clean water to 25 lb (11.34 kg) grout.
- Mix 1 pt (.473 mL) clean water to 7 lb (3.17 kg) grout.
- For 1 lb grout, see package for fill line indicator.

Mixing Procedures

Mix with a trowel or low speed mixer (less than 300 rpm) to achieve a smooth, lump-free consistency. Let the mixture stand (slake) for 10 minutes, and then remix and use. Periodically remix to keep the mixture workable, but do not add water, which can weaken the joint, cause color variation and possible cause shrinkage, cracks and pinholes. Discard grout when it becomes too stiff to work.

Application of Product

Installation must conform to ANSI A108.10. Lightly dampen absorptive, highly porous tile with clean, cool water, but leave no standing water in the joints. Holding a rubber grout float at a 45° angle, completely fill the joints. Holding the edge of the float at a 90° angle, remove excess grout. At 70° F, do not spread more grout than can be cleaned within 30 minutes of the grout firming and use as little water as possible for grout clean-up. Using a damp, small pore grout sponge in a circular motion, smooth and level joints and remove excess grout. Change the water and rinse the sponge frequently. Haze can be removed after 3 hours with cheesecloth or wrung-out sponge. If haze persists, the installation can be washed after three days with [Aqua Mix NanoScrub](#) or after seven days with [Aqua Mix® Sulfamic Acid Crystals](#) or [TileLab® Sulfamic Acid Cleaner](#). Perform a test in an inconspicuous area prior to complete application.

Curing of Product

Curing time is affected by ambient and surface temperatures and humidity. For exterior applications, it is recommended that the installation is misted periodically with clean, cool water for 3 days.

Sealing of Grout

Use a pH-neutral sealer such as [AquaMix Sealer's Choice Gold](#) or [TileLab Surface Guard](#).

Cleaning of equipment

Clean tools and hands with water before the material dries.

Health Precautions

This product contains Portland cement. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. If eye contact occurs, flush with water for 15 minutes and consult a physician. Use with adequate ventilation; do not breathe dust and wear a NIOSH approved respirator. If ingested, do not induce vomiting; call a physician immediately.

Conformance to Building Codes

Installation must comply with the requirements of all applicable local, state and federal code jurisdictions.



Polyblend® Sanded Grout

6 Availability & Cost

Location	Color #	Color	Item Code	Size	Package	Item Code	Size	Package
USA	#9	Natural Gray	PBG097-4	7 lb (3.17 kg)	Box	PBG0925	25 lb (11.34 kg)	Bag
USA	#10	Antique White	PBG107-4	7 lb (3.17 kg)	Box	PBG1025	25 lb (11.34 kg)	Bag
USA	#11	Snow White	PBG117-4	7 lb (3.17 kg)	Box	PBG1125	25 lb (11.34 kg)	Bag
USA	#14	White Dove	PBG147-4	7 lb (3.17 kg)	Box	PBG1425	25 lb (11.34 kg)	Bag
USA	#17	Butter Cream	PBG177-4	7 lb (3.17 kg)	Box	PBG1725	25 lb (11.34 kg)	Bag
USA	#19	Pewter	PBG197-4	7 lb (3.17 kg)	Box	PBG1925	25 lb (11.34 kg)	Bag
USA	#22	Sahara Tan	PBG227-4	7 lb (3.17 kg)	Box	PBG2225	25 lb (11.34 kg)	Bag
USA	#35	Chaparral	PBG357-4	7 lb (3.17 kg)	Box	PBG3525	25 lb (11.34 kg)	Bag
USA	#45	Summer Wheat	PBG457-4	7 lb (3.17 kg)	Box	PBG4525	25 lb (11.34 kg)	Bag
USA	#50	Nutmeg	PBG507-4	7 lb (3.17 kg)	Box	PBG5025	25 lb (11.34 kg)	Bag
USA	#52	Tobacco Brown	PBG527-4	7 lb (3.17 kg)	Box	PBG5225	25 lb (11.34 kg)	Bag
USA	#59	Saddle Brown	PBG597-4	7 lb (3.17 kg)	Box	PBG5925	25 lb (11.34 kg)	Bag
USA	#60	Charcoal	PBG607-4	7 lb (3.17 kg)	Box	PBG6025	25 lb (11.34 kg)	Bag
USA	#90	Ocean Blue	PBG907-4	7 lb (3.17 kg)	Box	PBG9025	25 lb (11.34 kg)	Bag
USA	#92	Admiral Blue	PBG927-4	7 lb (3.17 kg)	Box	PBG9225	25 lb (11.34 kg)	Bag
USA	#95	Sable Brown	PBG957-4	7 lb (3.17 kg)	Box	PBG9525	25 lb (11.34 kg)	Bag
USA	#96	Quarry Red Clay	PBG967-4	7 lb (3.17 kg)	Box	PBG9625	25 lb (11.34 kg)	Bag
USA	#99	Burnt Clay	PBG997-4	7 lb (3.17 kg)	Box	PBG9925	25 lb (11.34 kg)	Bag
USA	#101	Quartz	PBG1017-4	7 lb (3.17 kg)	Box	PBG10125	25 lb (11.34 kg)	Bag
USA	#105	Earth	PBG1057-4	7 lb (3.17 kg)	Box	PBG10525	25 lb (11.34 kg)	Bag
USA	#115	Platinum	PBG1157-4	7 lb (3.17 kg)	Box	PBG11525	25 lb (11.34 kg)	Bag
USA	#122	Linen	PBG1227-4	7 lb (3.17 kg)	Box	PBG12225	25 lb (11.34 kg)	Bag
USA	#127	Antique Linen	PBG1277-4	7 lb (3.17 kg)	Box	PBG12725	25 lb (11.34 kg)	Bag
USA	#135	Mushroom	PBG1357-4	7 lb (3.17 kg)	Box	PBG13525	25 lb (11.34 kg)	Bag
USA	#145	Light Smoke	PBG1457-4	7 lb (3.17 kg)	Box	PBG14525	25 lb (11.34 kg)	Bag
USA	#156	Fawn	PBG1567-4	7 lb (3.17 kg)	Box	PBG15625	25 lb (11.34 kg)	Bag
USA	#165	Delorean Gray	PBG1657-4	7 lb (3.17 kg)	Box	PBG16525	25 lb (11.34 kg)	Bag
USA	#168	Slate Gray	PBG1687-4	7 lb (3.17 kg)	Box	PBG16825	25 lb (11.34 kg)	Bag
USA	#172	Urban Putty	PBG1727-4	7 lb (3.17 kg)	Box	PBG17225	25 lb (11.34 kg)	Bag
USA	#180	Sandstone	PBG1807-4	7 lb (3.17 kg)	Box	PBG18025	25 lb (11.34 kg)	Bag
USA	#183	Chateau	PBG1837-4	7 lb (3.17 kg)	Box	PBG18325	25 lb (11.34 kg)	Bag
USA	#185	New Taupe	PBG1857-4	7 lb (3.17 kg)	Box	PBG18525	25 lb (11.34 kg)	Bag
USA	#186	Khaki	PBG1867-4	7 lb (3.17 kg)	Box	PBG18625	25 lb (11.34 kg)	Bag
USA	#190	Bay Leaf	PBG1907-4	7 lb (3.17 kg)	Box	PBG19025	25 lb (11.34 kg)	Bag
USA	#301	Arctic Ice	PBG3017-4	7 lb (3.17 kg)	Box	PBG30125	25 lb (11.34 kg)	Bag
USA	#305	Onyx Green	PBG3057-4	7 lb (3.17 kg)	Box	PBG30525	25 lb (11.34 kg)	Bag
USA	#311	Moss	PBG3117-4	7 lb (3.17 kg)	Box	PBG31125	25 lb (11.34 kg)	Bag
USA	#312	Bonsai	PBG3127-4	7 lb (3.17 kg)	Box	PBG31225	25 lb (11.34 kg)	Bag
USA	#333	Alabaster	PBG3337-4	7 lb (3.17 kg)	Box	PBG33325	25 lb (11.34 kg)	Bag
USA	#335	Winter Gray	PBG3357-4	7 lb (3.17 kg)	Box	PBG33525	25 lb (11.34 kg)	Bag
USA	#365	Canvas	PBG3657-4	7 lb (3.17 kg)	Box	PBG36525	25 lb (11.34 kg)	Bag
USA	#370	Dove Gray	PBG3707-4	7 lb (3.17 kg)	Box	PBG37025	25 lb (11.34 kg)	Bag



CUSTOM®

Polyblend® Sanded Grout

Location	Color #	Color	Item Code	Size	Package	Item Code	Size	Package
USA	#380	Haystack	PBG3807-4	7 lb (3.17 kg)	Box	PBG38025	25 lb (11.34 kg)	Bag
USA	#381	Bright White	PBG3817-4	7 lb (3.17 kg)	Box	PBG38125	25 lb (11.34 kg)	Bag
USA	#382	Bone	PBG3827-4	7 lb (3.17 kg)	Box	PBG38225	25 lb (11.34 kg)	Bag
USA	#384	Camel	PBG3847-4	7 lb (3.17 kg)	Box	PBG38425	25 lb (11.34 kg)	Bag
USA	#386	Oyster Gray	PBG3867-4	7 lb (3.17 kg)	Box	PBG38625	25 lb (11.34 kg)	Bag
USA	#390	Rose Beige	PBG3907-4	7 lb (3.17 kg)	Box	PBG39025	25 lb (11.34 kg)	Bag
USA - Special Order		All 48 colors	PBGXXX50	50 lb (22.68 kg)	Bag			
Canada	#9	Natural Gray	CPBG097-4	7 lb (3.17 kg)	Box	CPBG0925	25 lb (11.34 kg)	Bag
Canada	#10	Antique White	CPBG107-4	7 lb (3.17 kg)	Box	CPBG1025	25 lb (11.34 kg)	Bag
Canada	#11	Snow White	CPBG117-4	7 lb (3.17 kg)	Box	CPBG1125	25 lb (11.34 kg)	Bag
Canada	#14	White Dove	CPBG147-4	7 lb (3.17 kg)	Box	CPBG1425	25 lb (11.34 kg)	Bag
Canada	#17	Butter Cream	CPBG177-4	7 lb (3.17 kg)	Box	CPBG1725	25 lb (11.34 kg)	Bag
Canada	#19	Pewter	CPBG197-4	7 lb (3.17 kg)	Box	CPBG1925	25 lb (11.34 kg)	Bag
Canada	#22	Sahara Tan	CPBG227-4	7 lb (3.17 kg)	Box	CPBG2225	25 lb (11.34 kg)	Bag
Canada	#35	Chaparral	CPBG357-4	7 lb (3.17 kg)	Box	CPBG3525	25 lb (11.34 kg)	Bag
Canada	#45	Summer Wheat	CPBG457-4	7 lb (3.17 kg)	Box	CPBG4525	25 lb (11.34 kg)	Bag
Canada	#50	Nutmeg	CPBG507-4	7 lb (3.17 kg)	Box	CPBG5025	25 lb (11.34 kg)	Bag
Canada	#52	Tobacco Brown	CPBG527-4	7 lb (3.17 kg)	Box	CPBG5225	25 lb (11.34 kg)	Bag
Canada	#59	Saddle Brown	CPBG597-4	7 lb (3.17 kg)	Box	CPBG5925	25 lb (11.34 kg)	Bag
Canada	#60	Charcoal	CPBG607-4	7 lb (3.17 kg)	Box	CPBG6025	25 lb (11.34 kg)	Bag
Canada	#90	Ocean Blue	CPBG907-4	7 lb (3.17 kg)	Box	CPBG9025	25 lb (11.34 kg)	Bag
Canada	#92	Admiral Blue	CPBG927-4	7 lb (3.17 kg)	Box	CPBG9225	25 lb (11.34 kg)	Bag
Canada	#95	Sable Brown	CPBG957-4	7 lb (3.17 kg)	Box	CPBG9525	25 lb (11.34 kg)	Bag
Canada	#96	Quarry Red Clay	CPBG967-4	7 lb (3.17 kg)	Box	CPBG9625	25 lb (11.34 kg)	Bag
Canada	#99	Burnt Clay	CPBG997-4	7 lb (3.17 kg)	Box	CPBG9925	25 lb (11.34 kg)	Bag
Canada	#101	Quartz	CPBG1017-4	7 lb (3.17 kg)	Box	CPBG10125	25 lb (11.34 kg)	Bag
Canada	#105	Earth	CPBG1057-4	7 lb (3.17 kg)	Box	CPBG10525	25 lb (11.34 kg)	Bag
Canada	#115	Platinum	CPBG1157-4	7 lb (3.17 kg)	Box	CPBG11525	25 lb (11.34 kg)	Bag
Canada	#122	Linen	CPBG1227-4	7 lb (3.17 kg)	Box	CPBG12225	25 lb (11.34 kg)	Bag
Canada	#127	Antique Linen	CPBG1277-4	7 lb (3.17 kg)	Box	CPBG12725	25 lb (11.34 kg)	Bag
Canada	#135	Mushroom	CPBG1357-4	7 lb (3.17 kg)	Box	CPBG13525	25 lb (11.34 kg)	Bag
Canada	#145	Light Smoke	CPBG1457-4	7 lb (3.17 kg)	Box	CPBG14525	25 lb (11.34 kg)	Bag
Canada	#156	Fawn	CPBG1567-4	7 lb (3.17 kg)	Box	CPBG15625	25 lb (11.34 kg)	Bag
Canada	#165	Delorean Gray	CPBG1657-4	7 lb (3.17 kg)	Box	CPBG16525	25 lb (11.34 kg)	Bag
Canada	#168	Slate Gray	CPBG1687-4	7 lb (3.17 kg)	Box	CPBG16825	25 lb (11.34 kg)	Bag
Canada	#172	Urban Putty	CPBG1727-4	7 lb (3.17 kg)	Box	CPBG17225	25 lb (11.34 kg)	Bag
Canada	#180	Sandstone	CPBG1807-4	7 lb (3.17 kg)	Box	CPBG18025	25 lb (11.34 kg)	Bag
Canada	#183	Chateau	CPBG1837-4	7 lb (3.17 kg)	Box	CPBG18325	25 lb (11.34 kg)	Bag
Canada	#185	New Taupe	CPBG1857-4	7 lb (3.17 kg)	Box	CPBG18525	25 lb (11.34 kg)	Bag
Canada	#186	Khaki	CPBG1867-4	7 lb (3.17 kg)	Box	CPBG18625	25 lb (11.34 kg)	Bag
Canada	#190	Bay Leaf	CPBG1907-4	7 lb (3.17 kg)	Box	CPBG19025	25 lb (11.34 kg)	Bag
Canada	#301	Arctic Ice	CPBG3017-4	7 lb (3.17 kg)	Box	CPBG30125	25 lb (11.34 kg)	Bag
Canada	#305	Onyx Green	CPBG3057-4	7 lb (3.17 kg)	Box	CPBG30525	25 lb (11.34 kg)	Bag
Canada	#311	Moss	CPBG3117-4	7 lb (3.17 kg)	Box	CPBG31125	25 lb (11.34 kg)	Bag



Polyblend® Sanded Grout

Location	Color #	Color	Item Code	Size	Package	Item Code	Size	Package
Canada	#312	Bonsai	CPBG3127-4	7 lb (3.17 kg)	Box	CPBG31225	25 lb (11.34 kg)	Bag
Canada	#333	Alabaster	CPBG3337-4	7 lb (3.17 kg)	Box	CPBG33325	25 lb (11.34 kg)	Bag
Canada	#335	Winter Gray	CPBG3357-4	7 lb (3.17 kg)	Box	CPBG33525	25 lb (11.34 kg)	Bag
Canada	#365	Canvas	CPBG3657-4	7 lb (3.17 kg)	Box	CPBG36525	25 lb (11.34 kg)	Bag
Canada	#370	Dove Gray	CPBG3707-4	7 lb (3.17 kg)	Box	CPBG37025	25 lb (11.34 kg)	Bag
Canada	#380	Haystack	CPBG3807-4	7 lb (3.17 kg)	Box	CPBG38025	25 lb (11.34 kg)	Bag
Canada	#381	Bright White	CPBG3817-4	7 lb (3.17 kg)	Box	CPBG38125	25 lb (11.34 kg)	Bag
Canada	#382	Bone	CPBG3827-4	7 lb (3.17 kg)	Box	CPBG38225	25 lb (11.34 kg)	Bag
Canada	#384	Camel	CPBG3847-4	7 lb (3.17 kg)	Box	CPBG38425	25 lb (11.34 kg)	Bag
Canada	#386	Oyster Gray	CPBG3867-4	7 lb (3.17 kg)	Box	CPBG38625	25 lb (11.34 kg)	Bag
Canada	#390	Rose Beige	CPBG3907-4	7 lb (3.17 kg)	Box	CPBG39025	25 lb (11.34 kg)	Bag

Location	Color #	Color	Item Code	Size	Package
USA	#9	Natural Gray	PBG-091-4	1 lb	Tub
USA	#122	Linen	PBG-1221-4	1 lb	Tub
USA	#380	Haystack	PBG-3801-4	1 lb	Tub
USA	#382	Bone	PBG-3821-4	1 lb	Tub

7 Product Warranty

Custom® Building Products warrants to the original consumer purchaser that its product shall be free from defects in material and workmanship under normal and proper usage for a period of one year following the date of original purchase. Custom's® sole liability under this warranty shall be limited to the replacement of the product. Some states, countries or territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty will not extend to any product which has been modified in any way or which has not been used in accordance with Custom's® printed instructions. Custom® makes no other warranties either expressed or implied. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or from one country/territory to another. This warranty is not transferrable.

8 Product Maintenance

Clean with a neutral cleaner such as [Aqua Mix AquaKleen](#), [Aqua Mix Concentrated Tile & Stone Cleaner](#) or [TileLab Grout & Tile Cleaner](#).

9 Technical Services Information

For technical assistance, contact Custom® technical services at 800-272-8786 or visit custombuildingproducts.com.

10 Filing System

Additional product information is available from the manufacturer upon request.

Related Products

Polyblend® Ceramic Tile Caulk

Commercial 100% Silicone Caulk

TileLab® SurfaceGard® Sealer

StainBlocker for Grout

Polyblend® Non-Sanded Grout



CUSTOM®

Polyblend® Sanded Grout

Coverage

Coverage will vary depending on the tile size and joint width. Chart based on 25 lb (11.34 kg) bag.

Tile Size	Joint Width				
	1/8" (3 mm)	3/16" (4.5 mm)	1/4" (6 mm)	3/8" (9.5 mm)	1/2" (13 mm)
1" x 1" x 1/4" (25 x 25 x 6 mm)	63 ft ² (5.9 M ²)	40 ft ² (3.7 M ²)	25 ft ² (2.3 M ²)	23 ft ² (2.1 M ²)	20 ft ² (1.9 M ²)
2" x 2" x 1/4" (50 x 50 x 6 mm)	88 ft ² (8.2 M ²)	73 ft ² (6.8 M ²)	50 ft ² (4.6 M ²)	40 ft ² (3.7 M ²)	33 ft ² (3.1 M ²)
3" x 3" x 1/4" (75 x 75 x 6 mm)	150 ft ² (14.0 M ²)	103 ft ² (9.6 M ²)	80 ft ² (7.4 M ²)	55 ft ² (5.1 M ²)	45 ft ² (4.2 M ²)
4 1/4" x 4 1/4" x 1/4" (108 x 108 x 6 mm)	210 ft ² (19.5 M ²)	143 ft ² (13.3 M ²)	110 ft ² (10.2 M ²)	75 ft ² (7.0 M ²)	60 ft ² (5.6 M ²)
6" x 6" x 1/4" (150 x 150 x 6 mm)	263 ft ² (24.4 M ²)	178 ft ² (16.5 M ²)	136 ft ² (12.6 M ²)	93 ft ² (8.6 M ²)	70 ft ² (6.5 M ²)
8" x 8" x 3/8" (200 x 200 x 9.5 mm)	230 ft ² (21.4 M ²)	155 ft ² (14.4 M ²)	113 ft ² (10.5 M ²)	75 ft ² (7.0 M ²)	50 ft ² (4.6 M ²)
12" x 12" x 3/8" (300 x 300 x 9.5 mm)	345 ft ² (32.1 M ²)	230 ft ² (21.4 M ²)	175 ft ² (16.3 M ²)	118 ft ² (11.0 M ²)	90 ft ² (8.4 M ²)
16" x 16" x 3/8" (400 x 400 x 9.5 mm)	458 ft ² (42.5 M ²)	305 ft ² (28.3 M ²)	225 ft ² (20.9 M ²)	144 ft ² (13.4 M ²)	94 ft ² (8.7 M ²)
18" x 18" x 3/8" (450 x 450 x 9.5 mm)	512 ft ² (47.5 M ²)	343 ft ² (31.9 M ²)	253 ft ² (23.5 M ²)	167 ft ² (15.5 M ²)	118 ft ² (11 M ²)
20" x 20" x 3/8" (500 x 500 x 9.5 mm)	567 ft ² (52.7 M ²)	381 ft ² (35.4 M ²)	280 ft ² (26.0 M ²)	189 ft ² (17.6 M ²)	142 ft ² (13.2 M ²)
24" x 24" x 3/8" (600 x 600 x 9.5 mm)	685 ft ² (63.6 M ²)	458 ft ² (42.5 M ²)	325 ft ² (30.2 M ²)	225 ft ² (20.9 M ²)	150 ft ² (13.9 M ²)



CUSTOM®