Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier:	Spectracide [®] Carpenter Bee & Ground-Nesting Yellowjacket Killer Foaming Aerosol		
Other Means of Identification:			
Product Code	HG-53371		
Formula Number	21-1551		
EPA Reg. Number	9688-187-8845		
Recommended Use:	Insecticide, Crawling Bug - Aerosol		
Recommended Restrictions:	Use in accordance with label directions		
Manufacturer/Importer/Supplier/Distributor Information:			
Company Name	Spectrum Group, Division of United Industries Corporation		
Address	PO Box 142642, St. Louis, MO 63114-0642		
Telephone Number	1-800-917-5438		
Emergency Telephone Number:			
CHEMTREC	(800)424-9300		
Medical (866)823-2749			
Section 2 - HAZARD(S) IDENTIFICATION			

Classification of Substance or Mixture:

Physica	ll Hazard(s)	Flammable Aerosol - Category 2
		Gases Under Pressure - Low Pressure Liquefied Gas
Health	Hazard(s)	Not classified as a health hazard
Label Elements:		
Hazard	Pictogram(s)	
Signal \	Nord	WARNING
Hazard	Statements:	Flammable aerosol
		Contains gas under pressure; may explode if heated
Precau	tionary Statements:	Keep away from heat/sparks/open flames/hot surfaces No smoking.
		Protect from sunlight. Do not expose to temperatures exceeding
		50°C/122°F. Store in a well-ventilated place.
Hazard(s) not Othe	erwise Classified (HNOC):	No additional information available
Supplemental Info	ormation:	None

Chemical Name	Synonyms	CAS Number	%
Distillated (Petroleum), Hydrotreated Light	n/a	64742-47-8	4.000
Propane	n/a	74-98-6	<3.5
Isobutane	n/a	75-28-5	<0.1
Prallethrin	n/a	23031-36-9	0.025
Lambda-Cyhalothrin	n/a	91465-08-6	0.010

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

Section 4 - FIRST-AID MEASURES		
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position	
	comfortable for breathing. Get medical advice/attention if you feel unwell.	
Skin Contact:	In case of contact, wash skin with plenty of water. If skin irritation or redness develops,	
	seek medical attention.	
Eye Contact:	In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If	
	irritation persists, get medical attention.	
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel.	
	Never give anything by mouth to an unconscious person. Get medical advice/attention.	
Most Important	Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of	
Symptoms/Effects,	breath.	
Acute and Delayed:		
Indication of	Immediate medical attention should not be required.	
Immediate Medical		
Attention & Special		
Treatment Needed:		

Section 5 - FIRE-FIGHTING MEASURES

UN1950

Emergency Response Guide 126	
Suitable Extinguishing Media:	Dry chemical or CO2.
Unsuitable Extinguishing Media:	None: Use extinguishing agent suitable for type of surrounding fire.
Special Protective Equipment	Keep upwind of fire. Vapors may cause dizziness or asphyxiation without
and Precautions for Firefighters:	 warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. Fire may produce irritating, corrosive and/or toxic gases. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection.
In Case of Large Fire:	Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.
Potential Hazards:	Some may burn but none ignite readily. Containers may explode when heated. Ruptured cylinders may rocket.

	Section 6 - ACCIDENTAL RELEASE MEASURES
Personal Precautions, Protective	Use personal protection recommended in Section 8. Isolate the hazard area
Equipment and Emergency	and deny entry to unnecessary and unprotected personnel.
Procedures:	
Methods and Materials for	Do not touch or walk through spilled material.
Containment and Cleaning Up:	Stop leak if you can do it without risk.
	Do not direct water at spill or source of leak.
	Use water spray to reduce vapors or divert vapor cloud drift.
	Avoid allowing water runoff to contact spilled material.
	If possible, turn leaking containers so that gas escapes rather than liquid.
	Prevent entry into waterways, sewers, basements or confined areas.
	Allow substance to evaporate.
	Ventilate the area.
Environmental Precautions:	Report spills as required by local and national regulations. Prevent entry into
	storm sewers and waterways.
	Section 7 - HANDLING AND STORAGE
Precautions for Safe Handling:	Avoid breathing mist. Avoid contact with skin and eyes. Do not

Precautions for Safe Handling:	Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Conditions for Safe Storage, Including any Incompatibilities:	Keep out of reach of children. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. (See section 10).
NFPA 30B Classification:	Level 1 Aerosol

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

	Exposure Limits					
Chemical Name	OSHA PEL		ACGIH TLV		Supplier OEL	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Propane	TWA 1000	TWA 1800	TWA 1000	-	-	-
Isobutane	-	-	STEL 1000	-	-	-

Appropriate Engineering Controls:

General ventilation should be adequate for all normal use.

Individual Protective Measures, Such as Personal Protective Equipment:

- 10	
Eye/face protection:	None required for normal use. Avoid eye contact.
Skin and body protection:	None required under normal use conditions.
Respiratory protection:	None required under normal use conditions.
General hygiene considerations:	Do not eat, drink or smoke where material is handled, processed or
	stored. Wash hands after handling.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state,	Clear, pale yellow liquid
color, etc.):	
Odor:	Solvent and pyrethroid
Odor Threshold:	No data available
pH:	7.38
Melting / Freezing Point:	No data available
Initial boiling point and range:	No data available
Flashpoint:	No data available
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or	
explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.973
Solubility(ies):	Soluble in water
Partition coefficient (n-	
octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Heat of Combustion:	3.25 kJ/g

Section 10 - STABILITY AND REACTIVITY

Reactivity: Chemical stability: Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use. Stable under normal storage conditions. No dangerous reaction known under conditions of normal use.
Conditions to avoid: Incompatible materials: Hazardous decomposition products:	Heat. Incompatible materials. None known. May include, and are not limited to oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes Inhalation, Ingestion and/or skin or eye contact of exposure:

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation:	May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea
	or vomiting.
Skin contact:	May cause skin irritation. Symptoms may include redness, drying,
	defatting and cracking of the skin.

Safety Data Sheet Spectracide [®] Carpenter Bee & Gr	ound-Nesting Yellowjacł	ket Killer Fo	aming Aero	sol Nover	Page 5 of 7 ber 1, 2019	
Eye contact:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.					
Acute Toxicity Values:	Calculated overall Chemical Acute Toxicity Values (ATE)					
•	LD50 (Oral)			LC50 (inhalation)		
	>5000 mg/kg	>5000	mg/kg	>2 mg/l		
	-				-	
Eye Contact:	Based on available data, the classification criteria are not met.					
Skin Contact:		Based on available data, the classification criteria are not met.				
Sensitization:	Based on available data, the classification criteria are not met.					
Chronic Effects-	Chemical Listed as a Carcinogen			I		
Carcinogenicity:	Ingredient		or Potent	tial Carcinogen (NTP,		
- <i>i</i>				IARC, OSHA)		
	None of the ingredient	ts present i	n this produ	ct at or above 0.1%		
	are listed as potential carcinogens on the NTP, IARC or OSHA lists.					
Reproductive Toxicity: Germ Cell Mutagenicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.					
Comment: All information was generated using the GHS classification criteria for mixtures and test data where available.						
	Section 12 - ECOLOG	ICAL INFO	RMATION			
Ecotoxicity: Per GHS, this product is classified as a category 2 aquatic acute toxicant and a category chronic aquatic toxicant.					ant and a	
Persistence and degradability:	No data available					
Bioaccumulative potential:	No data available					
Mobility in soil:	No data available					
Other adverse effects:	No data available					
Section 13 - DISPOSAL CONSIDERATIONS						
Section 15 - DISPOSAL CONSIDERATIONS						

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION				
DOT:	UN Number:	UN1950		
	Proper Shipping Name:	Aerosols		
	Hazard Class:	2.1		
	Packing Group:	None		
	Limited Quantity:	≤1L		

Safety Data Sheet Spectracide[®] Carpenter Bee & Ground-Nesting Yellowjacket Killer Foaming Aerosol

IATA:	UN Number: Proper Shipping Name: Hazard Class: Packing Group:	UN1950 Aerosols 2.1 None
IMDG:	UN Number: Proper Shipping Name: Hazard Class: Packing Group: Limited Quantity: Marine Pollutant:	UN1950 Aerosols 2.1 None ≤1L Yes (Lambda-Cyhalothrin)

Section 15 - REGULATORY INFORMATION

US EPA Label Information:

EPA Pesticide Registration Number 9688-187-8845 Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. FIRST AID: If Swallowed: Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container with you when calling a Poison Control Center or doctor, or going for treatment. Note to Physician: Contains petroleum distillates - vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Storage: Store in a cool, dry area away from heat or open flame. Disposal: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal

EPA TSCA Inventory: All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt. See OSHA hazards listed in section 2. SARA Hazard Category (311/312):

Safety Data Sheet Spectracide [®] Carpenter Bee & G	round-Nesting Yellowjacket Killer Foaming Aerosol	Page 7 of 7 November 1, 2019
SARA 313:	Section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not any chemicals which are subject to the reporting requireme the Act and Title 40 of the Code of Federal Regulations, Part	nts of
Disclaimer:	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.	

Section 16 - OTHER INFORMATION

Issue date:July 2, 2019Revision date:November 1, 2019Version number:1.1