

USE ON ST. AUGUSTINEGRASS
(INCLUDING FLORATAM), CENTIPEDE, ZOYSIA,
AND CARPETGRASS LAWNS

Scotts®

Turf Builder®
Bonus S

**SOUTHERN
WEED & FEED_{FL}**

Herbicida y fertilizante_{FL} para céspedes del Sur



**KILLS DOLLARWEED &
CLOVER & FEEDS GRASS**

TO CROWD OUT FUTURE WEEDS

Builds Thick Green Turf to Help Prevent Runoff

COVERS 10,000 SQ FT

NET WT/PESO NETO
34.48 lb (15.64 kg)

ACTIVE INGREDIENT:
Atrazine_{FL} 1.293%
Related Compounds: 0.027%
OTHER INGREDIENTS: 99.680%
TOTAL 100.000%

**USE ONLY ON ST. AUGUSTINEGRASS (INCLUDING FLORATAM),
CENTIPEDE, ZOYSIA AND CARPETGRASS LAWNS.**

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN CONSULTE EL PANEL POSTERIOR PARA
CONOCER LOS AVISOS DE PRECAUCIÓN ADICIONALES.



Turf Builder®
Bonus S
**SOUTHERN
WEED & FEED_{FL}**

29-0-10

Scotts®

DIRECTIONS FOR USE
INSTRUCCIONES DE USO

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

Scotts® QUICK START GUIDE: You're Just Three Simple Steps Away From A Beautiful Scotts® Lawn!
Guía de inicio rápido de Scotts®: ¡Está a sólo tres sencillos pasos de tener un hermoso césped con Scotts®!



FILL & SET SPREADER
Llene y ajuste el esparcidor

Scotts® Broadcast / Rotary Spreaders **4 1/4**

Scotts® Drop Spreaders **8 1/2**

This package applies 3.45 pounds of product per 1000 sq ft.
Con este paquete se aplican 1.6 kg de producto por cada 93 m².



APPLY
Aplique

For even application walk at a steady pace slightly overlapping each pass. Scotts® Drop Spreaders: Align hopper arrow with previous wheel track. Scotts® Broadcast/Rotary Spreaders: Line up each pass approximately 5 ft from wheel track.

- Apply when grass and weeds are actively growing.
- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application.

Para que la aplicación sea uniforme, camine a un paso constante, superponiendo ligeramente cada pasada. Esparcidores por goteo Scotts®: Alinee la flecha de la tolva con la huella dejada previamente por la rueda. Esparcidores por rotación Scotts®: Alinee cada pasada a aproximadamente 1.5 m de la huella dejada por la rueda.

- Aplique cuando el césped y las malezas estén creciendo de manera activa.
- Aplique cuando el césped esté seco, únicamente.
- Este producto debe REGARSE INMEDIATAMENTE después de su aplicación.



CLEAN-UP
Limpie

Sweep product from hard surfaces onto the lawn.

Barra el producto derramado sobre superficies duras hacia el césped.



YOU'RE DONE! WHAT'S NEXT?
¡Listo! ¿Y ahora qué sigue?

Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

No deje que las personas o las mascotas ingresen a las áreas de tratamiento hasta que termine de regar y la superficie esté seca.

Questions? Call
1-800-543-TURF
¿Preguntas? Llame al 1-800-543-TURF.

www.scotts.com

RESTRICTIONS

- Maximum of two applications per year. This product applies 2 the active ingredient per acre.
- This product must be WATERED IN IMMEDIATELY after application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- Do not apply during winter dormancy period. Wait until after third mowing of the season to apply.
- Do not use under trees, shrubs, bedding plants, flower or garden plants.

OTHER THINGS YOU NEED TO KNOW

- Kills weeds including dollarweed, clover, and other listed weeds.
- For severe weed problems, a second treatment may be required 2 months after the first.

SEEDING/SODDING/SPRIGGING

- Apply Scotts® Turf Builder® Bonus® S Southern Weed & Feed, after spring/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds.
- Water the new sod/seed, allow the grass blades to dry, then make the application of Scotts® Turf Builder® Bonus® S Southern Weed & Feed.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant spring sod for one month, or sow new grass seed for six months following application of Scotts® Turf Builder® Bonus® S Southern Weed & Feed.

RESTRICCIONES

- Máximo dos aplicaciones al año. Con este producto se aplican 0.8 kg de ingrediente activo por acre.
- Este producto debe REGARSE INMEDIATAMENTE después de su aplicación.
- No lo aplique manualmente ni con dispositivos manuales tales como un aplicador giratorio.
- No realice este producto de forma que entre en contacto con otra persona, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejados del área a las personas y las mascotas.
- No lo aplique en céspedes o mezclas de céspedes tales como, bermuda, hierba azul, festuca o cultivar riza, agrostis, riza, festuca o cultivar alta o dondola, pues puede dañarlos.
- No lo aplique durante el período de latencia invernal, espere hasta el tercer corte de césped de la temporada para hacerlo.
- No plantee césped de semillas, céspedes, plantas de jardín o plantas de flor.

OTRAS COSAS QUE DEBE SABER

- Elimina malezas incluyendo la acariotea, el trébol y otras malezas que se enumeran.
- Para problemas serios de malezas, tal vez sea necesario un segundo tratamiento 2 meses después del primero.

SEMBRADO DE SEMILLAS/TEPES/RETOÑOS

- Aplique el Herbicida y Fertilizante, para céspedes del Sur Bonus® S de Scotts® Turf Builder® después de plantar retoños o cubrir con césped San Agustín o zoysia nuevo pasto, para evitar que compita con malezas en germinación. Riegue los nuevos retoños o tepes, deje secar la hierba del césped, y luego aplique el Herbicida y Fertilizante, para céspedes del Sur Bonus® S de Scotts® Turf Builder®.
- No aplique a céspedes completos o alfombra recién sembrados sino hasta después de por lo menos el segundo corte de césped.
- No plantee césped ni tepes por un mes, o siembre semillas de césped por seis meses, después de la aplicación del Herbicida y Fertilizante, para céspedes del Sur Bonus® S de Scotts® Turf Builder®.

WEEDS CONTROLLED

Black Medic Blue Toadflax Buckhorn Burclover	Carolina Geranium (Cranesbill) Clover, Hop Clover, White	Dandelion Dichondra Dollarweed (Pennywort) Eveningprimrose	Florida Betony Florida Pusley Fragrant Cudweed (Rabbit-tobacco)	Herbit Lippia (Matchweed) Oxalis (Yellow Woodsorrel) Pepperweed (Peppergrass)	Purslane Red Sorrel (Sheep Sorrel) Rescuegrass Shepherd's Purse	Sowthistle Stinging Nettle Venus Lookingglass Wild Mustard
---	--	---	--	--	--	---

TIPS FOR LAWCARE SUCCESS



Feed Regularly

Regular feedings provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought & family activity. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations.



Mow and Leave the Grass Clippings on Your Lawn

Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively. Grass clippings recycle the plant nutrients back into the soil.



Conserve Water

Well-kept lawns are more efficient at using available water. Feeding with Scotts® lawn food helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat drought and other stresses. Remember your lawn will begin to wilt when water is needed. As much as possible take advantage of nature's sprinkler and rely on the rain to water your lawn.

Benefits of Multiple Feedings



SCOTTS® RECOMMENDED FEEDING ROUTINE



SPRING

A spring feeding helps grass get going after its initial green up. You should feed around the third time you mow your grass.



LATE SPRING

Feeding now prepares grass for summer by making more blades on top and building deep roots below.



SUMMER

A summer feeding provides grass the nutrients they need to thrive during the summer months.



EARLY FALL

Feeding now helps grass store nutrients to deal with the stress of the winter months.

Florida Applications: 4 annual feedings with the following exceptions: On centipedegrass do not exceed 2 feedings in the north and 3 feedings in the central and south. On zoysiagrass do not exceed 3 feedings in the north.

North Florida is defined as north of a line extending from Cedar Key to Daytona Beach. Central Florida is defined as south of the line extending from Cedar Key to Daytona Beach to a line extending from Tampa to Vero Beach. South Florida includes the remaining southern portion of the state.

We care. Scotts® products are designed with care to grow a thicker, greener lawn.

A Green Lawn Is a Good Lawn - A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion. **You can make a difference** - Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

Scotts® & Your Environment

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals
CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes; then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call 1-800-543-8873.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains. Atrazine can travel (seep or leach) through soil and enter ground water, which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Scotts® Turf Builder® Bonus® S Southern Weed & Feed, 29-0-10 F643

GUARANTEED ANALYSIS

Total Nitrogen29%
1.0% Ammoniacal Nitrogen
18.9% Urea Nitrogen*
8.3% Other water soluble Nitrogen*
0.8% Water insoluble Nitrogen*

Soluble Potash (K₂O)10%
Derived from: Methyleneurea, Urea, Ammonium Sulfate, Potassium Sulfate, and Polymer coated Urea.
*14.6% slowly available Nitrogen from Methyleneurea and Polymer coated Urea.

EPA Reg. No. 538-18. EPA Est. No. 538-0H-15. 85653-0H-15
Superscript used is first letter of run code on end of container.

QUESTIONS / INFORMATION
Preguntas / Información

SMG Sold and Guaranteed By:
THE SCOTTS COMPANY
14111 Scottslawn Rd.
Marysville, OH 43041

Questions? Call
1-800-543-8873

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-nitro-sc.com>
La información relacionada con los contenidos y los niveles de metales de este producto está disponible en Internet en <http://www.regulatory-nitro-sc.com>

©2018 The Scotts Company LLC
World rights reserved.

† CAS #912-24-9

AVISOS DE PRECAUCIÓN Riesgos para humanos y animales domésticos
PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS: Mantenga el ojo abierto y enjuague con agua despaño y con cuidado por 15 a 20 minutos. Si tuviera lentes de contacto, quíleslos después de lavarse con agua los primeros 5 minutos y luego continúe enjuagando el ojo. **SI CAE EN LA PIEL O LA ROPA:** Retíelos lo que sea conveniente. Si se queda la piel inmediatamente lavarla con agua y jabón. **SI SE INHALA:** Lleve a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia y luego, de ser posible, déle respiración artificial de boca a boca, preferiblemente. Llame al centro de control de envenenamientos o al médico para obtener recomendaciones de tratamiento. Tenga el envase del producto o la etiqueta con usted cuando llame a un centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. Llame al 1-800-543-8873.

RIESGOS AMBIENTALES: Este producto es tóxico para los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de desague, cunetas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje. Los escurrimientos o la dispersión desde las áreas tratadas pueden ser peligrosos para los organismos acuáticos de las zonas adyacentes. No contamine el agua al limpiar los drenajes ni al desechos del agua que uso para lavarlo. No lave los drenajes sobre superficies duras ni cerca de drenajes pluviales. La atrazina puede desbordarse (filtrarse o filtrarse) por el suelo y penetrar el agua del subsuelo. La atrazina podría utilizarse como agua para beber. Se ha encontrado atrazina en el agua del subsuelo. Se advierte a los usuarios no aplicar atrazina en suelos arenosos ni margosos, donde el manto freático (el agua del subsuelo) está cerca de la superficie y la tierra es muy permeable; por ejemplo, suelos con buen drenaje. Sus organismos agrícolas locales pueden proporcionar más información sobre la clase de suelo de su zona y la ubicación el agua subterránea.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Almacene en un lugar limpio y seco. Para volver a sellar una bolsa abierta, plegue la parte superior y sujétela. **ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:** Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase. Si está vacío: Tirelo a la basura o, si está disponible, ofrezcalo para reciclaje. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

SCOTTS NO-QUIBBLE GUARANTEE®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

Si por alguna razón no está satisfecho luego de utilizar este producto, usted, el comprador, tiene derecho a la devolución de su dinero. Solo envíenos el comprobante de compra y le enviaremos un reembolso por correo inmediatamente.

PROOF OF PURCHASE: UPC 6-22247-21025-6
21025-1 VD-PP R03306

FPO

0 32247 21025 6

SCOTTS® TURF BUILDER® BONUS® S
29-0-10 F643
100% WATER