

Total Alkalinity Increaser



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements, storage, disposal and directions.

HOW TO USE THIS PRODUCT:

START-UP/INITIAL TREATMENT: At pool opening, PRIOR to adding chlorinator and chlorine stabilizer:

1. Check Total Alkalinity (TA) with POOL TIME TEST STRIPS. TA should be between 80-125 ppm in plaster pools or 125-150 ppm in other types of pools.
2. If TA is too LOW, broadcast TOTAL ALKALINITY INCREASER into the pool water at the rate suggested in the Dosage Chart. Keep pump and filter running.
3. If TA is too high, add POOL TIME pH DOWN as directed on the label.

ROUTINE MAINTENANCE: Every 4 weeks, check TA with POOL TIME TEST STRIPS. If TA is too low, broadcast TOTAL ALKALINITY INCREASER at the rate suggested in the Chart below. Keep pump and filter running. If TA is too high, add POOL TIME pH DOWN as directed on the label.

DOSAGE CHART: TOTAL ALKALINITY INCREASER						
Pool Capacity Gallons	To Raise Total Alkalinity Capacity					
	30 ppm	40 ppm	50 ppm	60 ppm	80 ppm	100 ppm
10,000	4.5 lb	6 lb	7.5 lb	9 lb	12 lb	15 lb
15,000	6.75 lb	9 lb	11.25 lb	13.5 lb	18 lb	22.5 lb
20,000	9 lb	12 lb	15 lb	18 lb	24 lb	30 lb
30,000	13.5 lb	18 lb	22.5 lb	27 lb	36 lb	45 lb
40,000	18 lb	24 lb	30 lb	36 lb	48 lb	60 lb
50,000	22.5 lb	30 lb	37.5 lb	45 lb	60 lb	75 lb

IN CASE OF MEDICAL EMERGENCY, CALL 1-877-800-5553.

NOTE: User assumes all responsibility for use not in accordance with directions.