

# Safety Data Sheet

## SABRE Red Gel-Civilian

May be used to comply with OSHA's Hazard Communication Standard,  
29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

**Quick Identifier / Rev Date**  
08.11.2022

### SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

**PRODUCT NAME:** SABRE Red GEL-Civilian

**SYNONYMS:** Pepper Spray, OC Spray

**CHEMICAL NAME:** Oleoresin Capsicum (Red Pepper)

**CHEMICAL FAMILY:** Irritant Agent

**PRODUCT USE:** Personal Safety

**MODEL #s:**

MK-3-GEL-H-US; MK-3-GEL-H-US-JP; HDMK3-G-01; HC-14-CPG-BK-US; HC-14-CPG-PK-US; F15-TUSG; F15-BUSG, -02, -Q2; F15-BUSG-02-JP; F15-PUSG, -02, -Q2; F15-PUSG-02-JP; F15-PRUSG-02; F15-LGUSG-02; F15-MUSG, -02; F15-MUSG-02-JP; M-35-GEL-FR; PGSP-01; PGSP-01-JP; D35-PG; P-22J-OC-US; P-22J-PK-US; FHP-01; SRU-HAPK; PFHM-80; PFHM-80-JP; PL-01-GEL; P-22-GEL-TQ; P-22G; P-22G-USA; P-22G-JP; P-22J-OC-02; P-22J-PK-02; MK3-CFTG-BC; AM-ATH-01 (P-22J-OC); AM-ATH-02 (P-22J-PK-US); SE-MT-01; SE-BK-01; SE-MT-01-JP; SE-BK-01-JP; SE-LG-01; SE-MT-02; SDP-G-03; P-22-GEL-TQ-GR; P-22J-OC-02-GR; MK3-CFTG-BCGR; SE-BK-AMZ; SE-MT-AMZ; F15-BKOC-AMZ; F15-PKOC-AMZ; F15-MTOC-AMZ; F15-LGOC-AMZ; P-22G-USA; RU-22G; F15-PUSG-AMZ; DSGK-BK-AMZ; LED-22G-PK / LED-22G-PK-AMZ; LED-22G-YW /LED-22G-YW-AMZ; RU-M60FT-G; LED-22G-YW-GR

**Manufacturer's Name:** SECURITY EQUIPMENT CORPORATION

**Address:** 747 SUN PARK DRIVE

**City, State, Zip** FENTON, MO 63026

**Emergency Telephone Number for Infotrac:**

**Emergency Phone:** 800-325-9568

**Other Calls:** 636-343-0200

**Fax Number:** 636-343-1318

**Tel.:** +1-800-535-5053, **Tel.:** +1-352-323-3500

**Fax:** +1-352-323-0005

### SECTION 2 - HAZARD IDENTIFICATION

#### Classification of the substance or mixture

#### GHS Label Elements, including precautionary statements

Hazard Code	Hazard Statement	Hazard Class	Category	Pictogram	Signal Word
H280	Contains gas under pressure; may explode if heated	Gases Under Pressure	Compressed Gas		Warning
H315	Causes skin irritation	Skin corrosion / irritation	2		Warning
H319	Causes serious eye irritation	Serious eye damage / eye irritation	2A		Warning
H335	May cause respiratory irritation	Specific target organ toxicity. Single exposure; Respiratory tract irritation	3		Warning

#### Precautionary Statement(s)

P102	Keep out of reach of children
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING
P211	Do not spray on an open flame or other ignition source
P251	Pressurized container: Do NOT pierce or burn even after use
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue to rinse.
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention
P410	Protect from sunlight
P412	Do NOT expose to temperatures exceeding 50°C / 122°F

**SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical & common name(s)	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)
Oleoresin Capsicum (OC/Red Pepper) CAS# 8023-77-6	10%*	N/A	N/A	No
Water CAS# 7732-18-5	40 - 70%	N/A	N/A	No
Polysorbate 80 CAS# 9005-65-6	5 - 30%	N/A	N/A	No
Ethanol CAS# 64-17-5	2 - 10%	N/A	200 ppm	No
Masamide CAS# 85526-23-8; WPS1708128	Marginal			No
Nitrogen (propellant) CAS# 7727-37-9	**	N/A	N/A	No

\*10% @ 1.33% Major Capsaicinoids

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. \*\* Ingredient volumes are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

**SECTION 4 - FIRST AID MEASURES**

**Emergency & First Aid Procedures:** Remove victim from contaminated area and if appropriate, remove contaminated clothing. Provide fresh air, irrigate with copious amounts of cool water. **Seek medical attention immediately if you have any pre-existing medical conditions or suffer from any adverse effects.**

Routes of Entry	First Aid Measures
1. Inhalation	Remove from contaminated area immediately. Provide fresh air. If breathing is difficult, seek immediate medical attention. If the victim is not breathing, administer CPR and seek immediate medical attention.
2. Eyes	Carefully remove & discard your contact lenses. Flush eyes with cool water for 15 minutes, or until relieved. Do not rub eyes. Get prompt medical attention.
3. Skin	Flush skin 15 to 20 minutes with soap and cold water, repeat as necessary. Do not rub, or use creams, salves or oils. Seek medical attention if irritation persists.
4. Ingestion	Unlikely route of entry. <b>DO NOT INDUCE VOMITING.</b> Rinse mouth with water. Ingest milk or water. Immediately call for medical help.

**SECTION 5 - FIRE-FIGHTING MEASURES**

Flammability Classification 16 CFR 1500.45: Non-Flammable; Electronic Immobilization Device Compatible  
 Flash Point: N/A Auto-Ignition Temperature: N/A  
 Extinguishing Media: Halon, Carbon Dioxide, Dry Chemical or Water  
 Special Fire Fighting Procedures: Wear respirator or self-contained breathing apparatus.  
 Unusual Fire and Explosion Hazards: Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Steps to follow if material is spilled or released: Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid irritation, and collect absorbent materials.  
 If inside: Ventilate area and after absorbent process, wash area with soap and cold water  
 If outside: Stay upwind  
 Waste Disposal Method: Dispose of in accordance with current laws and regulations.

**SECTION 7 - HANDLING AND STORAGE**

Precautions to be taken in handling & storage: Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container.  
 Other Precautions: Assure can is in a secure place to prevent accidental rupture.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**This is not a Law Enforcement Product. It should not be used for Law Enforcement Training.**

Respiratory Protection: Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas.  
 Ventilation: Yes  
 Protective Gloves: Suggested (not required)  
 Eye Protection: Yes  
 Other Protective Clothing/Equipment: Not required  
 Work/Hygienic Practices: Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. Do not eat, drink, or smoke while handling product.  
 Engineering Controls: Provide ventilation if working in confined areas.

**SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES**

Appearance & Odor:	Red/Orange in color. Odor is pungent	Physical State:	Liquid
Boiling Point:	100° C (212° F)	Specific Gravity (H2O = 1)	~1.0 @ 20° C
Solubility in Water:	Soluble	Vapor Pressure:	140 PSI

**SECTION 10 - STABILITY AND REACTIVITY**

Stability	Unstable	Conditions To Avoid	Incompatibility (Materials To Avoid)	N/A
	Stable	X		
Hazardous Polymerization:	May Occur		Hazardous Decomposition Products:	N/A
	Will Not Occur	X		

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Standard Draize Test: Skin, 500 mg	Severity:	Slightly Irritating
Standard Draize Test: Eye, 100 mg	Severity:	Moderately Irritating
ACUTE INHALATION LC50:		> 100.5 mg/L

**SECTION 12 - ECOLOGICAL INFORMATION**

This product has not been tested for environmental effects.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: Consult Federal, State, and Local Regulations  
Evacuate contents in a safe area, & dispose of container.

**SECTION 14 - TRANSPORT INFORMATION**

**DOT HM-181 INFORMATION**

	<u>GROUND</u>	<u>AIR</u>
Proper Shipping Name:	LTD. QTY	Aerosols, non-flammable
Hazard Class or Division:	none	2.2
Identification Number:	none	UN1950
Packaging Group:	none	none
Label(s) Required:	none	2.2 LTD. QTY

**INTERNATIONAL TRANSPORTATION REGULATIONS**

Regulations vary from country to country. Check regulations for your country.

	<u>GROUND</u>	<u>AIR</u>	<u>OCEAN</u>
Proper Shipping Name:	LTD. QTY	Aerosols, non-flammable	Aerosols,
Hazard Class or Division:	ORM-D	2.2	2.2
Identification Number:	none	UN1950	UN1950
Packaging Group:	none	none	none
Label(s) Required:	none	2.2 LTD. QTY	2.2 LTD. QTY

**SECTION 15 - REGULATORY INFORMATION**

GHS within the EU: The new classification & labelling system according to CLP regulation (EC) No 1272/2008

WHMIS: In Canada, this product is in accordance with the Canadian Workplace Hazardous Materials Information System. (2015)

	<b>P-Codes</b>
<b>Signal Word: WARNING</b>	P102: Keep out of reach of children.
<b>Exclamation Mark Skin &amp; Eye Irritation, Category 2</b>	P211: Do not spray on an open flame or other ignition source.
<b>H-Codes</b>	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
H315: Causes skin irritation	P251: Do not pierce or burn, even after use.
H319: Causes serious eye irritation	P302+P352: IF ON SKIN: Wash with plenty of water
H280: Contains gas under pressure; may explode if heated	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue rinsing.
H335: May cause respiratory irritation	P337+P313: If eye irritation persists get medical advice/attention.
	P410: Protect from sunlight.
	P412: Do not expose to temperatures exceeding 50 °C/122 °F.

**TOXIC SUBSTANCES CONTROL ACT:**  
This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

<b>SARA TITLE III, SECTION 313:</b>	Not Listed
<b>CLEAN AIR ACT (CAA):</b>	Not Listed
<b>CLEAN WATER ACT (CWA):</b>	Not Listed
<b>CALIFORNIA PROPOSITION 65:</b>	Not Listed
<b>MASSACHUSETTS RIGHT TO KNOW:</b>	67-17-5
<b>PENNSYLVANIA RIGHT TO KNOW:</b>	CAS# 67-17-5 9005-65-6
<b>NEW JERSEY RIGHT TO KNOW:</b>	CAS# 67-17-5 9005-65-6

**SECTION 16 - OTHER INFORMATION**

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: <http://www.osha.gov/dcsp/osp/statestandards.html>.