TECHNICAL DATA

Shower Door

SLIDING CONTEMPORARY STYLE SHOWER TRACK 48"- 60"


SS

Nylon

PVC

12

2



MATERIALS: Anodized Aluminum Excursions (Track) and Zinc Die Cast (Mounting Brackets). Bronze Finish is Powder Coated.

8

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Constructed of Corrosion Resistant Anodized Alumninum.

48" - 60" Track Assembly Kit

Fits 48" Shower Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). Fits 60" Shower Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 71" (180cm).

#8-18 X 1.5" Long Phillips Head

Toggle Wall Anchor

Bumper

WARRANTY: 5 Year Limited Warranty.




TECHNICAL DATA

Shower Door

SLIDING SHOWER 48" & 60" GLASS PANELS





MATERIALS: INSTALLATION: 1/4" (6mm) Tempered Glass Panel.

INSTALLATION:

Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE:

Spot Guard Easy Clean Coating.

Traditional:

48": Fits Doors with an Opening min/max of 43 3/8" – 47 3/8" (110cm-120cm), with a Height of 70" (178cm). 60": Fits doors with an opening min/max of 50 1/8" – 59 3/8" (127cm-151cm), with a Height of 70" (178cm).

Contemporary

48": Fits Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). 60": Fits Doors with an Opening min/max of 50 1/8" - 581/2" (127cm-149cm), with a Height of 71" (180cm).

WARRANTY:


5 Year Limited Warranty.



Shower Door

EVERLY™ HANDLE





MATERIALS: Zinc Posts for all

Aluminum Bar: Brushed Nickel and Oil Rubbed Bronze.

Stainless Steel Bar: Polished Chrome.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Coordinates with Delta® Faucets and Bath Hardware.

Compatible with All Delta® Sliding Bathtub or Shower Doors.

WARRANTY: 5 Year Limited Warranty.

