



2023-24

floridatile
home collection



Product
Catalogue



About Florida Tile

For over 65 years, we have worked to deliver the most innovative and beautiful tile in the industry. This commitment has taken us from being a small, ceramic trim producer in Lakeland, Florida to a leading manufacturer of porcelain floor and wall tile across the USA. Our Advanced Manufacturing Facility and National Distribution Center are strategically located in Lawrenceburg, Kentucky. Our central location allows us easy access to more than half of the US population and major distribution routes, while enabling us to fulfill orders quickly and efficiently. It also places us close to the raw materials needed to sustainably produce our world-class porcelain. Florida Tile corporate headquarters are just 30 miles east in Lexington, KY – the heart of the picturesque Bluegrass region.

Our objective to develop the finest products while protecting environmental resources has us consistently taking the lead as innovators in the tile industry. We use 40% pre-consumer recycled content in all product produced in Kentucky and are proudly recognized as a Green Squared Certified Manufacturing Facility certified by UL Environment, and the first tile manufacturer to have all products GREENGUARD® certified for low VOC emissions. Producing natural, sustainable products is a key aspect of our longstanding corporate strategy.





Table of Contents


Wood Looks	4		Marble & Stone Looks	60
Alaskan Powder	6		Avante Bianco	62
Alpine Sand	8		Brilliance White	64
Beautiful Wood Cherry	10		Carrara Matte	66
Beautiful Wood Oak	12		Ivory Sands	68
Burlington Walnut	14		Longitude Slate Grey	70
Chalet Greige	16		Michelangelo Calacatta	72
Chalet Natural	18		Michelangelo Light Grey	74
Chic Wood Creme	20	Item model numbers are located on the product pages	Milano Lasca	76
Denali Sunset	22		Oasis Beige	78
Ember Ebony	24		Picasso White	80
Gold Rush Prospect	26		Sediment Slate	82
Hickory Beige	28		Seville Beige	84
Napa Valley	30		Seville White	86
Outer Banks	32		Silver Sands	88
Painted Wood Beige	34		Other Looks	90
Serene Wood Light Grey	36		Crete Gray	92
Serene Wood Cream	38		Mesa Sand	94
Smoked Hickory	40		Painted Brick White	96
Sunset Beige	42		Royal Linen White	98
Sunset Dark Grey	44		Urbanstone Cream	100
Sunset Light Grey	45		White Washed Brick	102
Sycamore Beige	46			
Tahoe Cedar Brown	48		Care & Maintenance	104
Tahoe Cedar Gray	50		Installation	106
Timber Grey	52			
Tribeca Wood	54			
Wind River Beige	56			
Wind River Grey	58			

Wood Looks


Wood Looks




Ember Ebony
CHDECD018X36
PG 24




Timber Grey
CHDEDSTI06X24
PG 52



Wind River Grey
CHDEWND026X24
PG 58



Tahoe Cedar Grey
CHDETAC026X24
CHDETAC028X36
PG 50



Outer Banks
CHDELTH108X36
PG 32



Chalet Greige
CHDECA016X24
CHDECA018X36
PG 16




Alaskan Powder
CHDEALS108X36
PG 6



Chic Wood
CHDECE016X24
PG 20



Sunset Light Grey
CHDESUN058X36
PG 44




Serene Wood Light
CHDECD046X24
CHDECD048X36
PG 36




Sunset Grey
CHDESUN026X24
PG 43




Painted Wood
CHDE970506X24
PG 34




Serene Cream
CHDECD056X24
CHDECD058X36
PG 38




Tribeca Wood
CHDETR016X24
CHDETR018X36
PG 54



Chalet Natural
CHDECD026X24
CHDECD028X36
PG 18




Hickory Beige
CHDEHB018X36
PG 28




Sycamore Beige
CHDESYB016X24
PG 46




Sunset Beige
CHDESUN026X24
PG 42




Denali Sunset
CHDEDEN108X36
PG 22



Beautiful Oak
CHDEBW028X36
PG 12



Gold Rush
CHDEBMTI06X24
PG 26




Tahoe Cedar Brown
CHDETAC016X24
CHDETAC018X36
PG 48




Alpine Sand
CHDEALP016X24
PG 8




Wind River Beige
CHDEWND016X24
PG 56




Smoked Hickory
CHDEAJ018X36
PG 40



Burlington Walnut
CHDEWLN306X24
PG 14



Napa Valley
CHDECMP106X24
PG 30



Beautiful Cherry
CHDE966018X36
PG 10

Alaskan Powder



Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Alaskan Powder

Porcelain Floor and Wall Tile

Size 8x36



Alaskan Powder combines attractive light grey tones with striking wood grain to create a beautifully serene and clean surface. Produced in a durable porcelain body, its subtle shade variation effects the look of natural grey toned wood. Both its withstanding water-resistance and scratch-resistance makes this stunning tile an excellent choice for residential and commercial applications.

8"x36" Alaskan Powder
Model# CHDEALS108X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Gray	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	498 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.6 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16"	Country of Origin	USA



Alpine Sand



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Alpine Sand

Porcelain Floor and Wall Tile

Size 6x24



Enhance your interior space with the natural look of Alpine Sand. This porcelain tile brings to life the realistic look of honey-toned hardwood. With umber brown detailing set against a lighter sand toned background, Alpine Sand offers a strikingly realistic and understated wood look. This durable porcelain tile blends beautifully with an array of styles ranging from modern to rustic.

6"x24" Alpine Sand
Model# CHDEALP016X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 145 Light Smoke	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	437 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16"	Country of Origin	USA



Beautiful Wood Cherry




Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Single Tile

Beautiful Wood Cherry

Porcelain Floor and Wall Tile

Size 8x36



Beautiful Wood Cherry provides the strength of lasting porcelain with the warmth and style of natural cherry hardwood. With subtle shade variations in tones of deep warm brown, this tile is a wonderful alternative to traditional wood. Beautiful Wood Cherry will add true beauty to create a memorable and inviting space.

8"x36" Beautiful Wood Cherry
Model# CHDE966018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 95 Sable Brown	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	643 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	13.6 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16"	Country of Origin	USA



Beautiful Wood Oak



Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Beautiful Wood Oak

Porcelain Floor and Wall Tile

Size 8x36



A fantastic alternative to wood flooring, Beautiful Wood Oak combines the strength of porcelain with the look and feel of natural wood. Welcoming and handsome without the care or concerns of actual wood, you will want these wide format tiles to run throughout your home. A rich blend of grain and gorgeous coloration makes Beautiful Wood Oak porcelain a wonderful choice in surface tile.

8"x36" Beautiful Wood Oak
Model# CHDEBW028X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	476 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	15.54 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16"	Country of Origin	USA




Burlington Walnut




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Burlington Walnut

Porcelain Floor and Wall Tile

Size 6x24



Shades of rich espresso and detailed wood grain makes Burlington Walnut a rich and wonderful statement. While an enduring porcelain body makes this tile incredibly easy to maintain. Understated sable tones reminiscent of lustrous wood invites the eye to travel across its smooth surface. This slip-resistant and water-resistant surface is the perfect choice for your next residential space.

6"x24" Burlington Walnut
Model# CHDEWLN306X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	324 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	14
Durability Class	Residential	SF Per Pallet	448
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Chalet Greige



Porcelain Floor and Wall Tile


6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Chalet Greige

Porcelain Floor and Wall Tile

6x24 / 8x36



Add a stylish and natural element with Chalet Greige porcelain tile. This tile offers a light wood grain combined with subtle grey-taupe tone to create a smooth and truly unique surface. Set in durable porcelain, this versatile tile coordinates with a vast range of design styles from traditional to modern.

6"x24" Chalet Greige
Model# CHDECA016X24
Unit of Measure - Case

8"x36" Chalet Greige
Model# CHDECA018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 10 mm
Break Strength	440 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 13.6 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	960 Sq. ft. / 367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Chalet Natural



Porcelain Floor and Wall Tile

6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Chalet Natural

Porcelain Floor and Wall Tile

6x24 / 8x36



Chalet Natural expresses a light wood aesthetic in an engaging and modern format. Its wood grain details and light beige tones effect a realistic surface that both enhances a space and emphasizes its other adornments. Set in strong porcelain, this versatile surface coordinates with many design styles ranging from traditional to modern.

6"x24" Chalet Natural
Model# CHDECD026X24
Unit of Measure - Case

8"x36" Chalet Natural
Model# CHDECD028X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 9 mm
Break Strength	440 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	960 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Chic Wood Creme



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Straight Pattern



Herringbone Pattern

Chic Wood Creme

Porcelain Floor and Wall Tile

Size 6x24



Chic Wood Creme porcelain shows off the brilliant look of light painted wood. Intermixing tones of white-creme with warm colored grain, this stunning tile displays a modern take on the classic wood look. This stunning and durable 6 in. x 24 in. tile will coordinate beautifully in any interior space.

6"x24" Chic Wood Creme
Model# CHDECE016X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 11 Snow White	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	433 lbf avg	Finish	Matte
Surface Hardness	7.5 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Less than .42	SF Per Case	14 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Denali Sunset



Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Diagonal Pattern

Denali Sunset

Porcelain Floor and Wall Tile

Size 8x36



Denali Sunset combines refined honey-brown tones and subtle wood grain in a strong and durable porcelain tile. This porcelain tile truly replicates the look of attractive hardwood. Denali Sunset is slip-resistant, scratch-resistant, and water-resistant, making this tile an ideal choice for both residential and some commercial spaces.

8"x36" Denali Sunset
Model# CHDEDEN108X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 105 Earth	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	512 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.6 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Ember Ebony



Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Ember Ebony

Porcelain Floor and Wall Tile

Size 8x36



This surface combines a rich wood pattern and subtle shade variation in the durability of a porcelain tile. Tones of charcoal-black and beautifully detailed grain invite the eye to travel across its gorgeous surface. By combining a natural wood look with a contemporary aesthetic, Ember Ebony offers an ideal choice for a variety of interior and some exterior design projects.

8"x36" Ember Ebony
Model# CHDECD018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 60 Charcoal	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	400 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Gold Rush Prospect




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Gold Rush Prospect

Porcelain Floor and Wall Tile

Size 6x24



Gold Rush Prospect porcelain floor and wall tile offers the look of natural wood in shades of attractive taupe and gray. Perfect for a multitude of interior applications, this tile is suitable for residential and some light commercial floor installations. It is frost-resistant, stain-resistant, and scratch-resistant for long-term use.

6"x24" Gold Rush Prospect
Model# CHDEBMT106X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 145 Light Smoke	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	397 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Hickory Beige




Porcelain Floor and Wall Tile


Size 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Hickory Beige

Porcelain Floor and Wall Tile

Size 8x36



Hickory Beige porcelain provides a tranquil warmth in varying tones of light to medium beige. It truly embodies the look and feel of stunning hardwood floors. Its resilient porcelain body makes it suitable for areas where hardwood would not be applicable. This versatile tile offers an excellent surface for both residential and some commercial applications.

8"x36" Hickory Beige
Model# CHDEHB018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	441 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA




Napa Valley




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Single Tile

Napa Valley

Porcelain Floor and Wall Tile

Size 6x24



Give your home a refresh with Napa Valley porcelain floor and wall Tile. This versatile tile has the look of real wood with brown and mocha detailing and shade. It is durable and suitable for both walls and floors. Napa Valley brings to life the feel of actual hardwood floors.

6"x24" Napa Valley
Model# CHDECMP106X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	415 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Less than .42	SF Per Case	14 Sq. ft.
Durability Class	Residential	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Outer Banks




Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Outer Banks

Porcelain Floor and Wall Tile

Size 8x36



Inspiration is drawn from both water and wood to create the aptly named Outer Banks Blue porcelain tile. Greys and blues bring to mind ocean waves while its textured surface is reminiscent of wood grain planks. With its 8 x 36 format, Outer Banks Grey is a dynamic and contemporary take on wood style porcelain tile.

8"x36" Outer Banks Blue
Model# CHDELTH108X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 115 Platinum	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	569 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.6 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Painted Wood Beige




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Painted Wood Beige

Porcelain Floor and Wall Tile

Size 6x24



Enliven your home decor with the addition of Painted Wood Beige porcelain. This gorgeous multi-color tile offers a dynamic effect in a porcelain tile. With its charming variations in shade and tone, Painted Wood Beige captures the beautiful and crafted character of an attractive reclaimed wood in a strong porcelain tile. Available in 6"x24" and 6"x24" Chevron.

6"x24" Painted Wood Beige
Model# CHDE970506X24
Unit of Measure - Case

6"x24" Painted Wood Beige Chevron
Model# CHDEPWD10CHEV
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / Chevron 6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	511 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 Random Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft. / 4.08 Sq. ft.
Durability Class	Residential	SF Per Pallet	448 Sq. ft. / 244.8 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Serene Wood Light Grey



Porcelain Floor and Wall Tile

6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Serene Wood Light Grey

Porcelain Floor and Wall Tile

6x24 / 8x36



Add beauty and style to your space with Serene Wood Light. This gorgeous surface combines light cool-grey tones with warm detailed grain to replicate an attractively weathered wood-look surface. Produced in durable porcelain, this large plank format tile will enrich any space with life and color.

6"x24" Serene Wood Light Gray
Model# CHDECD046X24
Unit of Measure - Case

8"x36" Serene Wood Light Gray
Model# CHDECD048X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 9 mm
Break Strength	436 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	960 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Serene Wood Cream




Porcelain Floor and Wall Tile

6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Serene Wood Cream

Porcelain Floor and Wall Tile

6x24 / 8x36



Add beauty and style to your space with Serene Wood Light. This gorgeous surface combines light cream tones with warm detailed grain to replicate an attractively weathered wood-look surface. Produced in durable porcelain, this large plank format tile will enrich any space with life and color.

6"x24" Serene Wood Cream
Model# CHDECD056X24
Unit of Measure - Case

8"x36" Serene Wood Cream
Model# CHDECD058X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	960 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Smoked Hickory




Porcelain Floor and Wall Tile

Size 8x36



Offset Pattern



Herringbone Pattern




Single Tile

Smoked Hickory

Porcelain Floor and Wall Tile

Size 8x36



Combining varying tones of rich chestnut with lifelike distressed wood grain, Smoked Hickory is a knockout realistic wood look tile. This beautiful tile complements a room perfectly with a surface far more resilient than wood. This durable scratch-resistant and water-resistant porcelain tile is the perfect choice for any residential interior.

8"x36" Smoked Hickory
Model# CHDEAJ018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	10 mm
Break Strength	470 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	13.6 Sq. ft.
Durability Class	Residential	SF Per Pallet	367.2 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Sunset Wood Collection



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern




Straight Pattern

Sunset Wood Beige

Porcelain Floor and Wall Tile

Size 6x24



Attractively dynamic variations in tone make Sunset Beige a stunning addition to any space. Its realistic wood look adds a timeless elegance. The overall effect is artisan and understated beauty. Produced in a durable porcelain body, Sunset Beige is perfect for both residential and commercial floor applications.

6"x24" Sunset Beige
Model# CHDESUN036X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	450 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 High Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Sunset Dark Grey

Porcelain Floor and Wall Tile

Size 6x24



Sunset Dark Grey offers a stunning wood look in a strong porcelain tile. Its varying grey tones and wood grain replicate a gorgeous timeworn surface. The overall effect is artisan and elegance. Produced in a durable porcelain body, this tile is recommended for both residential and commercial floor applications.

6"x24" Sunset Grey
Model# CHDESUN026X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	450 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 High Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Sunset Light Grey

Porcelain Floor and Wall Tile

Size 8x36



Produced in a durable porcelain body, Sunset Light Grey is an excellent choice for both residential and light commercial use. With its attractively weathered wood-look and light to medium shades, this resilient tile will add a stylish statement to any interior space.

8"x36" Sunset Light Grey
Model# CHDESUN058X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	8"x36"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	450 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 High Variation
DCOF Acutest	Pass	SF Per Case	15.54 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Sycamore Beige



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Sycamore Beige

Porcelain Floor and Wall Tile

Size 6x24



This porcelain tile combines subtle wood texture with slight varying tones of beige-taupe to create a contemporary look perfect for both residential and commercial interiors. Its realistic design captures the look and feel of natural wood. Crafted in a strong porcelain body with a durable surface, Sycamore Beige is an enduring and attractive addition to any space.

6"x24" Sycamore Beige
Model# CHDESYB016X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Tahoe Cedar Brown



Porcelain Floor and Wall Tile

6x24/ 8x36/ 8x48 / 8x



Offset Pattern



Herringbone Pattern



Straight Pattern

Tahoe Cedar Brown

Porcelain Floor and Wall Tile

6x24 / 8x36



Tahoe Cedar porcelain tile delivers the look of natural wood in the body of an enduring porcelain tile. This tile combines attractive wood grain in tones of umber for a realistic effect. Crafted in a contemporary elongated form, Tahoe Cedar is beautifully suited for floor and wall in residential and light commercial applications.

6"x24" Tahoe Cedar Brown
Model# CHDETAC016X24
Unit of Measure - Case

8"x36" Tahoe Cedar Brown
Model# CHDETAC018X36 CH
Unit of Measure - Case

8"x48" Tahoe Cedar Brown
CHDETAC018X48

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	6"x24" / 8"x36" / 8"x48"
Water Absorption	≤ 0.5%	Thickness	9 mm / 9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Tahoe Cedar Gray



Porcelain Floor and Wall Tile

6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Tahoe Cedar Gray

Porcelain Floor and Wall Tile

6x24 / 8x36



Tahoe Cedar porcelain tile delivers the look of natural wood in the body of an enduring porcelain tile. This tile combines attractive wood grain in tones of gray for a realistic effect. Crafted in a contemporary elongated form, Tahoe Cedar is beautifully suited for floor and wall in residential and light commercial applications.

6"x24" Tahoe Cedar Gray
Model# CHDETAC026X24
Unit of Measure - Case

8"x36" Tahoe Cedar Gray
Model# CHDETAC028X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 9 Natural Gray	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	960 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Timber Grey



Porcelain Floor and Wall Tile


Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Timber Grey

Porcelain Floor and Wall Tile

Size 6x24



Timber Grey combines material strength with realistic wood detailing for a modern yet natural ambiance. Its cool grey tones pair perfectly with its easy to maintain matte surface. Its distinctive color and hand-scraped grain make it the perfect addition to any design style. This durable porcelain tile is an excellent choice for both residential and commercial spaces.

6"x24" Timber Grey
Model# CHDEDSTI06X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 9 Natural Grey	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	350 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	14
Durability Class	Residential & Commercial	SF Per Pallet	448
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Tribeca Wood



Porcelain Floor and Wall Tile

6x24 / 8x36



Offset Pattern



Herringbone Pattern



Straight Pattern

Tribeca Wood

Porcelain Floor and Wall Tile

6x24 / 8x36



Tribeca Wood tile is an exceptionally beautiful and lasting product. With its impervious surface and strong porcelain body, this tile will perform in both residential and commercial settings. Its attractive shade variation, multi-toned colors, and reclaimed wood look will breathe warmth and life into any space.

6"x24" Tribeca Wood
Model# CHDETR016X24
Unit of Measure - Case

8"x36" Tribeca Wood
Model# CHDETR018X36
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	6"x24" / 8"x36"
Water Absorption	≤ 0.5%	Thickness	8 mm / 9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	16 Sq. ft. / 15.54 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	960 Sq. ft. / 419.58 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Wind River Beige




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Wind River Beige

Porcelain Floor and Wall Tile

Size 6x24



Wind River Beige achieves a lively reclaimed wood look with character and colors varying from medium-beige to russet brown. It captures the natural patina of distressed wood perfectly. Developed in a modern format this durable porcelain tile is the look to coordinate with any design style.

6"x24" Wind River Beige
Model# CHDEWND016X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 105 Earth	Size	6"x24"
Water Absorption	≤ 0.5%%	Thickness	9 mm
Break Strength	415 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 Random Variation
DCOF Acutest	Pass	SF Per Case	14
Durability Class	Residential & Light Commercial	SF Per Pallet	448
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Wind River Grey




Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Wind River Grey

Porcelain Floor and Wall Tile

Size 6x24



Attractively realistic the Wind River Grey combines the look of reclaimed wood with varying shades of cool grey. This versatile tile expresses such lively character with its dynamic shade variation and unique wood pattern. Along with its smooth rustic surface and hand-scraped detailing this beautiful tile will bring life and spirit to any space.

6"x24" Wind River Grey
Model# CHDEWND026X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	6"x24"
Water Absorption	≤ 0.5%%	Thickness	9 mm
Break Strength	415 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V4 Random Variation
DCOF Acutest	Pass	SF Per Case	14
Durability Class	Residential & Light Commercial	SF Per Pallet	448
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Marble & Stone Looks

Stone Looks



Sediment Slate
CHDESDS1012X24
PG 82



Longitude Slate
CHDEAJ0412X24
PG 70



Silver Sand
CHDED0312X24
PG 88



Michelangelo Grey
CHDEZEG2012X24
PG 74



Milano Lasa
CHDEMIL1012X24R
PG 76



Carrara Matte
CHDEAJ0212X24
PG 66



Brilliance White
CHDEBRL1012X24R
PG 64



Seville White
CHDESE2012X24R
PG 86



Michelangelo
Calacatta
CHDEZEN1012X24
PG 72



Ivory Sand
CHDEBG0112X24
PG 68



Avante Bianco
CHDEAVA1012X24
PG 62



Picasso White
CHDEPCS1024X48R
PG 80



Seville Beige
CHDESE1012X24R
PG 84



Oasis Beige
CHDECH0112X24R
PG 78

Avante Bianco



Porcelain Floor and Wall Tile

3.75x12 / 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Avante Bianco

Porcelain Floor and Wall Tile

3.75x12 / 12x24



3.75"x12" Avante Bianco
Model# CHDEAVABR3X12
Unit of Measure - Case

12"x24" Avante Bianco
Model# CHDEAVA1012X24
Unit of Measure - Case

Inspired by the beauty of real marble, this stunning tile will breathe life into an interior. Its marble look is expressed throughout its smooth surface and realistic variation. With its dynamic veining, light background, and durable body, Avante Bianco is the perfect choice for floor and wall.

Available Trim and Mosaic



Avante 3x24 Bullnose
Model# CHDEAVA10P43N9



Avante Herringbone
Model# CHDEAVA10M1.5X4HER

Technical Data

Recommended Grout	Custom 11 Snow White	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	427 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA




Brilliance White




Porcelain Floor and Wall Tile


3.75x12 / 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Brilliance White

Porcelain Floor and Wall Tile

3.75x12 / 12x24



Brilliance White porcelain embodies the radiance of light marble to create a captivating look. With filmy grey veining swimming through a background of soft white, Brilliance White expresses the tranquil look of high-grade Carrara marble. This highly withstanding tile is the perfect choice for a multitude of design projects.

Available Trim and Mosaic



Brilliance 3x12 Bullnose
Model# CHDEBRL10P43C9



Brilliance M12 Mosaic
Model# CHDEBRL10M12

3.75"x12" Brilliance White
Model# CHDEBRLBR3X12
Unit of Measure - Case

12"x12" Brilliance White
Model# CHDEBRL1012X24R
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 11 Snow White	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	510 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	500 Sq. Ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Carrara Matte




Porcelain Floor and Wall Tile


Size 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Carrara Matte

Porcelain Floor and Wall Tile

Size 12x24



Carrara Matte porcelain tile is a beautiful choice for a multitude of design projects. Lively dashes of cool veining, accented by a surrounding light background, inspire contemporary elegance. This tile truly captures the look of real marble in a strong porcelain body.

12"x24" Carrara Matte
Model# CHDEAJ0212X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	453 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Ivory Sands



Porcelain Floor and Wall Tile

Size 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Ivory Sands

Porcelain Floor and Wall Tile

Size 12x24



Inspired by the natural beauty found in real sedimentary stone, Ivory Sands is a gorgeous and unique surface. This stunning tile combines varying tones of ivory-taupe with expressive directional veining for a realistic travertine effect. Both stylish and durable, this tile is an excellent choice to enhance any interior space.

12"x24" Ivory Sand
Model# CHDEBG0112X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 382 Bone	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	344 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	13.62 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	435.84 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Longitude Slate Grey



Porcelain Floor and Wall Tile


Size 12x24



Offset Pattern



Straight Pattern



Diagonal Pattern

Longitude Slate Grey

Porcelain Floor and Wall Tile

Size 12x24




12"x24" Longitude Slate
Model# CHDEAJ0412X24
Unit of Measure - Case

Add a contemporary element to your decor with Longitude Grey. This high quality porcelain tile features varying shades of grey accented by random streaks of warm umber. This realistic slate-look tile can be installed in areas where stone might not. Porcelain is far more resistant to water and scratches. Offering both strength and style, this enduring surface is perfect for both residential and some commercial.


Available Trim and Mosaic



Longitude 3x12 Bullnose
Model# CHDELGT40P43C9



Longitude M12 Mosaic
Model# CHDELGT40M12



Longitude Brick Mosaic
Model# CHDELGT40MOSRB

Technical Data

Recommended Grout	Custom 19 Pewter	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	350 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.62 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	435.84 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Michelangelo Calacatta




Porcelain Floor and Wall Tile


3.75x12 / 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Michelangelo Calacatta

Porcelain Floor and Wall Tile

3.75x12 / 12x24



12"x24" Michelangelo Calacatta
Model# CHDEZEN1012X24
Unit of Measure - Case

3.75"x12" Michelangelo Calacatta
Model# CHDEZENBR3X12
Unit of Measure - Case

Michelangelo Calacatta porcelain expresses contemporary Italian elegance. Fashioned with grey-taupe veins over a luminous white-ivory background, this floor and wall tile will elevate an interior space. Suitable for both residential and commercial applications.

Available Trim and Mosaic



Michelangelo 3x12 Bullnose
Model# CHDEZEN10P43C9



Michelangelo M12 Mosaic
Model# CHDEZEN10M12



Michelangelo Herringbone
Model# CHDEZEN10MHER

Technical Data

Recommended Grout	Custom 11 Snow White	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	374 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA




Michelangelo Light Grey




Porcelain Floor and Wall Tile

3.75x12 / 12x24



Offset Pattern



Diagonal Pattern



Straight Pattern

Michelangelo Light Grey

Porcelain Floor and Wall Tile

3.75x12 / 12x24



With its light grey background and semi-translucent veining, Michelangelo Light Grey is a standout floor or wall tile. Its beautiful marble look creates a tranquil setting suited for a multitude of design styles. Its highly durable water-resistant and scratch-resistant surface makes this tile a brilliant choice for both residential and some commercial applications.

Available Trim and Mosaic



Michelangelo Grey Bullnose
Model# CHDEZEG20P43C9



Michelangelo M12 Mosaic
Model# CHDEZEG20M12



Michelangelo Grey Herringbone
Model# CHDEZEG20MHER

12"x24" Michelangelo Grey
Model# CHDEZEG2012X24
Unit of Measure - Case

3.75"x12" Michelangelo Grey
Model# CHDEZEG203X12
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	441 lbf avg	Finish	Matte
Surface Hardness	7.5 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Milano Lasa



Porcelain Floor and Wall Tile


Size 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Milano Lasa

Porcelain Floor and Wall Tile

Size 12x24



12"x24" Milano Lasa
Model# CHDEMIL1012X24R
Unit of Measure - Case

A brilliant expression of tranquility and modernity, Milano Lasa is a striking marble-look tile. Its realistic light-grey linear grain will accent your decor while its light and luminous background will brighten any space. Produced in porcelain, this highly durable look will continually endure and impress with its ethereal effect.

Available Trim and Mosaic



Milano 3x24 Bullnose
Model# CHDEMIL10P43N9



Milano Random Strip Mosaic
Model# CHDEMIL10RSP

Technical Data

Recommended Grout	Custom 544 Rolling Fog	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	524 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Oasis Beige



Porcelain Floor and Wall Tile


Size 12x24



Offset Pattern



Straight Pattern



Single Tile

Oasis Beige

Porcelain Floor and Wall Tile

Size 12x24



Harmonious and balanced, this porcelain tile coordinates with a multitude of styles. With its realistic shade variation and random veining, Oasis Beige captures the look of true travertine stone. Its attractive tones of light-medium beige will breathe warmth into any interior space.

12"x24" Oasis Beige
Model# CHDECH0112X24R
Unit of Measure-Case
Available Trim and Mosaic



Oasis 3x12 Bullnose
Model# CHDECHB10P43C9



Oasis M12 Mosaic
Model# CHDECHBM12

Technical Data

Recommended Grout	Custom 382 Bone	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	475 lbf avg	Finish	Matte
Surface Hardness	7.5 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Picasso White



Porcelain Floor and Wall Tile

3.75x12 / 12x24



Offset Pattern



Straight Pattern



Single Tile

Picasso White

Porcelain Floor and Wall Tile

24x48



Picasso White porcelain tile embodies modern elegance in a stunning marble look. This durable surface includes multi-toned dynamic veins set against a light luminous background. Its large format size minimizes grout lines and maximizes its natural marble look. An excellent choice for both residential and commercial settings.

24"x48" Picasso White
Model# CHDEPCS1024X48R
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 10 Bright White	Size	24"x48"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	350 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	15.39 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	615.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8"	Country of Origin	USA



Sediment Slate



Porcelain Floor and Wall Tile

Size 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern

Sediment Slate

Porcelain Floor and Wall Tile

Size 12x24




This porcelain tile is a beautiful replication of natural black slate. Both versatile and trending, Sediment Slate provides a realistic stone look to any interior setting. With its durable porcelain body and strong surface, this tile adds the perfect design element to both interior and exterior settings.

Available Trim and Mosaic



Sediment 3x12 Bullnose
Model# CHDESDS10P43C9



Sediment M12 Mosaic
Model# CHDESDS10M12



Sediment Brick Mosaic
Model# CHDESDS10MOSRB

12"x24" Sediment Slate
Model# CHDESDS1012X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 60 Charcoal	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.62 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	435.84 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Seville Beige




Porcelain Floor and Wall Tile


3.75x12 / 12x24



Offset Pattern



Straight Pattern



Single Tile

Seville Beige

Porcelain Floor and Wall Tile

3.75"x12" / 12"x24"



Seville Beige delivers a beautiful and contemporary element that speaks for itself. Combining subtle light beige tones with dynamic veining, this unique tile truly captures the look of real stone. An excellent choice for both floor and wall, this durable porcelain tile is the perfect addition to any space.

Available Trim and Mosaic



Seville Beige 3x12 Bullnose
Model# CHDESEV10P43C9



Seville Beige M12 Mosaic
Model# CHDESEV10M12



Seville Beige Herringbone
Model# CHDESEV10MHER

12"x24" Seville Beige
Model# CHDESE1012X24R
Unit of Measure - Case

3.75"x12" Seville Beige
Model# CHDESEV103X12
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	475 lbf avg	Finish	Matte
Surface Hardness	7.5 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Seville White




Porcelain Floor and Wall Tile

3.75x12 / 12x24



Offset Pattern



Straight Pattern



Diagonal Pattern

Seville White

Porcelain Floor and Wall Tile

3.75x12 / 12x24




The Seville White porcelain tile lends a beautiful element that speaks for itself. With its dynamic light veining and modern format, this attractively unique light white-ivory tile provides the look of real stone in the body of durable porcelain. An excellent choice for both floor and wall with its high water-resistant, frost-resistant, and scratch-resistant surface.

Available Trim and Mosaic



Seville White 3x12 Bullnose
Model# CHDESEV20P43C9



Seville White M12 Mosaic
Model# CHDESEV20M12



Seville White Herringbone
Model# CHDESEV20MHER

12"x24" Seville White
Model# CHDESE2012X24R
Unit of Measure - Case

3.75"x12" Seville White
Model# CHDESEV203X12
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 386 Oyster Grey	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	350 lbf avg	Finish	Matte
Surface Hardness	7.5 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA



Silver Sands



Porcelain Floor and Wall Tile

12x24 / 3.75x12



Offset Pattern



Straight Pattern



Single Tile

Silver Sands

Porcelain Floor and Wall Tile

3.75x12 / 12x24



Silver Sands porcelain tile combines varying tones of grey-taupe with linear veining to create a realistic travertine look. Its directional pattern invites the observer to gaze across its stone look surface. Produced in strong porcelain, Silver Sands is suitable for a multitude of interiors.

12"x24" Silver Sand
Model# CHDED0312X24
Unit of Measure - Case

3.75"x12" Silver Sand
Model# CHDESLVBR3X12
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	3.75"x12" / 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	420 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.62 Sq. ft.
Durability Class	Residential	SF Per Pallet	500 Sq. ft. / 435.84 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Other Looks

Brick

Fabric


Concrete

Cotto

Brick, Concrete, Cotto, Fabric Looks



Crete Gray
CHDECRG1024X48R
PG 92



Urbanstone Cream
CHDEUB1012X24
CHDEUB1024X24
PG 100



White Washed Brick
CHDECC026X24
PG 102



Royal Linen White
CHDERYL1012X24
PG 98



Mesa Sand
CHDECD0512X24
PG 94



White Washed Brick
CHDECC016X24
PG 102

Crete Gray



Porcelain Floor and Wall Tile

Size 24x48



Offset Pattern



Straight Pattern



Single Tile

Crete Gray

Porcelain Floor and Wall Tile

Size 12x24



Crete Gray will add contemporary elegance with its subtle shade variation and large format size. It combines both elements of concrete and stone in the resilient body of porcelain tile. With strength and style, this durable surface enhances any interior including kitchens, bathrooms, entryway, laundry, and shower.

24"x48" Crete Gray
Model# CHDECRC1024X48R
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 10 Rolling Fog	Size	24"x48"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	350 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	15.39 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	615.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8"	Country of Origin	USA



Mesa Sand



Porcelain Floor and Wall Tile

Size 12x24



Offset Pattern



Herringbone Pattern



Straight Pattern



Inspired by the irresistible beauty of Spanish architecture, Mesa Sand embodies the look and feel of warm terracotta mixed with natural stone. Its stylish variation, rich earth tones, and chiseled edge signifies a nod to rustic yet modern Southwest design. Mesa Sand porcelain will complement your warm color scheme and bring life to your space.

12"x24" Mesa Sand
Model# CHDECD0512X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 646 Coffee Bean	Size	12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	420 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V3 Moderate Variation
DCOF Acutest	Pass	SF Per Case	13.62 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	435.84 Sq. ft.
Edge Type	Chiseled	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Painted Brick White



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern



Brick Pattern



Single Tile

Painted Brick White

Porcelain Floor and Wall Tile

Size 6x24



With subtle detail, Painted Brick porcelain captures the lively look of white painted brick. With its smooth textured surface, this unique tile coordinates with a variety of design styles from modern to rustic. As a durable porcelain tile, Painted Brick is suitable for residential and some commercial applications, both floor and wall.

6"x24" Painted Brick
Model# CHDECC026X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 115 Platinum	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	385 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Royal Linen White



Porcelain Floor and Wall Tile


3.75x12 / 12x24



Offset Pattern



Straight Pattern



Single Tile

Royal Linen White

Porcelain Floor and Wall Tile

3.75x12 / 12x24



Uniform in tone and understated in look, Royal Linen adds a modern ambiance to an interior setting. This tile expresses the light and tactile look of linen while produced in withstanding porcelain. As attractive as it is durable, this tile is suitable for residential and light commercial floors.

12"x24" Royal Linen
Model# CHDERYL1012X24
Unit of Measure - Case

3.75"x12" Royal Linen
Model# CHDERYLBR3X12
Unit of Measure - Case

Available Trim and
Mosaic



Royal Linen 3x12 Bullnose
Model# CHDERYL10P43C9



Royal Linen Brick Mosaic
Model# CHDERYL10MIX4RBD

Technical Data

Recommended Grout	Custom 544 Rolling Fog	Size	3.75"x12"/ 12"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	478 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V1 Uniform Variation
DCOF Acutest	Pass	SF Per Case	6.25 Sq. ft. / 13.3 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	500 Sq. ft. / 425.6 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	1/8	Country of Origin	USA




Urbanstone Cream




Porcelain Floor and Wall Tile


12x24 / 24x24



Straight Pattern



Straight Pattern



12x24 Offset Pattern

Urbanstone Cream

Porcelain Floor and Wall Tile

12x24 / 24x24



Urbanstone Cream provides the look of light limestone in the strength of lasting porcelain. With consistent shade variation in tones of this light cream-white, this tile is an exceptional alternative to natural stone. Urbanstone Cream will add a clean, beautiful surface to create a serene and inviting space.

24"x24" Urbanstone Cream
Model# CHDEUB1024X24
Unit of Measure - Case

12"x24" Urbanstone Cream
Model# CHDEUB1012X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 382 Bone	Size	12"x24" / 24"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	425 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V1 Uniform Variation
DCOF Acutest	Pass	SF Per Case	13.3 Sq. ft. / 15.58 Sq. ft.
Durability Class	Residential & Commercial	SF Per Pallet	425.6 Sq. ft. / 560.88 Sq. ft.
Edge Type	Rectified	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



White Washed Brick



Porcelain Floor and Wall Tile

Size 6x24



Offset Pattern

White Washed Brick

Porcelain Floor and Wall Tile

Size 6x24



Achieve the look of real multi-toned brick in an enduring porcelain tile. With rustic brick-red tones topped with subtle white, White Washed Brick is lively, interesting, and stunning. Set in a durable porcelain body, this distinctive tile is suitable for both residential and some commercial applications, both floor and wall.

6"x24" White Washed Brick
Model# CHDECC016X24
Unit of Measure - Case

Technical Data

Recommended Grout	Custom 165 Delorean Grey	Size	6"x24"
Water Absorption	≤ 0.5%	Thickness	9 mm
Break Strength	385 lbf avg	Finish	Matte
Surface Hardness	7 Mohs	Shade Variation	V2 Slight Variation
DCOF Acutest	Pass	SF Per Case	14 Sq. ft.
Durability Class	Residential & Light Commercial	SF Per Pallet	448 Sq. ft.
Edge Type	Pressed	Recycled Content	40%
Grout Width	3/16	Country of Origin	USA



Care & Maintenance

Routine Care for Tile

Ceramic tile is one of the most durable and maintenance friendly surfaces you can choose for your walls, floors, countertops, etc. With proper care & minimum maintenance, it will retain its original beauty and luster for many years. Generally, all that is necessary to keep your tile looking as good as new is a quick wipe with a clean damp cloth or mop. Prompt cleanup of spills and regular cleaning will keep your ceramic tile surfaces looking their best.

If a cleaner is necessary, Florida Tile recommends the use of low VOC (volatile organic compound), neutral pH, non-hazardous, and non-polluting products.

Glazed tile walls in your home will easily keep their lovely look with simple routine care, just wipe regularly with a clean damp cloth or sponge. A non-abrasive, neutral cleaner can be used (abrasive cleansers will cause scratching to shiny tile and polished marble surfaces). Highly polished tile and stone surfaces should be polished dry with a soft absorbent cloth after cleaning to eliminate the buildup of hard-water residue and to maintain the high polished finish.

For glazed tile floors, sweep or vacuum regularly to remove dirt and gritty particles. Follow with a mop or sponge dampened with a neutral pH cleaner. If a cleaner is used, be sure the surface is rinsed thoroughly with clean water and dried. For textured or uneven tile or stone surfaces, substituting a soft scrub brush or white nylon scrub pad for the mop or sponge will quicken the cleaning process. Unglazed tile floors and porcelain tile floors can also be maintained in this same manner.

Tiled surfaces in your bathroom may require a more thorough routine cleaning because of a build-up of soap scum, body oils or hard-water stains. Use a clean, damp cloth, or sponge with a neutral pH cleaner, allowing it to stand about five minutes before rinsing and drying. Specialty bathroom cleaners may also be used (always test first). Clean shower regularly with the appropriate tile and stone cleaner. Dry with a towel after each use and leave curtain or door open between showers to allow for maximum ventilation and moisture escape.

Heavy Duty Cleaning

For high traffic areas or when tile has been neglected for a long time, heavy-duty cleaning may be required. Glazed walls and countertops should be cleaned with an alkaline-based cleaner (high pH, non-acidic). Use a white nylon scrub pad, followed by a clean water rinse. Poultice may be used in combination with any appropriate cleaner, if needed, to restore seriously soiled areas. Poultice is a very fine powder that serves as a mild abrasive, yet cannot cause scratching to even the most delicate glazed tile and polished marble surfaces. Unglazed tile and natural stone can be treated in the same manner as glazed when heavy-duty cleaning is required. Once the tile or stone has been effectively restored and is dry, it is recommended that the appropriate sealer be applied to protect from staining and ease ongoing maintenance.

Care & Maintenance

Heavy Duty Cleaning Continued

To clean badly soiled countertops, an appropriate alkaline cleaner is recommended. Poultice can be lightly sprinkled onto the wet cleaner solution and scrubbed with a white nylon scrub pad or medium nylon scrub brush to facilitate cleaning. Rinse thoroughly. For glazed tile floors, the same products and procedures are recommended.

For showers, tub surrounds, or other wet areas, light acidic cleaners are recommended to remove hard water mineral deposits. These acidic cleaners are not recommended on acid-sensitive surfaces such as metallic glazes or polished marble. For acid-sensitive surfaces, a neutral or alkaline cleaner, used in combination with Poultice is recommended. Never use harsh acids such as hydrochloric (muriatic) or hydrofluoric, as these acids, and even the acid fumes, can cause damage to tile, stone, grout, humans and pets! The accepted acids (use sparingly) for homeowners use are mild citric, sulfamic and phosphoric. Always test first for desired results.

Do's & Don'ts

Do use a grout joint. Due to inherent size variations in porcelain and ceramic floor tiles, a grout joint must be used. Your installer will be able to recommend a suitable grout joint for the product you've selected.

Do regularly apply a water based penetrating sealer on all natural stone products.

Always do a small test with sealers & cleaners to insure desired results.

Do use a sealer on grout joints; except for 100% solid epoxy grout.

Do read and follow label directions for all cleaners and sealers.

Do not combine ammonia and household bleaches.

Do not use harsh cleaning agents such as steel wool pads or strong acids, which can scratch or damage the surface of your tile.

Do not use a cleaning agent that contains color on unglazed tile, natural stone, or white grout, as these porous surfaces may absorb the color.

Do use only non-abrasive cleaning compound or formula that is recommended for both glass and tile when cleaning glass tile.

Installation

Please email Tile Council of America if you have a technical question related to the underlayment, use of setting materials, or other installation related question. You can reach them at techinfo@tile-usa.com or you can view the TCNA Installation Handbook at http://www.tileusa.com/publication_main.htm.

Before tile installation begins, the installer is responsible for checking the tile for obvious visual defects. Cartons and pallets of tile must be blended to achieve an aesthetic blend. No claims will be accepted after installations which have obvious visual defective tile. Substrate surfaces shall not show variations in excess of:

Wall	Floor
Dry-Set Mortar	1/8" in 8' 1/8" in 10'
Organic Adhesive	1/8" in 8' 1/16" in 3'
Latex-Portland Cement Mortar	1/8" in 8' 1/8" in 10'
Epoxy	1/16" in 3' ANSI

Installation Standard:

Comply with applicable parts of ANSI A-108 Series for ceramic tile installation. Extend tile work into recesses, and under and behind equipment and fixtures except where otherwise shown. Fit tile to electrical outlets, piping, fixtures and other penetrations so that plates, collars or covers overlap tile. Joints shall align vertically and horizontally between trim and field tile. Grout tile to comply with reference installation standards using grout materials indicated.

Protection:

Leave finished installation free of cracked, chipped, broken, unbonded or otherwise defective tile work. Protect all floor tile installations with kraft paper or other heavy covering during construction period to prevent staining or damage. No foot or wheel traffic permitted on floor for at least 7 days after grouting. Due to inherent size variation in porcelain and ceramic floor tiles, a grout joint must be used. Your installer will be able to recommend a suitable grout joint for the product you've selected.

Offset Installations (Brick Patterns):

The TCNA Handbook recommends no more than a 33% offset and a wider grout joint for offset installations of tile larger than 18" on the longest side. This is because all tiles are higher in the middle than at the edges. When the highest point (middle) of one tile is next to the lowest point (edge) of the tile next to it, unacceptable lippage can result. Florida Tile is aware that many installers wish to use tiles (especially 12"x24" tiles) in brick patterns with a 50% offset. Typically our tiles are flatter than those of our competitors and better suited for this type of application. We do recommend a wider (3/16" minimum) grout joint for this type of installation and it is important to avoid 'wash' lighting that is set close to the tiled surface which can aggravate the appearance of lippage due to shadows. Our 6x24 and wall tile products can be installed with a typical 1/8" grout joint and a 50% offset. Care must be taken to follow the subfloor flatness and installation guidelines in the TCNA Handbook for a successful installation.

