







EW 828 + ED 868

Equator MARINE ANTI CORROSION Stackable Compact Washer 1.6cf+Sensor Dryer 3.1cf 110V



Stackable Set










Marine Washer ANTI CORROSION 1.62 cf/15 lbs. 1400 RPM Salt Wash Sanitize 110V



Conformal coating to prevent moisture build-up

 Spider wheel (Containing Bearings): Conformal coating to prevent rust
Tub Enamel: 2 coats of enamel on tub to

Upgraded Accessories Included: 1. Stainless Steel Inlet hoses (2) 2. Floor Bracket MFBK 1054(2)

prevent rust

Heavy		
ECO		
Quick 20		
Baby		
Delicate		
SALT WASH		
Sanitize		
Quiet		
Allergen		
PET Cycle		
OPTIONS		
Winterize		
Spin Only		
Self Clean		

WASH CYCLES

Normal

Prewash

SPECIFICATIONS		
Model	EW 828	
Colors	White	
Capacity	1.62 cu.ft. / 15 lbs	
Electrical	110V / 60Hz / 15A	
Programs	16	
Door Diameter / Swing	18" / 180°	
Pre-Wash Function	Yes	
Automatic Door Lock in Wash	Yes	
Water Intake in Drum	Circumference & Back	
Stainless Steel Drum	Yes, Pearl Design	
Spin Speed	1400 rpm	
Weight (Net/Gross)	152 / 162	
Product Dimensions HxWxD (inch)	33.5 x 23.5 x 21.85	
Packaging Dimensions HxWxD (inch)	35 x 26 x 22.6	
Type of Shipping	LTL	
Certification	ETL	
Warranty Components: Wain Motor: Rust:	1 Year Parts and Labor 2 Years 5 Years	

Keywords: Marine Washer, Rust Proof, Sanitize, Allergen cycle, Delay Start, Anti-Bacterial drum baffles, Winterize, Color coded LED Display



Equator Advance Appliances • 10222 Georgibelle Drive, Suite 200 • Houston, TX 77043-5249

Toll Free: 800-935-1955 • Fax: 832-202-2732 • www.EquatorAppliances.com • E-Mail: mail@EquatorAppliances.com









Marine Dryer ANTI CORROSION 3.1 cf/15 lbs Sanitize Sensor Dry Refresh ECO 110V

KEY FEATURES

- Anti Corrosion
- Sanitize
- Allergen

FEATURES

- QR Code
- Child lock
- Delay StartChime ON/OFF
- Reversible DoorDiagnostics Menu
- Interior LED Lights
- Remaining Time
- Clean Lint Filter Reminder
- Automatic Temperature Control

Marine Upgrades

- 1. Cabinet Galvanized steel with phosphate treatment and painted, to prevent rust
- 2. Nuts, Bolts, Screws, Clamps -Stainless steel grade 316
- 3. Terminals and Connecters -Conformal coating to prevent moisture build-up
- 4. Spider wheel (Containing Bearings): Conformal coating to prevent rust
- 5. *Tub Enamel*: 2 coats of enamel on tub to prevent rust
 - Upgraded Accessories Included:
 - 1. Stacking Kit MRSK 3084(1 Set)
 - 2. Floor Bracket MFBK 1054(2)
 - 3. Aluminum Flexible Duct (5 Feet Length + 2 Clamps)



DRY PROGRAMS

- Sensor Dry
- Time 20, 40, 60 Minutes
- Refresh
- Automatic Wrinkle Guard
- Dry Levels -
- Extra, More, Less, Damp
- Heat levels -High, Medium, Air

DRY CYCLES

- Normal
- Heavy
- Eco
- Delicate
- Shoes
- Allergen 131°
- Sanitize 165°
- Refresh 12'

SPECIFICATIONS		
Model		ED 868
Color		White
Capacity		3.1 cu. ft. / 15 lbs
Туре		Vented
Voltage/Electrical		110V-120V / 60Hz
Watts / Amps		1200 W / 15 Amp
Power Connection		3-Prong Plug
Adjustable Leveling L	egs	Yes
Weight (Net/Gross Ibs	s)	79 / 89
Product Dimensions I	HxWxD (Inch)	33.5 x 23.6 x 25.2
Package Dimension	is (Inch)	35.25 x 26 x 26
Depth with Door Op	en (Inch)	41.9
Type of Shipping		LTL
Certification		ETL
Warranty	Components: Main Motor: Rust:	1 Year Parts and Labor 2 Years 5 Years

Keywords: Marine Dryer, Rust Proof, Sanitize, Allergen cycle, Delay Start, Anti-Bacterial drum baffles, Color coded LED Display



Equator Advance Appliances • 10222 Georgibelle Drive, Suite 200 • Houston, TX 77043-5249

Toll Free: 800-935-1955 • Fax: 832-202-2732 • www.EquatorAppliances.com • E-Mail: mail@EquatorAppliances.com