Henry®
#1 CHOICE OF PROFESSIONALS®



Henry® Retail Product Catalog

Roof Coatings

Silicone Roof Coatings



887 Tropi-Cool® 100% Silicone White Roof Coating

- Lifetime limited warranty
- 100% waterproof
- Dirt Pick-Up Resistance (DPR) technology – for longest lasting reflectivity
- Stays whiter and brighter longer
- Rain-safe in 15-minutes
- All season - apply from 35° F to 120° F
- Prolongs roof life

Color: White
Coverage: 1.5 gallons/100 sq. ft.
Sizes available: 0.90 gallon, 4.75 gallon, and 55 gallon drum



887T Tropi-Cool® 100% Silicone Tan Roof Coating

- Lifetime limited warranty
- 100% waterproof
- Rain-safe in 15-minutes
- Protection in as little as 1-coat
- All season - apply from 35° F to 120° F

Color: Tan
Coverage: 1.5 gallons/100 sq. ft.
Size available: 4.75 gallon



887G Tropi-Cool® 100% Silicone Gray Roof Coating

- Lifetime limited warranty
- 100% waterproof
- Rain-safe in 15-minutes
- Protection in as little as 1-coat
- All season - apply from 35° F to 120° F

Color: Gray
Coverage: 1.5 gallons/100 sq. ft.
Size available: 4.75 gallon and 55 gallon drum

Urethane Enhanced Roof Coatings



817 Roof Guard® Urethane Enhanced White Waterproof Roof Coating

- 25 year limited warranty
- 100% waterproof
- Permanent ponding water resistant
- Dirt Pick-Up Resistance (DPR) technology – for longest lasting reflectivity
- Lowers roof and interior temperatures
- Prolongs roof life

Color: White
Coverage: 1 gallon/100 sq. ft.
Sizes available: 0.90 gallon and 4.75 gallon

Acrylic Shingle Coatings



812 RoofSaver™ Clear Sealer

- Extends roof life up to 5 years
- Low cost solution to shingle replacement
- Protects against sun, rain, wind, ice and snow
- Locks in granules and reduces further granule loss
- Renews appearance of existing roof

Color: Clear
Coverage: 1 gallon/200 sq. ft.
Size available: 0.90 gallon

Acrylic Roof Coatings



687 Extreme Enviro-White™ Elastomeric Roof Coating

- 12 year limited warranty
- Features Dirt Pick-Up Resistant (DPR) technology
- Keeps roofs whiter and more reflective longer
- Lowers roof and interior temperatures
- Reduces AC costs
- Prolongs roof life

Color: White
Coverage: 1 gallon/100 sq. ft. per coat
Sizes available: 0.90 gallon, 5 gallon and 55 gallon drum



587 Dura-Brite™ White Elastomeric Roof Coating

- 10 year limited warranty
- Bright white with excellent hiding power
- Lowers roof and interior temperatures
- Reduces AC costs
- Prolongs roof life

Color: White
Coverage: 1 gallon/100 sq. ft. per coat
Sizes available: 0.90 gallon, 4.75 gallon and 55 gallon drum



287 Solar-Flex® White Elastomeric Roof Coating

- 7 year limited warranty
- Lowers roof and interior temperatures
- Lowers AC costs
- Prolongs roof life

Color: White
Coverage: 1 gallon/100 sq. ft. per coat
Sizes available: 0.90 gallon, 4.75 gallon, 55 gallon drum and 275 gallon tote



288 Solar-Flex® Desert Tan Roof Coating

- 7 year limited warranty
- Excellent hiding power
- Prolongs roof life

Color: Tan
Coverage: 1 gallon/100 sq. ft. per coat
Size available: 4.75 gallon

Aluminum Roof Coatings



869 Rubberized Aluminum Roof Coating

- 12 year limited warranty
- Waterproofs per ASTM D7281
- Stops rust on metal roofs
- Seals hairline cracks and pinholes
- Lowers roof and interior temperatures
- Prolongs roof life

Color: Aluminum
Coverage: 1.5 to 2 gallons/100 sq. ft.
Size available: 4.75 gallon



555 Fibered Aluminum Roof Coating

- 7 year limited warranty
- Water-resistant
- Stops rust on metal roofs
- Seals hairline cracks and pinholes
- Lowers roof and interior temperatures
- Prolongs roof life

Color: Aluminum
Coverage: 1.25 to 2 gallons/100 sq. ft.
Sizes available: 0.90 gallon and 4.75 gallon



558 Aqua-Brite™ Aluminum Roof Coating

- 7 year limited warranty
- Water-based
- Lowers roof and interior temperatures
- Prolongs roof life

Color: Aluminum
Coverage: 1.5 gallons/100 sq. ft.
Sizes available: 0.90 gallon and 4.75 gallon

Repair Sealants

Silicone Sealants



885 Tropi-Cool® 100% Silicone Wet Patch® Roof Leak Repair Sealant

- Lifetime limited warranty
- Stops leaks instantly
- Works even under water or in driving rain
- Ponding water resistant
- Easy cold or hot weather application

Color: White

Size available: 0.90 gallon



880 Tropi-Cool® Stop Leak® 100% Silicone Spray Sealer

- Lifetime limited warranty
- 100% waterproof
- Rain-safe in 15-minutes
- Stops leaks fast and permanently on a variety of surfaces

Colors: Black, white, and clear

Size available: 14.1 oz.



884 Tropi-Cool® 100% Silicone Roof Sealant

- Lifetime limited warranty
- Ponding water resistant
- Exceptionally versatile – tough and yet flexible
- Excellent adhesion – vertical and horizontal applications
- Superior UV resistance and weathering characteristics

Color: White

Size available: 10.1 fl. oz.

STPE Sealants



900 Flashing & Construction Sealant

- Lifetime limited warranty
- Superior adhesion for roofing, flashing, and construction application
- Superior flexibility and durability
- Paintable

Color: Gray

Size available: 10.1 fl. oz. cartridge

Acrylic Sealants



212 All Purpose Crystal Clear Sealant

- Provides clear, invisible patch
- Goes on clear and cures clear
- Remains flexible - no cracking
- Excellent adhesion, even on wet surfaces

Color: Clear

Size available: 10.1 fl. oz. cartridge



289 White Roofing Sealant

- Adheres to dry or damp surfaces
- Skins over quickly
- Water-based
- Will not bleed through roof coatings

Color: White

Sizes available: 10.1 fl. oz. cartridge, 0.90 gallon and 3.3 gallon

Asphalt and Dampproofing Coatings

Solvent-Based Asphalt Roof Coatings



201 Fibered Black Roof Coating

- Superior fibered protective coating
- Provides tough, durable, weather-resistant film
- Fibers give greater longevity
- ASTM D4479 Type I

Color: Black

Coverage: 1.5 to 2.0 gallons/100 sq. ft.

Sizes available: 0.90 gallon and 4.75 gallon

Asphalt Emulsion Coatings



107 Asphalt Emulsion Sealer and Dampproofer

- Dampproofs exterior below-grade foundations and walls
- Protects roofing materials, metal, and masonry
- Base coat for roof coatings
- Crack and "alligator" resistant
- Corrosion-resistant and waterproof
- Water-based

Color: Black

Coverage: 3.0 gallons/100 sq. ft. per coat

Sizes available: 0.90 gallon, 4.75 gallon and 55 gallon drum

Solvent-Based Asphalt Foundation Coatings



101 Non-Fibered Foundation Coating

- Ideal for dampproofing above and below grade, exterior concrete and masonry walls and foundations
- Provides a durable, weather-resistant film

Color: Black

Coverage: 1.5 to 2.0 gallons/100 sq. ft.

Size available: 4.75 gallon

Roof Repair and Installation

Roof Leak Repair and Cements



209XR Extreme Wet Patch® Roof Leak Repair

- Lifetime limited warranty
- Stops leaks instantly, even in standing water
- Apply from -20° F to 140° F
- 100% wet surface adhesion per ASTM D3409
- No blistering, sagging, or sliding per ASTM D4586
- Permanently resists shrinkage
- Product performance is not impacted by permanent UV exposure

Color: Black

Sizes available: 10.1 fl. oz. cartridge, 0.90 gallon and 3.3 gallon



208R Rubberized Wet Patch® Roof Leak Repair

- 10 year limited warranty
- Stops leaks instantly, even in standing water
- Apply from 0° F to 120° F
- 100% wet surface adhesion per ASTM D3409
- No blistering, sagging, or sliding per ASTM D4586
- Rubberized for improved flexibility and durability

Color: Black

Sizes available: 10.1 fl. oz. cartridge, 0.90 gallon and 3.3 gallon



208 Wet Patch® Roof Leak Repair

- 7 year limited warranty
- Stops leaks instantly, even in standing water
- Apply from 20° F to 120° F
- 100% wet surface adhesion per ASTM D3409
- No blistering, sagging, or sliding per ASTM D4586

Color: Black

Sizes available: 10.1 fl. oz. cartridge, 30 fl. oz., 0.90 gallon, 3.3 gallon and 4.75 gallon



505 FlashMaster™ Flashing Cement

- Stops leaks on dry surfaces in all temperatures
- Rubberized for long life and flexibility
- Good for use in vertical applications
- No blistering, sagging, or sliding per ASTM D4586

Color: Black

Sizes available: 10.1 fl. oz. cartridge, 0.90 gallon and 4.75 gallon



204 Plastic Roof Cement

- Stops leaks on dry surfaces
- Watertight seal
- Flexible and durable
- No blistering, sagging, or sliding per ASTM D4586

Color: Black

Sizes available: 0.90 gallon, 3.3 gallon and 4.75 gallon

Adhesives and Primers

Asphalt Primers



104Q QuikDry® Asphalt Spray Primer

- Helps assure a firm, tough bond
- Highly penetrating sealing qualities
- The ultimate in convenience for small jobs
- For metal, masonry, concrete, and dusty surfaces

Color: Black

Coverage: 33 sq. ft. per can

Size available: 17 oz.

Roofing Adhesives



203 Roll Roofing Adhesive

- Use to bond layers of conventional, BUR, or SBS base and cap sheets
- Replaces hot asphalt in BUR
- Seals laps and seams
- Greater cold-weather flexibility
- Allows longer working time
- For embedding polyester fabric, gravel, granules
- ASTM D3019 Type III

Color: Black

Coverage: 2 gallons/100 sq. ft.

Sizes available: 0.90 gallon and 4.75 gallon

Membranes

Self-Adhered Roofing Membranes



PE200 HT Blueskin® Roof High Temp Self-Adhered Roofing Underlayment

- For use under architectural metal, shingles or tile
- SBS compound with high softening point
- Self-seals when punctured by mechanical fasteners
- Fully adhered systems prevent lateral moisture migration
- Skid resistant surface
- Tough, “heel puncture” resistant film
- Non-granular surface eliminates concern for damage to architectural metal finish during application
- Designed to be adhered directly to roof decks or certain insulation panels prior to the application of finished roof coverings

Size available: 195 sq. ft., 3' x 65'



Eaveguard® Self-Adhered Shingle Underlayment

- For use under new shingles or shake
- Provides a superior waterproof shield between the shingles and the roof deck
- Asphalt composition fortified with SBS rubber
- Flexible and elastic at low temperatures
- Self-seals around nails
- Split-back release film, self-adhered, easy to apply, no heat, or adhesive required
- High strength, reinforced with glass fiber mat for high stress areas
- Top surface coated with sand for a skid resistant working area
- Meets ASTM D1970
- UL Classified to Class A and C fire rating

Sizes available: 100 sq. ft., 36” x 33' and 195 sq. ft., 36” x 65'



RF200 Blueskin® Roof Ice and Water Barrier Self-Adhered Roofing Membrane

- Skid resistant surface
- Self-seals when penetrated by mechanical fasteners or nails
- Easy peel-and-stick application
- Split release backing for fast application
- Fully adhered system prevents lateral moisture migration
- No hot asphalt or open flame required

Size available: 195 sq. ft., 3' x 65'



LowSlope™ Roof-In-A-Roll One-Ply Self-Adhered Rolled Roofing

- Easy to apply! Clean, peel-and-stick, self-adhered application
- Completely cold applied; no flame, no hot materials
- No special tools required
- Attractive ceramic granular surface
- For use over plywood and smooth surface built-up roofs
- Ideal for slopes greater than 1⁄2" per foot
- UL Classified

Colors available: Cool Gray, Weathered Wood, White and Black

Size available: 100 sq. ft., 36” x 36’ 10”

Self-Adhered Water-Resistive Barriers



Eaveguard® Start-R-Roll

- Provides a protective waterproof base beneath the first course of shingles
- Zip strip seals down shingle tabs to protect from wind up-lift
- Saves time, labor, and materials with easy-to-use, self-adhered roll
- Also works well for roof flashing and gutter repairs

Sizes available: 7 in. x 33 ft. 4 in. roll



Blueskin® VP100 Self-Adhered Air & Water Barrier

- Eliminates uncontrolled air leakage to reduce energy costs
- Easy installation with peel-and-stick system
- Self-seals around nails and fasteners
- Achieves more than 95% drainage efficiency

Sizes available: Roll length: 100', Roll widths: 4", 6", 9", 12" and 48"

Waterproofing Membranes



WP200 Blueskin® WP200® Self-Adhered Waterproofing Membrane

- Provides a high-performance waterproofing barrier
- Self-adhered SBS modified membrane
- Restricts lateral water movement
- No flame required
- Remains flexible at low temperatures
- **Size available:** 200 sq. ft., 36" x 66.7'



Blueskin® SA Self-Adhered Air and Vapor Barrier Membrane

- SBS-modified membrane is flexible at low temperatures
- Adheres to prepared concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board, and plywood
- Self-sealing when penetrated with self-tapping screws
- Various roll widths allow for application flexibility as either air barrier membrane on wall surfaces, or as window/door/penetration flashing

Sizes available: Roll length: 75', Roll widths: 4", 6", 9", 12", 18" and 36"

Repair Fabrics and Reinforcement Products



181 Roof Repair Fabric - Asphalt Saturated

- Woven, open-mesh fiberglass
- 20 x 10 thread count
- Required step in a 3-course roof patch
- ASTM D1668

Sizes available: 4” and 6” x 150' rolls



183 Repair Fabric

- Woven, open-mesh yellow fiberglass
- 20 x 10 thread count
- Required step in a 3-course roof patch

Sizes available: 4", 6" and 36" x 150' rolls



195 Polyester Fabric

- Soft-finish polyester fabric with lay lines
- Provides an ideal reinforcing component in cold process roofing and repair
- Readily conforms to irregular surfaces

Sizes available: 4” x 300 ft., 6 in. x 300 ft., 10 in. x 324 ft., 12 in. x 300 ft. and 40 in. x 324 ft.

FM APPROVED



296 ElastoTape™ Roof Repair Fabric

- Polyester reinforcing repair fabric
- Repairs cracks, splits, holes, seams and blisters

Size available: 4" x 150' roll

Asphalt Driveway Products

Driveway Sealers



532 Driveway Asphalt Resurfacer

- 7 Year Limited Warranty
- Easy stir gel formula
- Rubberized for longer life and durability
- Fast drying, reduces tracking
- Fills and seals rough surfaces and cracks

Color: Black
Coverage: 250 to 500 sq. ft. per pail depending on surface texture
Size available: 4.75 gallon



200 Driveway E-Z Stir Asphalt Filler & Sealer

- 4 Year Limited Warranty
- Easy to stir and apply
- Rubberized for longer life
- Reinforced for improved traction and durability

Color: Black
Coverage: 250 to 500 sq. ft. per pail depending on surface texture
Size available: 4.75 gallon



175 Driveway Asphalt Filler & Sealer

- 3 Year Limited Warranty
- Renews blacktop driveways
- Fills and seals rough surfaces and minor cracks

Color: Black
Coverage: 200 to 500 sq. ft. per pail depending on surface texture
Size available: 4.75 gallon



130 Driveway Asphalt Coating

- 2 Year Limited Warranty
- Renews blacktop driveways

Color: Black
Coverage: 200 to 500 sq. ft. per pail depending on surface texture
Size available: 4.75 gallon

Driveway Patch and Repair Products



304 Driveway Asphalt Pothole Patch

- Ready to use, permanent repair
- Do-it-yourself
- No mixing or special tools required
- All weather-hot or cold, wet or dry

Color: Black
Coverage: Approximately 4 sq. ft. x 4 sq. ft. x 1 in. deep
Size available: 11 lbs.



305 Driveway Elastomeric Crack Filler

- Fills cracks up to 1⁄2" wide
- Provides a tight and flexible seal in asphalt driveways
- Resists water, weather, and high temperatures
- Ready to use straight from the container

Color: Black
Coverage: Fills cracks up to 1⁄2" wide
Size available: 0.90 gallon




308 Driveway Elastomeric Crack Repair

- Best repair for cracks up to 1/2" wide
- Most durable crack repair
- Won't crack or shrink
- Easy-to-use application and clean up

Color: Black
Coverage: Fills cracks up to 1/2" wide
Size available: 10.1 fl. oz. cartridge

Henry – The Leader in Building Envelope Systems



From the tallest commercial structures to smallest single-family homes, our integrated Building Envelope Systems® ensure superior building performance, consistently and cost effectively. Need to control the flow of water, air, vapor, and energy? We'll help you keep the outside out and the inside safe, dry, and energy efficient.

Henry® is owned by Carlisle Weatherproofing Technologies (CWT), a Carlisle Companies Incorporated business. CWT is a leading supplier of building envelope solutions that effectively drive energy efficiency and sustainability in commercial and residential applications.

Product Availability: All products in this catalog are subject to regional availability. Contact your local Henry representative or retailer for more information.

Henry®
#1 CHOICE OF PROFESSIONALS®

336 Cold Stream Rd • Kimberton, PA 19460 • productsupport@henry.com • 800-486-1278
henry.com

© 2024 Henry Company. All rights reserved. 700.2US.E804 (05/24)