

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Enviroscnt Spring Water + Lotus

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Consumer packaged goods

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Enviroscent  
4600 Roswell Road  
Suite D-210  
Atlanta, GA 30342  
T 866-435-1832  
EHS@enviroscent.com  
[www.enviroscent.com](http://www.enviroscent.com)

### 1.4. Emergency Telephone Number

**Emergency Number** : 866-435-1832 (Office Hours 8:30-17:30 EST)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin Sens. 1 H317

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### GHS-US Labeling

**Hazard Pictograms (GHS-US)** :



GHS07

**Signal Word (GHS-US)** :

Warning

**Hazard Statements (GHS-US)** :

H317 - May cause an allergic skin reaction.  
H412 - Harmful to aquatic life with long lasting effects.

**Precautionary Statements (GHS-US)** :

P261 - Avoid breathing dust.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
------	----------	--------------------	---	-----------------------

# Enviroscent Spring Water + Lotus

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Pulp, cellulose	Cellulose pulp / Cellulose, pulp / Pulp, cellulose (The fibrous substance obtained from the treatment of lignocellulosic substances (wood or other agricultural fiber sources) with one or more aqueous solutions of pulping and/or bleaching chemicals. Composed of cellulose, hemi-cellulose, lignin, and other minor components. The relative amounts of these components depend on the extent of the pulping and bleaching processes.) / Cellulose fibre	(CAS-No.) 65996-61-4	44 - 84	Comb. Dust
Linalool	3,7-Dimethyl-1,6-octadien-3-ol / Linalyl alcohol / Octa-1,6-dien-3-ol, 3,7-dimethyl- / 1,6-Octadien-3-ol, 3,7-dimethyl- / Linalool (synthetic) / LINALOOL / 3,7-Dimethylocta-1,6-dien-3-ol	(CAS-No.) 78-70-6	0.75 - 5.5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-	3-p-Cumenyl-2-methylpropionaldehyde / Cyclamen aldehyde / Hydrocinnamaldehyde, p-isopropyl-.alpha.-methyl- / 2-Methyl-3-(p-isopropylphenyl)propionaldehyde / Phenylpropanal, .alpha.-methyl-4-isopropyl- / 3-(p-Cumenyl)-2-methylpropionaldehyde / CYCLAMEN ALDEHYDE / 3-(4-Isopropylphenyl)-2-methylpropanal / Isopropyl-.alpha.-methylhydrocinnamaldehyde	(CAS-No.) 103-95-7	0.15 - 2.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) / Florol / Tetrahydro-2-isobutyl-4-methylpyran-4-ol / 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol / Pyranol / Pyran(2H)-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	(CAS-No.) 63500-71-0	0.15 - 2.75	Eye Irrit. 2A, H319
Linalyl acetate	Acetate, 3,7-dimethyl-1,6-octadien-3-yl / Acetic acid linalool ester / Dehydrolinalool, acetate / 3,7-Dimethyl-1,6-octadien-3-ol acetate / 3,7-Dimethyl-1,6-octadien-3-yl acetate / Linalool acetate / 1,6-Octadien-3-ol, 3,7-dimethyl-, acetate / 1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate / LINALYL ACETATE / Linalyl acetate / 1,5-Dimethyl-1-ethenylhex-4-enyl acetate / 3,7-Dimethylocta-1,6-dien-3-yl acetate / Bergamot mint oil / 3,7-Dimethyloctadien-3-ol acetate / 3,7-Dimethylocta-1,6-dien-3-ol acetate / Linalyl acetate	(CAS-No.) 115-95-7	0.15 - 2.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401
Benzyl acetate	Acetate, benzyl / Acetic acid, benzyl ester / Acetic acid, phenylmethyl ester / Benzyl ethanoate / Phenylmethyl acetate / BENZYL ACETATE	(CAS-No.) 140-11-4	0.15 - 2.75	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

# Enviroscent Spring Water + Lotus

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Geraniol	Geraniol alcohol / Geranyl alcohol / Guaniol / Lemonol / 2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)- / 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- / 2,6-Octadien-1-ol, 3,7-dimethyl-, trans- / GERANIOL / (2E)-3,7-Dimethyl-2,6-octadienol / (2E)-3,7-Dimethylocta-2,6-dien-1-ol / 3,7-Dimethyl-2,6-octadien-1-ol, (E)-	(CAS-No.) 106-24-1	0.15 - 2.75	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
1H-3a,7-Methanoazulene, octahydro-6-methoxy-3,6,8,8-tetramethyl-, [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]-	Ether, cedryl methyl / [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene / (3R-(3a,3ab,6b,7b,8aa))-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene / 1H-3a,7-Methanoazulene, octahydro-6-methoxy-3,6,8,8-tetramethyl-, (3R,3aS,6S,7R,8aS)- / Methyl cedryl ether / Cedrol methyl ether / [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene / Cedryl methyl ether	(CAS-No.) 19870-74-7	0.15 - 2.75	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
D-Limonene	Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- / p-Mentha-1,8-diene, (R)-(+)- / (R)-p-Mentha-1,8-diene / Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)- / Cyclohexene,1-methyl-4-(1-methylethenyl)-(R)- / Limonene, D- / Menthadiene, 1,8(9)-p- / d-Limonene / Limonene, d- / (4R)-1-Methyl-4-(1-methylethenyl)cyclohexene / (4R)-p-Mentha-1,8-diene / 1-Methyl-4-prop-1-en-2-yl-cyclohexene / (d)-Limonene / (R)-1-Methyl-4-(1-methylethenyl)cyclohexene / d-LIMONENE / (R)-1-Methyl-4-(1-methylethenyl)cyclohex-1-ene / (R)-p-Mentha-1,8-diene; Dipentene; Limonene; d-Limonene / (R)-p-Mentha-1,8-diene, Dipentene, Limonene, d-Limonene / (R)-4-Isopropenyl-1-methylcyclohex-1-ene / Limonene	(CAS-No.) 5989-27-5	0.15 - 2.75	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2H-1,5-Benzodioxepin-3(4H)-one, 7-methyl-	Benzo(2H)-1,5-dioxepin-3(4H)-one, 7-methyl- / 7-Methyl-2H-benzo-1,5-dioxepin-3(4H)-one / 7-Methyl-2H-1,5-benzodioxepin-3(4H)-one / Calone	(CAS-No.) 28940-11-6	0.15 - 2.75	Acute Tox. 4 (Oral), H302
7-Octen-2-ol, 2,6-dimethyl-	2,6-Dimethyl-7-octen-2-ol / 2,6-Dimethyloct-7-en-2-ol / Oct-7-en-2-ol, 2,6-dimethyl- / 2,6-DIMETHYL-7-OCTEN-2-OL / Dihydromyrcenol	(CAS-No.) 18479-58-8	0.15 - 2.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402

# Enviroscent Spring Water + Lotus

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7-Hydroxycitronellal	Octanal, 7-hydroxy-3,7-dimethyl- / Citronellal hydrate / Citronellal, hydroxy- / 3,7-Dimethyl-7-hydroxyoctanal / 7-Hydroxy-3,7-dimethyloctan-1-al / Hydroxycitronellal / Laurine / Lilyl aldehyde / 1-Octanal, 3,7-dimethyl-7-hydroxy- / HYDROXYCITRONELLAL / 7-Hydroxy-3,7-dimethyloctanal	(CAS-No.) 107-75-5	0.15 - 2.75	Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Maltodextrin	MALTODEXTRIN / Maltodextrine	(CAS-No.) 9050-36-6	< 0.5	Comb. Dust
Silica, amorphous	Amorphous silica / Silica / Silica, amorphous, fumed / Silica, colloidal / Silicon dioxide / Silicon dioxide, amorphous / SILICA / Silicon(IV) oxide / Un-crystalline silica / Pigment White 27 / Silicon dioxide (amorphous) / Silicon dioxide amorphous / Silicon(IV)oxide / Silica amorphous	(CAS-No.) 7631-86-9	< 0.5	Not classified

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** Skin sensitization.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** Prolonged exposure may cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Not expected to be a primary route of exposure. Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive. If excessive dust is generated from processing, it may present a dust explosion hazard when dispersed in air at sufficient quantities in the presence of an ignition source.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Irritating fumes. Organic compounds. Aldehydes. Acetaldehyde. Peroxides. Ketones. Hydrocarbons. Phenol. Phenolic compounds. Acrid smoke and irritating fumes.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** If processed in such a way that dust may be generated, may present a dust explosion hazard in air.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Use appropriate personal protective equipment (PPE).

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Strong mineral acids. Alkalis. Materials that react with oxygenated terpenes. Aluminum. Amines. Nitric acid. Peroxides. Direct sunlight. Perchlorates.

### 7.3. Specific End Use(s)

Consumer packaged goods

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Benzyl acetate (140-11-4)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA (ppm)	30 ppm
Silica, amorphous (7631-86-9)		
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	3000 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80mg/m <sup>3</sup> /%SiO <sub>2</sub> )

# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 8.2. Exposure Controls

### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

### Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.



### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

### Hand Protection

: Wear protective gloves.

### Eye and Face Protection

: Chemical safety goggles.

### Skin and Body Protection

: Wear suitable protective clothing.

### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Environmental Exposure Controls

: Avoid release to the environment.

### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

### 9.2. Other Information

No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Moisture.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Strong mineral acids. Alkalis. Materials that react with oxygenated terpenes. Aluminum. Amines. Nitric acid. Peroxides. Direct sunlight. Perchlorates.
- 10.6. Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity (Oral):** Not classified

# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

<b>Linalool (78-70-6)</b>	
LD50 Oral Rat	2790 mg/kg
<b>Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)</b>	
LD50 Oral Rat	3810 mg/kg
<b>Linalyl acetate (115-95-7)</b>	
LD50 Oral Rat	14550 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
<b>Benzyl acetate (140-11-4)</b>	
LD50 Oral Rat	2490 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
<b>Geraniol (106-24-1)</b>	
LD50 Oral Rat	3600 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
<b>D-Limonene (5989-27-5)</b>	
LD50 Oral Rat	4400 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
<b>2H-1,5-Benzodioxepin-3(4H)-one, 7-methyl- (28940-11-6)</b>	
ATE (Oral)	500.00 mg/kg body weight
<b>7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)</b>	
LD50 Oral Rat	3600 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
<b>7-Hydroxycitronellal (107-75-5)</b>	
LD50 Oral Rat	> 5 g/kg
<b>Silica, amorphous (7631-86-9)</b>	
LD50 Oral Rat	7900 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

<b>Benzyl acetate (140-11-4)</b>	
IARC group	3
<b>D-Limonene (5989-27-5)</b>	
IARC group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
<b>Silica, amorphous (7631-86-9)</b>	
IARC group	3

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** Prolonged exposure may cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Not expected to be a primary route of exposure. Ingestion may cause adverse effects.

**Chronic Symptoms:** None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General**

: Harmful to aquatic life with long lasting effects.

# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Linalool (78-70-6)</b>	
LC50 Fish 1	27.8 mg/l
EC50 Daphnia 1	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
NOEC Chronic Algae	5.6 mg/l
<b>2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)</b>	
LC50 Fish 1	354 mg/l (Exposure time: 96 h - Species: Salmo gairdneri [static])
ErC50 (Algae)	> 100 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus [static])
<b>Linalyl acetate (115-95-7)</b>	
EC50 Daphnia 1	6 mg/l
<b>Benzyl acetate (140-11-4)</b>	
LC50 Fish 1	4 mg/l
NOEC Chronic Fish	0.92 mg/l
<b>Geraniol (106-24-1)</b>	
LC50 Fish 1	2.6 mg/l
ErC50 (Algae)	13.9 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus [static])
NOEC Chronic Algae	1 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus [static])
<b>D-Limonene (5989-27-5)</b>	
LC50 Fish 1	0.619 (0.619 - 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.421 mg/l
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
<b>7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)</b>	
LC50 Fish 1	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
NOEC Chronic Crustacea	9.5 mg/l
<b>Silica, amorphous (7631-86-9)</b>	
LC50 Fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

## 12.2. Persistence and Degradability

<b>Enviroscent Spring Water + Lotus</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative Potential

<b>Enviroscent Spring Water + Lotus</b>	
Bioaccumulative Potential	Not established.
<b>Linalool (78-70-6)</b>	
Log Pow	2.84 - 3.1 (at 25 °C)
<b>Benzyl acetate (140-11-4)</b>	
Log Pow	1.96
<b>7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)</b>	
Log Kow	3.47 estimated
<b>Silica, amorphous (7631-86-9)</b>	
BCF Fish 1	(no bioaccumulation expected)

12.4. **Mobility in Soil** No additional information available

## 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.



# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>Enviroscent Spring Water + Lotus</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Health hazard - Respiratory or skin sensitization
<b>Linalool (78-70-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (63500-71-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	PMN - PMN - indicates a commenced PMN substance.
<b>Linalyl acetate (115-95-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Benzyl acetate (140-11-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Geraniol (106-24-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1H-3a,7-Methanoazulene, octahydro-6-methoxy-3,6,8,8-tetramethyl-, [3R-(3.alpha.,3a.beta.,6.beta.,7.beta.,8a.alpha.)]- (19870-74-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>D-Limonene (5989-27-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>2H-1,5-Benzodioxepin-3(4H)-one, 7-methyl- (28940-11-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>7-Hydroxycitronellal (107-75-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Pulp, cellulose (65996-61-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
<b>Maltodextrin (9050-36-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
<b>Silica, amorphous (7631-86-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. US State Regulations

<b>Benzyl acetate (140-11-4)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List	
<b>Silica, amorphous (7631-86-9)</b>	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) List	

# Enviroscent Spring Water + Lotus

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 08/05/2019  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)