SAFETY DATA SHEET

Issuing Date 27-Sep-2019 Revision Date 22-Sep-2019 Revision Number 1

Canada / English

1. IDENTIFICATION

Product identifier

Product Name 3V Lithium Manganese Button Battery (Model: CR2032)

Other means of identification

Product Code(s) 1541255

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Primary/Metal Batteries

Restrictions on use No information available

Details of the supplier of the safety data sheet

Initial supplier identifier Multire Warditd Lithium Power Technology Ltd.(Dongguan)

Address Tingshan Industrial Park, Houjie Town, Dongguan City, China

Telephone +86-18825536816

E-mail 2880142511@qq.com

Emergency telephone number

Company Emergency Phone

Number .

0769-85880399

2. HAZARDS IDENTIFICATION

Classification

This is a battery. In case of rupture:.

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2

Serious eye damage/eye irritation

Reproductive toxicity

Category 1

Category 1B

GHS Label elements, including precautionary statements

Danger

Hazard statements

This is a battery. In case of rupture:.

Harmful if swallowed
Toxic if inhaled
Causes skin irritation
Causes serious eye damage
May damage fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

102.4 % of the mixture consists of ingredient(s) of unknown toxicity

30.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

102.4 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Manganese dioxide	1313-13-9	41.1	-	-
Lithium	7439-93-2	2.31	-	-
Iron	7439-89-6	45.29	-	-
1,2-Propanediolcyclic carbonate	108-32-7	3.8	-	-
1,3-Dioxolane	646-06-0	3.7	-	-
Lithium Perchlorate	7791-03-9	3.8	-	-

4. FIRST AID MEASURES

First aid measures

General advice

First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or poison control

center immediately.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective

equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Evacuate

(Model: Revision Date 04-Sep-2019

personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Chemical name				_
Supplier Trade Secret	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.02 mg/m ³	TWA: 0.2 mg/m ³
)	TWA: 0.02 mg/m ³	TWA: 0.1 mg/m ³	3
Supplier Trade Secret	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Supplier Trade Secret			TWA: 5 ppm	
			TWA: 18 mg/m ³	
			Skin	
Supplier Trade Secret	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
Supplier Trade Secret	TWA: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
	TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 3 mg/m ³	_

Other Exposure Guidelines

Hexavalent Chrome may be formed during welding. Vacated limits revoked by the Court of

Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear suitable gloves. Impervious gloves. Hand protection

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with General hygiene considerations

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning

of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Solid **Appearance** Silver

Odor No information available Color No information available **Odor Threshold** No information available

Property Values Remarks Method

No data available None known Ha Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known

Solubility(ies) No data available

None known

Insoluble in water

Partition coefficient: n-octanol/waterNo data available

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other Information

Water Solubility

Explosive properties No information available. Oxidizing properties No information available. **Softening Point** No information available **Molecular Weight** No information available

1541255 - Lithium Manganese Button Battery(Model: CR2032)

3.72032)

VOC Content (%)
Liquid Density
Bulk Density
Particle Size
Particle Size Distribution
No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based

on components). May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Severely irritating to eyes.

Causes serious eye damage. (based on components). May cause burns. May cause

irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components). Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 508.70 mg/kg **ATEmix (dermal)** 15,873.00 mg/kg

Revision Date 04-Sep-2019

ATEmix (inhalation-gas) 3,368.50 ppm ATEmix (inhalation-dust/mist) 1.12 mg/L ATEmix (inhalation-vapor) 8.23 mg/L

Unknown acute toxicity

102.4 % of the mixture consists of ingredient(s) of unknown toxicity

30.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

102.4 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

74.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Supplier Trade Secret	= 30 g/kg (Rat)	-	-	
Supplier Trade Secret	= 9000 mg/kg (Rat)	-	> 1500 mg/m ³ (Rat) 4 h	
Supplier Trade Secret	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-	
Supplier Trade Secret	-	-	> 2000 mg/m ³ (Rat)4 h	
Supplier Trade Secret	> 4000 mg/kg (Rat) = 775	1000 - 2000 mg/kg (Rabbit)	20 - 63 mg/L (Rat) 6 h	
	mg/kg (Rat)			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below marked michiel bach agency has never any myrodient as a salemegen				
Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects. .

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Supplier Trade Secret	-	96h LC50: = 13.6 mg/L	-	-
		(Morone saxatilis)		
Supplier Trade Secret	72h EC50: > 500 mg/L	96h LC50: = 5300 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Leuciscus idus) 96h		
	subspicatus)	LC50: > 1000 mg/L		
		(Cyprinus carpio)		
Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Danio rerio)		

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Log Pow
Supplier Trade Secret	<0
Supplier Trade Secret	0.48

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard

Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision

188 of IMO-IMDG Code"

TDG Not regulated

DOT **NOT REGULATED**

1541255 - Lithium Manganese Button Battery(Model: CR2032)

Proper Shipping Name NON-REGULATED

Emergency Response Guide 138

Number

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Proper Shipping Name NON-REGULATED PER SP 188

Hazard Class N/A EmS-No. F-A, S-I

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION

Revision Date 04-Sep-2019

Physical and Chemical NFPA Health hazards 1 Flammability 0 Instability 0

Properties -

HMIS Health hazards 1 * Flammability 0 Physical hazards 0 Personal Protection X

* = Chronic Health Hazard Chronic Hazard Star Legend

27- Sep-2019

Andre Yu 22-Sep-2019 Jim Deng 27- Sep-2019 Issued by:

Prepare by: Andre Yu

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet