

****Ceramic Farmhouse Sink Installation Guide****

Thank you for choosing our ceramic farmhouse sink! This guide will walk you through the installation process to ensure your sink is properly and securely installed. Please read the instructions carefully before beginning.

**Tools and Materials Required:**

- Measuring tape
- Pencil or marker
- Jigsaw or appropriate cutting tool
- Silicone sealant
- Screwdriver or drill
- Clamps (if needed)
- Level
- Safety gloves and goggles

**Step 1: Prepare the Countertop**

1. **Measure and Mark:**

- Measure the sink's dimensions and mark the cutout area on the countertop. Ensure the cutout is slightly smaller than the sink's outer rim to provide a stable resting surface.
- Double-check the measurements to ensure accuracy.

2. **Cut the Countertop:**

- Using a jigsaw or appropriate cutting tool, carefully cut along the marked lines to create the sink opening.
- Wear safety gloves and goggles during this step.

**Step 2: Install the Sink**

1. **Apply Silicone Sealant:**

- Apply a generous bead of silicone sealant along the edge of the countertop cutout where the sink will rest. This will create a watertight seal.

2. **Position the Sink:**

- Carefully place the sink into the cutout, ensuring it sits evenly and aligns with the countertop edges.
- Press down gently to secure the sink in place and allow the sealant to adhere.

3. **Secure the Sink (if required):**

- If your sink includes mounting brackets or clips, attach them according to the manufacturer's instructions. Use a screwdriver or drill to secure the brackets to the countertop or cabinet.

4. ****Check for Level:****

- Use a level to ensure the sink is perfectly horizontal. Adjust if necessary before the sealant dries.

****Step 3: Connect the Plumbing****

1. ****Install the Drain Assembly:****

- Attach the included drain assembly to the sink's drain hole. Follow the manufacturer's instructions for proper installation.
- Use plumber's putty or a rubber gasket to create a watertight seal.

2. ****Connect the P-Trap and Water Lines:****

- Connect the P-trap to the drainpipe and ensure all connections are tight to prevent leaks.
- Reconnect the water supply lines to the faucet (if applicable).

****Step 4: Final Checks****

1. ****Inspect for Leaks:****

- Turn on the water supply and check for any leaks around the drain and faucet connections. Tighten any loose fittings if necessary.

2. ****Clean the Sink:****

- Wipe down the sink with a soft cloth to remove any dust or debris from the installation process.

3. ****Allow Sealant to Cure:****

- Let the silicone sealant cure for at least 24 hours before using the sink to ensure a proper seal.

****Maintenance Tips:****

- Clean the sink regularly with a mild detergent and soft cloth to maintain its glossy finish.
- Avoid using abrasive cleaners or scouring pads, as they may damage the ceramic surface.
- Periodically check the sealant and plumbing connections to ensure they remain watertight.

****Note:**** If you encounter any difficulties during installation, consult a professional plumber or contractor for assistance.

Enjoy your new ceramic farmhouse sink!