

PEST CONTROL

CONCENTRATE₂

KILLS ON CONTACT & KEEPS ON PROTECTING

FOR RESIDUAL & CONTACT CONTROL

of ants, cockroaches, spiders, crickets, silverfish, centipedes, millipedes, earwigs δ sowbugs

CONCENTRATE STRENGTH

ACTIVE INGREDIENT:

permethrin*......26.0% NEEP UUI

KEEP OUT OF REACH OF CHILDREN

PARA EL USUARIO: Si no puede leer inglés, no use este producto hasta que se le haya explicado completamente la etiqueta. (TO THE USEP: If you cannot read English, do not use this product until the label has been fully explained to you.)

Net Contents 1 fl oz (29.5 mL)





| PEST CONTROL

CONCENTRATE₂

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. • Please read entire label before using this product

Use Restrictions:

- . Do not allow adults, children or pets to enter the treated area or contact treated surfaces until sprays have dried.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Exit area immediately and remain outside the treated area until sprays have dried.

FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate surroundings and on modes of transport. PERMITTED AREAS OF USE INCLUDE industrial buildings, houses, apartment buildings, laboratories, greenhouses and the nonfood/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, lath houses, seed houses, food-handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills. bakeries. laboratories and hospitals. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, basements, boiler rooms, garages, mop closets and storage rooms (after canning and bottling). IN HOSPITALS: Patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles and boxcars. Also for use in dog kennels and horse stables. IN HORSE STABLES: Not for application if horses will be used for food.

This product is intended for dilution with water for spray application. • Fill sprayer with the desired volume of water and add product. Close and shake hefore use in order to ensure proper mixing. Shake or re-anitate sprayer before use if spraying is interrupted. Make up only as required

	PESTS	CONCENTRATION OF ACTIVE INGREDIENT	DILUTION RATE		
C	nts, Carpenter Ants, Centipedes, Cockroaches (maintenance), rickets, Firebrats, Earwigs, Flies, Millipedes, Pillbugs, Silverfish,				
	owbugs, Gnats, Mosquitoes, Ticks		½ fl oz per 1 gal water		
	ockroaches (clean-out), Fleas, Spiders, Hornets, Yellow Jackets, lasps, Small Flying Moths	0.2%	1 fl oz per 1 gal water		

INDOORS • Restrictions for Indoor Uses

- Do not use water-based sprays in conduits, motor housing, junction boxes, switch boxes or other electrical equipment because of possible shock hazards. During any indoor surface application, do not allow dripping or runoff to occur. During any application to ceilings of a structure, cover surface below with plastic shielding or similar materials
- Do not apply this product in any room being used as a living, eating or recovery area by patients, the elderly or the infirm when they are in the room.
- Do not apply to classrooms when in use.
- Do not apply to areas of institutions (including libraries, sports facilities, etc.) when occupants are present in the immediate treatment area.
- . Do not use as a space spray.
- Use only in well-ventilated areas
- Do not use concentrate or emulsion in fogging equipment.
- Do not use in food areas of food-handling establishments, which include areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills dairies, edible oils, syrups). In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed
- Do not use in warehouses while raw agricultural commodities for food or feed and/or raw or cured tobacco are being stored.
- . Do not use in greenhouses where crops for food or feed are grown.
- Do not apply to pets. Remove birds and other pets before application. Cover any water inhabited by fish (such as aquariums and ornamental fish ponds) during treatment, and turn aquarium systems off.
- . Do not apply to aircraft cabins.

Cockroaches, Spiders, Crickets, Silverfish and Firebrats: Apply as a coarse, low-pressure spray to areas where these pests hide, such as baseboards, corners, storage areas and closets; around water pipes, doors and windows; attics and eaves; behind and under refrigerators, cabinets, sinks, furnaces and stoves; the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices. • Ants: To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. • Carpenter Ants: Make spot applications as a spray to any trails, around doors and windows, wall voids, crawl spaces and other places where ants enter premises. Where possible, treat ant nest or infested wood directly. * Wasps, Hornets and Yellow Jackets: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic raffers, contacting as many insects as possible. * Sowbugs, Pillbugs, Millipedes, Earwigs and Centipedes: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards storage areas and other locations. Refer to barrier treatment directions to prevent infestation. • Flies, Mosquitoes, Gnats and Small Flying Moths: Apply directly to walls, ceilings, window screens and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages and storage sheds. • To Control Fleas and Ticks: Apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

OUTDOORS • Restrictions for Outdoor Uses

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures
- Annications to lawns, furf and other venetation.
- . Applications to building foundations up to a maximum height of 3 ft
- Broadcast application to building foundations
- . Do not apply this product to edible crops

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to soot treatments or crack-and-crevice applications only. • Do not apply directly to or near water, storm drains, outters, sewers or drainage ditches. Do not apply when windy. Do not water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse application equipment over treated area only.

Arts, Centipeds, Cockraaches, Cirickets, Firebrats, Millipedes, Silverfisth, Sowbugs, Spiders, Files, Mosquitoes, Gnats, Small Flying Moths, Wasps, Hornets and Yellow Jackets: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps and garages in either hand or power sprayer. Treat other areas where these pests are found. • To Control Fleas and Ticks: Apply this product to areas where fleas and ticks are most likely to be found such as but not limited to don houses kennels nurways cracks and crevices in sidewalks, paths or patios where pests may rest. • BARRIER TREATMENT: To help prevent infestation of buildings, apoly to a band of soil and vegetation 6 to 10 ft wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 ft where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 77.5 fl oz of 0.2% spray mix (155 fl oz of 0.1% spray mix) per 1.000 sq ft.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. • Storage: Store product in original container and keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area. • Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for quidance. • Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promotly after emptying. • Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety classes. Harmful if swallowed, inhaled, or absorbed through skin, Avoid breathing spray mist

PERSONAL PROTECTIVE EQUIPMENT (PPE

Some materials that are chemical-resistant to this product are barrier laminate, or Viton. If you want more options, follow the instructions for category For G on an EPA chemical-resistance category selection chart. • Mixers, loaders, applicators and other handlers must wear the following:

- . Coveralls over short-sleeved shirt and short pants
- · Chemical-resistant footwear plus socks
- Goggles or face shield and
- Chemical-resistant oloves made of barrier laminate or Viton, section category G

Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. • Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safetu Recommendations:

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains. drainage ditches, outters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. • This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame. Flashpoint 140 F Min. Do not apply this diluted product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

FIRST AID . Hold eve open and rinse slowly and gently with water for 15-20 minutes. IF IN EYES: Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. . Call a poison control center or doctor for treatment advice. IF ON SKIN OR Take off contaminated clothing CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes. . Call a poison control center or doctor for treatment advice. IE SWALLOWED: . Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED: If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-917-5431.

NOTE TO PHYSICIAN

Contains petroleum distillate. May pose an aspiration pneumonia hazard. Inducing vomiting as first aid for this substance may result in increased risk of pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

Note user: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable where seeks, seek wateries due has product on great and the seeks of t for consequential damages

Questions or Comments? Call 1-800-917-5431

Distributed by Spectrum Group, Division of United Industries Corporation PO Box 142642, St. Louis, MO 63114-0642 FPA Ren. No. 1021-2626-8845

EPA Est. Nos. 74291-MO-1 (AH), 9688-MO-1 (II), 75793-MO-1 (AJ), 80202-MO-1 (BX), 80202-MO-2 (BY), 84664-IL-1 (GG) Circled letter is first letter of lot number. 16-13051

FPO UPC PLACEMENT 0 71121 96376 5

PROOF OF PURCHASE

PEST CONTROL

CONCENTRATE, It is a violation of Federal law to use this product in a manner

KEEP OUT OF REACH OF CHILDREN ACTIVE INGREDIENT: INVADAIINIC See blister card for additional OTHER INGREDIENTS†...... 74.0%

VVACINING precautionary statements.

*Cis/trans ratio: 45/55 (±) 10 Net Contents 1 fl oz (29.5 mL) †Contains Xvlene Range Aromatic Solvent.

Note user: Seller warrants that this product complies with the specifications expressed in this all other warranties, express or implied, including but not limited to warranties of mercha and fitness for the intended ourgose. To the extent consistent with applicable law, seller's the extent consistent with applicable law, seller shall have no liability for consequential damages.

Spectrum Group, Division of United Industries Corporation

.1021-2626-8845 EPA Est. Nos. 9688-MO-1 (10), 58996-MO-1 (15) is first letter of lot number 17-15492 (12014 III).

STOP, READ ENTIRE LAREL REFORE USE. DIRECTIONS FOR USE



inconsistent with its labeling. • Please read entire label before using this product. • Use Restrictions: • Do not allow adults, children or nets to enter the treated area or contact treated surfaces until sorays have dried. • Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during anolication. Exit area immediately and remain outside the treated area until sorays have dried. FOR RESIDUAL PEST CONTROL IN AND ON buildings and structures and their immediate. surroundings and on modes of transport, PERMITTED AREAS OF USE INCLUDE industrial buildings, houses, agartment buildings, laboratories, greenhouses and the monthool/feed areas of stores, warehouses, vessels, railcars, trucks, trailers, schools, nurseries, day camps, lath houses, seed houses, food-handing establishments, packaging and processing plants commercial, industrial, office, institutional and storage rooms, egg processing plants supermarkets, restaurants, bottling plants, carneries, flour and feed mills, bakeries laboratories and hospitals. Non-food areas are areas such as carbage rooms, lavatories entries and vestibulés, offices, locker rooms, machine rooms, basements, boiler rooms caraces, mod closets and storage rooms (after canning and bottling), IN HOSPITALS; Patients

should be removed orior to treatment. Also for use in campers, mobile homes, buses

automobiles and boxcas. Also for use in dog kennels and horse stables. IN HORSE STABLES: Not for application if horses with be used for food. • This product is intended for diution with water for spray application. • Ill surgare with the desired volume of water and add product. Close and shale before use in order to ensure proper mixing. Shale or re-agitate sprayer

before use if spraying is interrupted. Make up only as required.					
	PESTS Ants, Carpenter Ants, Centipedes, Cockroaches (maintenance). Crickets. Firebrats. Earwios. Flies.	CONCENTRATION OF ACTIVE INGREDIENT	DILUTION Rate		
	Milipedes, Pilbugs, Silverfish, Sowbugs, Gnats, Mosquitoes, Ticks	0.1%			
	Cockroaches (clean-out), Fleas, Spiders, Homets,	0.00/	1 fl oz per 1		

MOONS - Descriptions for Indoor lase • In not use valer-leased stage in condust motor housing, include houses, which houses or other electrical equipment because of possible shock leasters. • During any indoor surface application, do not allow dripping or multi be shock leasters. • During any indoor surface application, or allow disping or multiple shock leasters. • During any indoor surface application, and allow disping or shelding or similar materials. • In ord algorithms product in any room being used as a himp. See allow or resource areas or wallers the electron is the firm when the area in the moon • Unit

not apply to classrooms when in use. • Do not apply to areas of institutions (including libraries. sports facilities, etc.) when occupants are present in the immediate treatment area. • Do not use as a space spray. • Use only in well-ventilated areas. • Do not use concentrate or emulsion in fooding equipment. • Do not use in food areas of food-handling establishments, which include areas for receiving, serving, storage (dry, cold, frozen, raiv), packaping (canning, bottino, wrapping, boxino), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups). In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. • Do not use in warehouses while raw agricultural commodities for food or feed and/or raw or cured tobacco are being stored. • Do not use in greenhouses where crops for food or feed are grown. • Do not apply to pets. Remove birds and other pets before application. Cover any water inhabited by fish I such

as aquatums and ornamental fish proofs) during treatment, and turn aquatum systems off.

• Do not apply to accord raise. • Cockmaches, Spiders, Cricletes, Shiverish and
Finithratis Apply to as a coarse, four-gress are group to access where these peets hide, so that
baseboards, comers, storage areas and closels; around water pipes, doors and windows,
aillies and eases; behind and under refliperators, calchies, sinks, furnaces and stokes; the
undersisted of shires deviawes and sinks areas Par and/out artilation to coarsis and

crevices

Ants To Vill ands within buildings and homes, spray trails, neets and points of entry. Suray directly on ants where possible. *Curpretter Ants: Meles spit applications as a spray to any table, around lows and vindrows, well owlos, careal speces and other pulses where and enter premises. Where possible, treat and nest or infested wrood directly. * Wasps, Homes's and *Vellows Asclests* Application Should be made in the late evening when insests are at east. Suray liberally within hidring and breaffor others, seederally worked afficiently countrions around resists a sussible.

and other joxes where these pests may be hourd or where they may enter premises. Surps testebands, storage mass and other locations. Refer to bearine Verificant declarors to premed intestation. * Flies, Mosquitness, Grusts and Small Flying Mottes: Aprily directly it walls, callings without screens and other things serve less in and amount aprils, greater and smallers. Flore to seed made seed and Tildass: Aprily as a sport treatment to intelled areas such as pet beds and resembly quarters, responders under an and made aprils, and an admitted premises without and our farmers and locational areas of flore and floor coverings where these peets may be greened. Out bedshoot or dest should be movemed and register with these in the Section of the should be immediated in the section of the should be immediated in the section of the should be immediated in the section.

Sowbugs, Pillbugs, Millipedes, Earwigs and Centipedes: Apply around doors and windows

treat pets with this product.

OUTDOORS • Restrictions for Outdoor Uses • All outdoor applications must be limited to soot or crack-and-crevice treatments only, except for the following cermitted uses. • Treatment to soil or

vegetion amount shouture, a Popicionis to leaves, fur and net vegetion — Application to building functions by an arrantum health off 3 - Beneziate application to building functions: 0 not apply his product to either once, a "Houtor applications to impervise such as showed, whereas, politic produce and studies arrantees inch as windows, does and eases are initial to spot insellments or conductions arrantee application or 10 on day high with or inser water, storming, pulled and only of a conduction of long of the point of unity and politication of the point of unity analysis and a conduction of the point of unity analysis analysis of the point of unity analysis and the second of the point of unity analysis and the second of the second of the point of unity analysis and the second of the second of the second of the point of unity analysis and the second of the second

Anti, Centipoles, Codornaches, Cribates, Frientos, Millipoles, Silverifs, Sovolus, Solders, Files, Mosquitose, Cinats, Small Priying Molts, Wass, Kornets and Yaliov Jodecks Apily as a lesibad spary in sortaces of bublins, porcies, screens, without harner, eaces, patis, Joseph Sand, and pages an either final or power sprayer lies of the area when the peers are only - 10 Centiford Fleas and Tilosis-kept in Spoult to bears when the sand tilos are must lesible to be fund, such as, but of limited to, dop houses, servers, numero, costs and centre's in sidentifice, other confront when sets from irrisk.

BARRIER TREATMENT: To help prevent infestation of buildings, apply to a band of soil and vegetation for 10 ft wide around and adjacent to the building. Also, teat the building boundation to a height of 2 to 3 ft where pests are active and may find entrance. Apply as a coarse spray to throughty and uniformity well the bend area, using 07.5 ft or of 10.7%, screen with 115.5 ft or of 10.7%.

0.1% spray mix) per 1.000 sp ft.

STORAGE AND DISPOSAL * Do not contaminate water, tood or feed by storage or disposal * Storage Subre product in ordinal containe and keep container of the production of the p

Tiple rines as blows: Emply the remaining contents bit a guinzation equipment or a mix hank and drain for 10 seconds after the flow begins to dip. All the container is full with water and recap. Challe for 10 seconds. Pour insist into application equipment or a mix test or store insists for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure but more limes.

PRECAUTIONARY STATEMENTS • Hazards to Humans and Domestic Animals • WARNING. Causes substantial but temporary eye injury. Causes skin

irritation. Do not get in eyes, on skin or on clothing. Wear googles, face shield or safety glasses. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist. PERSONAL PROTECTIVE EQUIPMENT (PPS - Some malerials that are chemical resistant to this cronduct are bening a long to the standard or the standard

for category F or G on an EPA chemical-resistance category selection chart. • Mixers, loaders, applicatios and other handles must wear the blolwing: Coneralis were short-served shirt and short parts, chemical-resistant footwear plus socks, googles or face shield and chemical-resistant dowes made of barrier laminate or Viton, section category G • Rollow

clenicar-lessaling ulwar milade or learnier milader of water, separate manufacturer's instructions for deaning/maintaining PEF. If there are no south instructions for washables exist, use detergent and hot water. Keep and wash PEF separately from other learnidry. Discard clothing and other absorbent materials that have been dereched or heavily contaminated with this conduct's consortate Do not make them.

User Safety Recommendations: • Users should wash hands with plenty of scep and water betweenling, dinking, chawing purn, using blabour or using the blat • Users should remove obthing? immediately free before bets riske. Then wash throughly and up on dean dothing. • Users should remove PPE immediately after handling this product. What the outside of gloves before removing, As soon as possible, wash throughly and chance in this dear obtfilion.

Environmental Hazards . This product is extremely toxic to fish and aquatic invertebrate

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Apolying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Pinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. • This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product of allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards • Combustible. Do not use or store near heat or open fame. Flashpoint 140'F Min. Do not apply this diluted product in conduits, motor ousings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water

First Aid • IF IN EYES: • Hold eve open and rinse slowly and pertly with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. • IF SWALLOWED: • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any found to the person. • Do not give anything by mouth to an unconscious person. IF INHALED: • Move person to fresh áir. • If person is not breathing, call 911 or an ambidance, then give artificial resolvation, prelevably mouth-to-mouth, if possible. • Call a coison control center or doctor for further treatment advice. • HOTLINE NUMBER • Have the conduct container or label with you when calling a coison control center or doctor. or oping for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-917-5431 • NOTE TO PHYSICIAN • Contains petroleum distillate. New bose an aspiration pneumonia hazard, inducing vomiting as first aid for this substance may result in increased risk of one monia or nulmonary edema caused by assiration of the hydrocarbon solvent Vomition should be induced only under ordessional supervision

Note user; Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. Do the extent consistent with applicable law, seller's liability or detail, breach or failure under this label shall be limited to the amount of the purchase profe. To the extent consistent with applicable law, seller's all their locality for consequential damages.

Questions or Comments? Call 1-800-917-5431. Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642.

EPA Reg. No. 1021-2626-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE) Circled letter is first letter of lot number. 17-15492 © 2014 UIC