

BIOADVANCED
SCIENCE-BASED SOLUTIONS

Bermudagrass Control for Lawns

READY-TO-SPRAY

**Controls the Weed* - but
won't harm listed lawns†**

*Controla la maleza pero no daña
los céspedes de la lista*

ESPAÑOL
SEE PANEL TYPING

- For use on Kentucky Bluegrass¹, Perennial Ryegrass & Fescue Lawns
- Not for use on Bermudagrass, Bentgrass, St. Augustine (including Floratam), Centipede, Bahia, or Zoysiagrass Lawns



KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional
precautionary statements

Active Ingredients:
Fenoxaprop-P-ethyl 0.41%
Other ingredients 99.59%
Total 100.00%
EPA Reg. No. 71283-00-2

*Listed weeds
†When used as directed.
Temporary discoloration may occur on
Kentucky bluegrass lawns but they will recover.

Treats 5,000 sq ft

NET CONTENTS
32 FL OZ (946ml)

501412987a 170517V1

DECLARACIONES DE PRECAUCIÓN PRIMEROS AUXILIOS +

EN CASO DE INGESTIÓN

- Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.
- Hacer que la persona beba tragos de agua, si puede tragar.
- No inducir el vómito a menos que lo indique un centro de control de envenenamiento o el médico.
- No administrar nada por boca a una persona inconsciente.

EN CASO DE CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar en forma lenta y suave con agua durante 15 a 20 minutos.
- Retirar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, y luego continuar enjuagando.
- Llamar a un médico o a un centro de control de envenenamiento para más información sobre el tratamiento.

EN CASO DE CONTACTO CON LA PIEL

- Quitar la ropa contaminada.
- Enjuagar la piel de inmediato con abundante agua durante 15 a 20 minutos.
- Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

Para emergencias MÉDICAS llamar las 24 horas del día al 1-877-229-3763. Tenga el contenedor o la etiqueta del producto a mano al llamar a un centro de control de envenenamiento o al médico o si asiste a un centro para el tratamiento. **NOTA:** En caso de solicitar tratamiento en una sala de emergencias o en el consultorio de un médico, llevar la etiqueta del producto para mostrarla al personal médico. Ingrediente activo: 0.41% fenoxaprop-p-etil [CAS N° 71283-80-2]. **NOTA AL MÉDICO:** Este producto puede presentar riesgos de neumonía aspirativa. Contiene destilados de petróleo.

RIESGOS AMBIENTALES

- Este producto es tóxico para los peces y los invertebrados acuáticos. No aplicar directamente en lagunas, estanques, arroyos o ríos.
- No aplicar cuando las condiciones climáticas favorezcan que el producto corra por drenajes de tormenta o aguas pluviales.
- La dispersión o corriente puede ser peligroso para invertebrados acuáticos o puede afectar a plantas no deseadas.
- Para proteger al medio ambiente, no permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación en el área tratada ayudará a evitar que el producto ingrese en cuerpos de agua o sistemas de drenaje.

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. En la medida que sea acorde con la ley pertinente, el Comprador asume la responsabilidad por la falta de rendimiento si no es utilizado de acuerdo con las indicaciones.

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.



Bermudagrass Control for Lawns

READY-TO-SPRAY

OPEN
Resealable Label
for Directions &
Precautions

This product kills crabgrass and other listed grass weeds – to the root. And it will not harm your lawn when used as directed. The formula is ideal if you have Bermudagrass invading your lawn or if you missed your pre-emergent crabgrass control application. The convenient sprayer connects to a garden hose and automatically dispenses the crabgrass killer. One bottle treats 5,000 square feet. Controlling Bermudagrass and other listed weeds in your lawn has never been easier!

READ THE LABEL FIRST!

QUICK FACTS

- Controls Bermudagrass in Lawns
- Even Kills Large Crabgrass
- One Quart Covers 5,000 Sq. Ft. • Rainproof in one hour



KILLS	Bermudagrass, Crabgrass, Foxtail, Sandbur, Japanese Stiltgrass & other listed grass weeds
WHERE TO USE	ON LAWNS without harming lawn grass [†] [†] When used as directed. DO NOT use on St. Augustine including Floratam, Bermudagrass, Bentgrass, Zoysiagrass, Centipede or Bahia lawns. Around most established ORNAMENTAL trees, shrubs, perennials & annuals. (DO NOT use around: barharbor juniper, philodendron, pittosporum, podacarpus, salvia)
COVERAGE	This bottle treats an average size lawn (5,000 sq ft) Just hook bottle to hose and you are ready
	Questions or Comments? Call toll-free 1-877-229-3724

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Fenoxaprop-p-ethyl^{1**} 0.41%

OTHER INGREDIENTS 99.59%

TOTAL 100.00%

^{**}CAS No. 71283-80-2

0.035 lbai/gal fenoxaprop-p-ethyl based on 8.43 lbs/gal

EPA Reg. No. 92564-32

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.

(75) = 05905-AR-1 (39) = 58996-MC-1 (57) = 071106-GA-003



6 87073 04100 2

501413806a 170517V1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE Shake Well Before Use

- CONNECT**
1. Shake well before use.
 2. Connect sprayer to garden hose.
 3. Turn on water.
- SPRAY**
1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
 2. Begin spraying – Press lock tab while using other hand to turn sprayer valve to ON position.
 3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet, treated grass.
- FINISH**
1. To stop spraying, Press lock tab while using other hand to turn sprayer valve to OFF position.
 2. Turn off water at faucet.
 3. Relieve water pressure in hose by turning sprayer valve back to ON position until water slows to a drip then turn sprayer valve to OFF position.
 4. Disconnect sprayer from hose.



FOR BEST RESULTS

WHEN TO APPLY:

- Spray when grass weeds* are small and actively growing and temperature is below 90°F.
- To control Bermudagrass, up to seven applications spaced one month apart may be required. Make the first application in the spring when the Bermudagrass begins to green up. Repeat the following growing season if necessary.
- Do not make more than three applications per year.
- Before treating new or renovated lawns,
 - New grass seedlings must be at least 1 month old (3 months for Kentucky bluegrass).
 - Kentucky bluegrass sod must be at least 1 month old since installation.
- Treated fescue and perennial ryegrass lawns may be re-seeded immediately after application, however, wait 3 weeks after application to Kentucky Bluegrass before reseeding.
- Do NOT use around these ornamental plants: barharbor juniper, philodendron, pittosporum, podocarpus, salvia.

(cont'd)

*listed weeds

DIRECTIONS FOR USE (cont'd)

FOR BEST RESULTS (cont'd)

MOWING:

- Do not mow for 24 hours after spraying.

WATERING:

- If lawn is dry, water 1 to 2 days before or within 1 day after using this product.
- Rain or watering 1 hour after application will not wash away effectiveness.

HOW IT WORKS

This product contains a herbicide proven to control bermudagrass, crabgrass & other grass weeds* down to the roots without harming the lawn or other desirable plants. This product is absorbed by the weed* leaves therefore thorough coverage is important to ensure best control. Visible effects usually appear within 4 – 10 days as a yellowing &/or reddening of the grass weed* leaves.

KILLS GRASS WEEDS

Bermudagrass	Foxtail	Panicum
Crabgrass	Goosegrass (Silver Crabgrass)	Sandbur
(Large/Hairy, Smooth)	Japanese Stiltgrass	
Barneyardgrass	Johnsongrass (seedling)	



Do not allow people (other than applicator) or pets on treatment area during application and until spray has dried.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

CONTAINER HANDLING

If Empty:

- Nonrefillable container. Do not reuse or refill this container.
- Place in trash or offer for recycling if available.

If Partly Filled:

- Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

*listed weeds

PRECAUTIONARY STATEMENTS ENVIRONMENTAL HAZARDS

- This product is toxic to fish & aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Do not apply when weather conditions favor run off or drift.
- Drift or runoff may harm aquatic invertebrates and non-target plants.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

- Controla el césped Bermuda en el jardín
- Incluso mata garranchuelos grandes
- Un cuarto de galón (0.95 litros) cubre 5,000 pies cuadrados (450 m²)
- A prueba de lluvia en una hora

MATA

Césped Bermuda, zacate cangrejo, cola de zorro, roseta, stiltgrass japonés y otras malezas del césped de la lista

DÓNDE USAR

SOBRE EL CÉSPED sin dañar la hierba[†]
[†]Cuando se utiliza según las indicaciones. NO UTILIZAR sobre el césped San Agustín incluyendo la variedad Floratam, Bermuda, graminea Bentgrass, Zoysia, grama colorada o césped Bahía. Alrededor de la mayoría de los árboles, arbustos, plantas perennes y anuales establecidas ORNAMENTALES. (NO utilizar alrededor de: enebro Barharbor, filodendro, pittosporum, podocarpus, salvia)

COBERTURA

Esta botella trata un césped de tamaño promedio (5,000 pies cuadrados (450 m²)).
Sólo conectar la botella a la manguera y listo.



Para hacer preguntas o comentarios,
llamar al número gratuito 1-877-229-3724

INGREDIENTE ACTIVO:

Fenoxaprop-p-etil[†] 0.41%

OTROS INGREDIENTES

..... 99.59%

TOTAL

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

**CAS N° 71283-80-2

0.035 libras/galones de ingrediente activo de
fenoxaprop-p-etil basado en 8.43 libras/galones

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta

CÓMO USARLO Agitar bien antes de usar

CONEXIÓN

1. Agitar bien antes de usar.
2. Conectar el rociador a la manguera del jardín.
3. Abrir el grifo de agua.

PARA ROCÍAR

1. Extender la manguera al área más lejana a tratar y apuntar la boquilla del rociador hacia el área a rociar. (continúa)

INDICACIONES DE USO (continuación)

CÓMO USARLO (continuación)

PARA ROCIAR (continuación)

2. Comenzar a rociar.
Presionar la lengüeta de cierre utilizando la mano libre para girar la válvula del rociador a la posición "ON".
3. Caminar a paso lento constante a medida que rocía, utilizar un movimiento de barrido parejo y superponer levemente las áreas tratadas. Trabajar de espaldas al grifo para evitar caminar sobre el césped mojado ya tratado.



AL FINAL

1. Para dejar de rociar, presionar la lengüeta de cierre utilizando la mano libre para girar la válvula del rociador a la posición "OFF".
2. Cerrar el grifo de agua.
3. Reducir la presión de agua de la manguera girando la válvula del rociador nuevamente a la posición "ON" hasta que el agua lentamente gotee y luego girar la válvula del rociador a la posición "OFF".
4. Desconectar el rociador de la manguera del jardín.

PARA OBTENER MEJORES RESULTADOS

CUÁNDO APLICAR:

- Rociar cuando las malezas del césped de la lista sean pequeñas y estén en crecimiento activo y a temperatura por debajo de los 90°F.
- Para controlar el césped Bermuda, puede ser necesario realizar hasta siete aplicaciones con una diferencia de un mes entre ellas. Hacer la primera aplicación en la primavera cuando el césped Bermuda comienza a ponerse de color verde. Repetir en la próxima temporada de crecimiento si fuese necesario.
- No hacer más de siete aplicaciones por año.
- Antes de tratar céspedes nuevos o renovados,
 - el césped recién sembrado debe tener al menos 1 mes (3 meses para el pasto azul de Kentucky) o un nuevo panel de pasto azul de Kentucky debe tener al menos un mes desde la colocación.
- Los jardines con ballico perenne o cañuela perenne tratados pueden volverse a sembrar inmediatamente después de la aplicación, sin embargo, debe esperar 3 semanas para volver a sembrar después una aplicación al pasto azul de Kentucky.
- NO usar alrededor de plantas ornamentales: junipero horizontal, filodendro, pitosporo, maños, salvia.

SEGADO:

- No segar por 24 horas después de rociar.

RIEGO:

- Si el césped está seco, regar 1 ó 2 días antes o dentro de 1 día de haber usado el producto.
- La lluvia o el riego 1 hora después de la aplicación no restará efectividad al producto.

INDICACIONES DE USO (continuación)

CÓMO FUNCIONA

Este producto contiene un herbicida que controla el césped Bermuda, zacate cangrejo y otras malezas del césped de la lista hasta la raíz sin dañar al césped o a otras plantas preferidas. Este producto es absorbido por las hojas de la maleza de la lista por lo tanto es importante cubrirlo todo para asegurar un mejor control. Los efectos visibles generalmente aparecen dentro de los 4 – 10 días cuando las hojas de la maleza del césped de la lista comienzan a ponerse amarillas y/o rojas.

MATA LAS MALEZAS

Césped Bermuda	Cola de Zorro,	Sorgo de alepo (plántula),
Zacate cangrejo	Goosegrass (zacate cangrejo	Mijo,
(grande/peludo, suave),	plateado),	Sandbur
Capin,	Stiltgrass japonés,	



No dejar que personas (que no sea el que aplica) o animales ingresen al área de tratamiento durante la aplicación y hasta que el rocío se haya secado.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA

Almacenar en el contenedor original en un lugar seco y fresco, fuera del alcance de los niños, preferentemente en un gabinete de almacenamiento cerrado. Proteger de congelamiento.

MANIPULACIÓN DEL CONTENEDOR

Si está vacío: • Contenedor no rellenable. No rellenar o volver a usar este contenedor. • Colocar en la basura para su reciclado si fuese posible.

Si está parcialmente lleno: • Llamar a la agencia local de desechos sólidos o de manera gratuita al 1-877-229-3724 para recibir instrucciones sobre su eliminación. • Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN Riesgos para seres humanos y animales domésticos

• Es perjudicial si se ingiere. • Causa irritación moderada en los ojos y la piel. • Lavarse prolijamente con agua y jabón después de manipular el producto y antes de comer, beber, mascar goma de mascar o usar tabaco. • Evitar el contacto con la piel, los ojos o la ropa. Usar gafas protectoras. • Usar camisa de mangas largas y pantalones largos, zapatos y medias. • Al utilizar este producto, usar camisa de mangas largas y pantalones largos, zapatos con medias.
Después de utilizar este producto: • Si el producto entra en contacto con la piel lavarse prolijamente con jabón y agua. • Si el producto entra en contacto con la ropa, quitarse la ropa lo antes posible y lavarla por separado antes de volverla a usar.



Bermudagrass Control for Lawns

READY-TO-SPRAY

PRECAUTIONARY STATEMENTS

CAUTION Hazards to Humans and Domestic Animals

• Harmful if swallowed. • Causes moderate eye and skin irritation. • Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. • Avoid contact with eyes, skin or clothing. Wear protective eyewear. • Wear long-sleeved shirt and long pants, socks and shoes. • When using this product, wear long sleeved shirt and long pants, shoes plus socks.

After using this product:

• If product gets on skin, wash thoroughly with soap & water. • If product gets on clothing, remove clothing as soon as possible and launder clothing separately before reuse.

FIRST AID +

IF SWALLOWED

• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.

IF IN EYES

• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING

• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.

For MEDICAL Emergencies Call 24 Hours A Day 1-877-229-3763.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. NOTE: If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. Active Ingredients: 0.41% Fenoxaprop-p-ethyl (CAS # 71283-80-2).

NOTE TO PHYSICIAN: This product may pose an aspiration pneumonia hazard. Contains petroleum distillates.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

EPA Reg. No. 92564-32
EPA Est. No. indicated by 3rd and 4th digits
of the batch number on this package.

(75) = 05905-AR-1 (39) = 58996-MQ-1 (57) = 071106-GA-003
BioAdvanced is a trademark of SBM Life Science Corp.

Distributed by: SBM Life Science Corp.
1001 Winstead Drive, Suite 500, Cary, NC 27513
www.BioAdvanced.com

PRESS TO RESEAL

501413866a170517M

Product of Germany