

THE ULTIMATE WORK PLATFORMS

WIDER STANCE

STURDY FOOT HOLD

MADE WITH SAFETY IN MIND

**BUILT TOUGH FOR
SAFETY**

BETTER SELL THROUGH WITH RETAIL READY PACKAGING



Discover Metaltech's fresh, new products and package designs with our innovative mobile scaffold work platform offering. Innovative safety rail, foldaway tool shelf, locking mechanisms are only a few of the features included in this category. These "No Tool Required" work platforms offer contractors and consumers affordability, safety and ease of use, all in easy to merchandise packaging.

NEW

DRYWALL & PANEL HOIST

- One-person operation
- Hang drywall up to 11' high - Capacity 150 lb
- Three 5" double lock heavy-duty swivel casters
- Cradle tilts for sloped ceiling or vertical wall
- Fast action single stage winch with silent cam lock brake
- Dismantles and folds in 5 parts for easy transport and storage



NO TOOLS
REQUIRED

150 lb
LOAD CAPACITY



MAXIMUM
HEIGHT



JOBSITE SERIES BAKER

6' HIGH BAKER STYLE SCAFFOLD

1,000 lb
LOAD CAPACITY

12'
REACH



MULTI PURPOSE

Suitable and safe for all types of interior work. At 30" (76 cm) wide, it can easily roll through doorways.



STACKABLE UP TO 18' (5.5 M)

Easily stackable up to three units high in order to reach a range of 24' (7.4 m).



QUICK AND EASY HEIGHT ADJUSTMENT

Platform height adjusts at 2" (5 cm) increments from 27" to 73" (68.6 to 185 cm).



DOUBLE LOCKING CASTERS

High capacity 5 in. (13 cm) casters with both wheel and swivel locks.



STORAGE & TRANSPORT

To haul your equipment and heavy loads to and from job sites. 1,000 lb capacity.



STAIRWAYS

Each end can adjust separately to be used on both level surfaces and stairways.

PRODUCT CODE	I-CISC
ASSEMBLED DIMENSIONS (WDXH)	74.75 X 29.75 X 75 IN. (189.9 X 75.6 X 190.5 CM)
PACKAGE DIMENSIONS (WDXH)	75 X 30.5 X 5.25 IN. (190.5 X 77.5 X 13.3 CM)
WEIGHT	113.7 LB (51.6 KG)
LOAD CAPACITY	1,000 LB (454 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 27 TO 73 IN. (68.6 TO 185 CM) 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
REACH	12 FT (3.7 M). STACKABLE UP TO 3 UNITS HIGH FOR 24 FT (7.4 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200108

COMPLETE TOWER SETS WITH OUTRIGGERS AND GUARDRAILS SYSTEMS



✓ COMPLETE 12' SET CONTENT

- 2 Baker Scaffold Structure
- 4 14" (35.5 cm) Outriggers
- 1 Guardrails system
- 8 Heavy duty casters



PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W X D X H)	74 X 58.5 X 183 IN. (1.88 X 1.49 X 4.65 M)
PACKAGE DIMENSIONS (W X D X H)	75.2 X 43.4 X 15 IN. (191 X 110.2 X 38.1 CM)
PACKAGING WEIGHT	347.8 LB (157.8 KG)
LOAD CAPACITY	840 LB (381 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 11.5 FT (0.68 TO 3.51 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	17.5 FT (5.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200009



✓ COMPLETE 18' SET CONTENT

- 3 Baker Scaffold Structure
- 4 46" (117 cm) Outriggers
- 1 Guardrails system
- 12 Heavy duty casters



PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W X D X H)	74 X 122 X 236 IN. (1.88 X 3.1 X 6 M)
PACKAGE DIMENSIONS (W X D X H)	75.2 X 51 X 30.3 IN. (191 X 130 X 77 CM)
PACKAGING WEIGHT	629.6 LB (285.6 KG)
LOAD CAPACITY	733 LB (332.5 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 16.9 FT (0.68 TO 5.15 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	24 FT (7.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200511

AVAILABLE OPTIONS



GUARDRAILS SYSTEM

PRODUCT CODE	I-CISGRJP
ASSEMBLED DIMENSIONS (WxDxH)	69.75 X 29.25 X 44.5 IN. (177.2 X 74.3 X 113 CM)
PACKAGE DIMENSIONS (WxDxH)	46 X 31.25 X 4.5 IN. (116.8 X 79.4 X 11.4 CM)
WEIGHT	55.4 LB (25.2 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-BMSS, I-CISCDW, I-CISCH1



39" HIGH EXTENSION

PRODUCT CODE	I-ISEX4PPNCAS
ASSEMBLED DIMENSIONS (WxDxH)	73.75 X 29 X 42.5 IN. (187.3 X 73.7 X 108 CM)
PACKAGE DIMENSIONS (WxDxH)	83.5 X 30.75 X 3.75 IN. (212.1 X 78.1 X 9.5 CM)
WEIGHT	60.2 LB (27.3 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CISCAS, I-CISCTP, I-BMSS, I-CISCDW, I-CISCH1



PLATFORM WITH TRAP DOOR

PRODUCT CODE	I-CISPT
ASSEMBLED DIMENSIONS (WxDxH)	67 X 29 X 1.44 IN. (170.2 X 73.7 X 3.7 CM)
PACKAGE DIMENSIONS (WxDxH)	68.4 X 30.4 X 1.91 IN. (173.8 X 77.3 X 4.85 CM)
WEIGHT	38 LB (17.3 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CISCTP, I-CISCAS, I-CISCDW, I-CISCH1



SET OF 14" OUTRIGGERS

PRODUCT CODE	I-CISO4
ASSEMBLED DIMENSIONS (WxDxH)	19.25 X 4.5 X 24 IN. (48.7 X 11 X 61 CM)
PACKAGE DIMENSIONS (WxDxH)	24 X 16.5 X 5 IN. (61 X 41.9 X 12.7 CM)
WEIGHT	34 LB (15.9 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCH1




SET OF 46" OUTRIGGERS

PRODUCT CODE	I-CISO4TT
ASSEMBLED DIMENSIONS (WxDxH)	51.5 X 4 X 52.25 IN. (130.81 X 101.6 X 132.72 CM)
PACKAGE DIMENSIONS (WxDxH)	64 X 15.5 X 6 IN. (162.56 X 39.4 X 15.2 CM)
WEIGHT	104 LB (47.3 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-CISCDW, I-CISCH1, I-BMSS



TOOL SHELF

PRODUCT CODE	I-CISTR
ASSEMBLED DIMENSIONS (WxDxH)	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
PACKAGE DIMENSIONS (WxDxH)	31.25 X 20.75 X 9.25 IN. (79.4 X 52.7 X 23.5 CM)
WEIGHT	5.5 LB (2.5 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-CISCDW, I-IRC, I-CISCH1



SET OF 4 LEVELING JACKS

PRODUCT CODE	I-IBSJP12H4
ASSEMBLED DIMENSIONS (WxDxH)	9.5 X 5.5 X 12.25 IN. (23.6 X 13.5 X 31 CM)
PACKAGE DIMENSIONS (WxDxH)	13 X 13 X 8 IN. (33.6 X 33.2 X 20.4 CM)
WEIGHT	24.2 LB (11 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-BMSS, I-CISCDW, I-CISCH1



SET OF 4 BASE PLATES

PRODUCT CODE	I-IBBF4
ASSEMBLED DIMENSIONS (WxDxH)	4.75 X 4.75 X 4.75 IN. (12 X 12 X 12 CM)
PACKAGE DIMENSIONS (WxDxH)	11 X 5.25 X 5.5 IN. (27.8 X 13.3 X 13.8 CM)
WEIGHT	10.1 LB (4.6 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW, I-CISCH1



SAFETY BRAKES

PRODUCT CODE	I-HSL
ASSEMBLED DIMENSIONS (WxDxH)	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
PACKAGE DIMENSIONS (WxDxH)	67.1 X 4.25 X 4.25 IN. (170.4 X 10.8 X 10.8 CM)
WEIGHT	31.1 LB (14.1 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCTP, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW, I-CISCH1



JOBSITE SERIES 6'



STACKABLE UP TO 12' (3.7 M)

Easily stackable up to two units high in order to reach a range of 18' (5.5 m).



ADJUSTABLE PLATFORMS

Adjustable platform in 12 in. increments (30.5 cm)



MULTI-LEVEL WORKING AREA

Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.




EASY STORAGE

Folds flat for compact storage and transport.

PRODUCT CODE	I-IRC
ASSEMBLED DIMENSIONS (WxDxH)	75 X 30.5 X 78.25 IN. (190.5 X 77.5 X 198.8 CM)
PACKAGE DIMENSIONS (WxDxH)	76.75 X 31 X 6.75 IN. (195 X 78.7 X 17.2 CM)
WEIGHT	151 LB (68.5KG)
LOAD CAPACITY	850 LB (385 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	13-25-37-49-61-73 IN. (33-63.5-94-124.5-155-185.5 CM)
REACH	12 FT (3.7 M) STACKABLE UP TO 2 UNITS FOR 18 FT (5.5 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	GUARDRAILS / SET OF 4 OUTRIGGERS / TOOL SHELF / 3 FT (91.4 CM) OR 6 FT (182.9 CM) EXTENSIONS
UPC CODE	778300400157



JOBSITE SERIES 5'



TOOL SHELF & SAFETY RAIL

Safety rail to hold on to, for stability. Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.



TRANSPORT

Use it as a cart to haul your equipment and heavy loads to and from job sites. 900 lb (408 kg) capacity.



TWO-MINUTE ASSEMBLY

No tools required.



STABLE AND STURDY

Double locking 5" wheels, anti-slip platforms and included outriggers provide safety.

PRODUCT CODE	I-MIS
ASSEMBLED DIMENSIONS (WxDxH)	50.5 X 31 X 76.5 IN. (128.3 X 78.7 X 194.3 CM)
PACKAGE DIMENSIONS (WxDxH)	44 X 23 X 7.5 IN. (111.8 X 58.4 X 19.1 CM)
WEIGHT	77 LB (35 KG)
LOAD CAPACITY	900 LB (408 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	11.5 - 25 - 36.5 - 48 IN. (29 - 64 - 93 - 122 CM)
REACH	10 FT (3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100019



JOBSITE SERIES 4'

500lb
LOAD CAPACITY

9'
REACH



TOOL SHELF & SAFETY RAIL

Safety rail to hold on to, for stability. Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.




TWO-MINUTE ASSEMBLY

No tools required.



EASY STORAGE

Folds flat for compact storage and transport.



WORKBENCH

Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.


PRODUCT CODE	I-IMCNT
ASSEMBLED DIMENSIONS (WxDxH)	49.5 X 22.5 X 57.75 IN. (125.7 X 57.2 X 146.7 CM)
PACKAGE DIMENSIONS (WxDxH)	43.25 X 24 X 4.5 IN. (109.9 X 61 X 11.4 CM)
WEIGHT	59 LB (26.8 KG)
LOAD CAPACITY	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	10 - 21.5 - 33 IN. (25 - 55 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100224



4' WORK PLATFORM

500lb
LOAD CAPACITY

9'
REACH



WORKBENCH

Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.




EASY STORAGE

Folds flat for compact storage and transport.



TRANSPORT

Use it as a cart to haul your equipment and heavy loads to and from job sites. 500 lb (227 kg) capacity.



TWO-MINUTE ASSEMBLY

No tools required.

PRODUCT CODE	I-IMCN
ASSEMBLED DIMENSIONS (WxDxH)	41 X 22.5 X 45.75 IN. (104.1 X 57.2 X 116.2 CM)
PACKAGE DIMENSIONS (WxDxH)	43.25 X 24 X 3.75 IN. (109.7 X 60.8 X 9.8 CM)
WEIGHT	50 LB (22.7 KG)
LOAD CAPACITY	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	10 - 21.5 - 33 PO (25 - 55 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100200



EASY STORAGE

Fold flat for compact storage and transport

PRODUCT CODE	I-IMAC
ASS. DIMENSIONS (WxDxH)	42.25 X 22.25 X 47.75 IN. (107.3 X 56.5 X 121.4 CM)
PKG. DIMENSIONS (WxDxH)	43.75 X 22.5 X 4.75 IN. (111 X 57.2 X 12.1 CM)
WEIGHT	35.2 LB (16 KG)
LOAD CAPACITY	600 LB (272 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	9.5 - 21.25 - 33 IN. (24 - 54 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100408



USE IT AS A CART

To haul your equipment and heavy loads to and from job sites. 700 lb capacity.

I-CAIRC
56.5 X 29 X 72 IN. (143.5 X 73.7 X 182.9 CM)
67.5 X 30.5 X 6.5 IN. (171.5 X 77.5 X 16.5 CM)
60 LB (27 KG)
700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
11.75 - 23.5 - 35.25 - 47 - 59 - 70.75 IN. (30 - 60 - 90 - 119 - 150 - 180 CM)
12 FT (3.7 M)
5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
N/A
778300420155



MULTI PURPOSE

Suitable and safe for all types of interior work. Each end can adjust separately to be used on both level surfaces and stairways. At 30" (76 cm) wide, can easily roll through doorways.

I-CAISC
74 X 30.75 X 74.5 IN. (187.7 X 78.2 X 189.5 CM)
74.75 X 30.25 X 6.25 IN. (189.7 X 76.9 X 16 CM)
85 LB (38.6 KG)
700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
FROM 26.75 TO 73 IN. (67.9 TO 185.1 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
12 FT (3.7 M) STACKABLE UP TO 2 UNITS FOR 18 FT (5.5 M) REACH
5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
GUARDRAILS / SET OF 4 OUTRIGGERS / SET OF 4 BASE PLATES / SAFETY BRAKES / SET OF 4 LEVELING JACKS / TOOL SHELF
778300220106



CUSTOMER SERVICE

T : **1 800 363-7587** (TOLL FREE NUMBER)

F : **1 866 517-7585**

@ : **CS@METALTECH.CO**

WWW.METALTECH.CO

