

K-45 SINK MACHINE



Model K-45AF quickly opens clogged tub lines. Advance and retrieve cable without reversing motor.

For ¼" to 2½" (19-64 mm) Drain Lines

- Excellent for small line cleaning. Opens clogged lavatory, sink lines, urinals, and tub/shower drains.
 - ¼" cables best for ¼" to 1½" lines.
 - ⅝" cables best for ¾" to 1½" lines.
 - ¾" cables best for 1¼" to 2½" lines.
- Available in 2 styles: Manual & AUTOFEED®.
 - Manual version has a slide action chuck for quick locking/releasing of cable.
 - Advanced two-way AUTOFEED keeps hands and work area clean – advances & retrieves cable with push of a lever.
- Lightweight, easy-to-use, no setup required.
- Variable speed power unit rotates cable 0-600 RPMs.
- Two-piece twist lock canister with interchangeable inner drum.
 - Makes cable changeout simple; easy to match the right cable to the job.
 - Inner drum prevents water leaks and greatly reduces cable flip-over inside the drum.
 - Drums won't rust or dent – ever.
- Drum Capacity: 50' of ⅝" (15 m/8 mm) or 35' of ¾" (11 m/10 mm).
- Includes RIDGID drain cleaning gloves and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).



Model K-45AF



Model K-45

K-45AF MACHINE WITH SLIDE ACTION CHUCK AND AUTOFEED				K-45 MACHINE WITH SLIDE ACTION CHUCK				
CATALOG NO.		MODEL* NO.	DESCRIPTION	WEIGHT		MODEL NO.	CATALOG NO.	
115V	230V			LB.	KG.		115V	230V
35473	36033	K-45AF	Machine with: — C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum	11	5,0	K-45	36018	36048
35998	36038	K-45AF-1	Machine with: — C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum — C-6429 Carrying Case	27	12,2	K-45-1	36013	36053
36003	36043	K-45AF-5	Machine with: — C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum — C-6, 3/8" x 35' Cable w/Inner Drum — T-250, Five-Piece Tool Set for 3/8" Cable — C-6429 Carrying Case	34	15,4	K-45-5	36023	36058
36008	n.a.	K-45AF-7	Machine with: — C-11C, 5/16" x 25' Inner Core Cable w/Inner Drum — C-6, 3/8" x 35' Cable w/Inner Drum — C-21, 5/16" x 50' Cable w/Inner Drum — T-250, Five-Piece Tool Set for 3/8" Cable — C-6429 Carrying Case	42	19,0	K-45-7	36028	—

* 230V units equipped with CEE 7/17 Euro plug.




The ¾" cable in Model K-45AF-5 and K-45AF-7 extends machine's capacity to 2½" drain lines.

CABLE TOOLS

RIDGID offers a wide variety of cutters and augers to clean everything from grease to root blockages. With the RIDGID line of cable tools, you will always have the right tool for the job.

*Tools shown are not to scale or proportional with each other.


Initial / Exploratory




Follow-Up



Grease Blockages




Finishing Tools



Miscellaneous Tools




TO ATTACH TOOL



SLIDE TOGETHER

TO REMOVE TOOL



INSERT PIN


For C-4, C-6, C-6IC, C-7, C-8, C-9, C-10, C-11, C-12, C-14, C-15, C-31, C-32, C-33, C-44, C-45, and C-46 & all IW Cables.

(TOOLTIP)

Always start with a straight auger to try and determine what you are trying to clean. Then chose the correct cutter to clear the drain.


DROP HEAD AUGER

For cleaning back to back mounted fixtures e.g., sinks where cable needs to be led into down pipe.




STRAIGHT AUGER

For use in exploring and breaking up stoppages or returning sample to surface to determine correct tool.




FUNNEL AUGER

For use as second tool in line. Breaks up remains of stoppage left by straight auger.




HOOK AUGER

For heavy and dense root stoppages in pipes that require hooking and breaking up.




RETRIEVING AUGER

For searching for cable which is broken or lost in line.




SPADE CUTTER

For following up after augers have been used and to open up floor drains.




FOUR BLADE SAW TOOTH CUTTER

For blockages caused by hardened, glazed material such as chemical deposits.




GREASE CUTTER

For lines which have become badly greased with detergents and have to be opened.




SPIRAL SAW TOOTH CUTTER

For clearing any stoppage, roots, rags, sticks, etc.




SAW TOOTH CUTTER

For cleaning lines blocked heavily with roots. Unique design permits cutter to be removed from damaged pipe without locking.




SPIRAL BAR CUTTER

For main sewers blocked by roots, leaf debris, sticks, sawdust, cloth, and sacking.




SHARKTOOTH CUTTER

For use in cleaning pipes of general material clinging to pipe walls.




GREASE "C" CUTTER

For grease blockage in lines leading from garbage disposal unit or waste pipe.




EXPANDING FINISH CUTTERS

For final removal of material adhering to walls and certain roots of fibrous nature.




CHAIN KNOCKER

For use when vigorous action is required for cleaning of scale in pipes and boiler tubes.



FLUE BRUSH

For use for finish cleaning required of boiler tubes and heat exchangers.



SINK/SECTIONAL CABLES

CABLE TYPE	CATALOG NO.	MODEL NO.	CABLE DESCRIPTION	K50	K60	K1500	K1500SP	K1500G
5/16" CABLES	62225	C-1	5/16" x 25' w/ Bulb Auger	x				
	56782	C-1IC	5/16" x 25' Inner Core w/ Bulb Auger	x				
	89400	C-21	5/16" x 50' w/ Bulb Auger	x				
	62235	C-2	5/16" x 25' w/ Drop Head Auger	x				
	56787	C-2IC	5/16" x 25' Inner Core w/ Drop Head Auger	x				
	89405	C-22	5/16" x 50' w/ Drop Head Auger	x				
3/8" CABLES	62245	C-4	3/8" x 25' w/ Male Coupling	x				
	62250	C-5	3/8" x 35' w/ Bulb Auger	x				
	62260	C-6	3/8" x 35' w/ Male Coupling	x				
	96037	C-6IC	3/8" x 35' w/ Male Coupling	x				
5/8" CABLES	62265	C-7	5/8" x 7.5' Tight-Wind	x	x			
	62270	C-8	5/8" x 7.5' All Purpose Wind	x	x			
	25046	C-8PC	5/8" x 7.5' All Purpose Wind w/ Plastic Core	x	x			
	51317	C-9	5/8" x 7.5' Heavy Duty Wind	x	x			
7/8" CABLES	62275	C-10	7/8" x 15' All Purpose Wind w/ Plastic Core		x	x	x	x
	25036	C-10PC	7/8" x 15' All Purpose Wind		x	x	x	x
1 1/4" CABLES	62280	C-11	1 1/4" x 15' All Purpose Wind			x	x	x
	24226	C-11PC	1 1/4" x 15' All Purpose Wind w/ Plastic Core			x	x	x
	62285	C-12	1 1/4" x 15' Extra Heavy Duty Wind			x	x	x
	62295	C-14	1 1/4" x 15' Heavy Duty Wind			x	x	x
	62300	C-15	1 1/4" x 15' Extra Flexible Wind			x	x	x