



## CYLINDER FAN VENTILATION BLOWER

DIAMETER: 10 INCH/250 MM  
AIR FLOW: 2580 M<sup>3</sup>/H



### 10" Utility Blower w/ 32.8 ft PVC Ducting

This 10" / 250 mm utility blower extractor fan is used for intake or exhaust, depending on which end the hose is connected to (intake or outtake). 1518 CFM / 2580 m<sup>3</sup>/h large air volume, 2800 r/min motor speed, and a 32.8 ft / 10 m flexible PVC ducting can provide high working efficiency and directional airflow to limited access areas. It is the ideal ventilation fan for factories, basements, shipyards, farms, grain storage, warehouse, kitchen, office, workshops, tobacco, tunnel, automobile manufacturing, and more places requiring ventilation.

- 10 Inch Utility Blower Extractor Fan
- 320W Pure Copper Motor
- 1518 CFM Large Air Flow
- 32.8 FT Flexible PVC Ducting
- Sturdy & Humanized Design

## VEVOR®

### Tough Equipment & Tools, Pay Less

VEVOR is a leading brand that specializes in equipment and tools. Along with thousands of motivated employees, VEVOR is dedicated to providing our customers with tough equipment & tools at incredibly low prices. Today, VEVOR has occupied markets of more than 200 countries with 10 million plus global members.

### Why Choose VEVOR?

- Premium Tough Quality
- Incredibly Low Prices
- Fast & Secure Delivery
- 30-Day Free Returns
- 24/7 Attentive Service



### HIGH VELOCITY & POWERFUL

#### Pure Copper Motor

Utility blower fan features 320W pure copper motor with 2800 RPM high speed fit long time ventilation work, low noise 70 dB(A). Impedance-protected motors contain windings that have a higher resistance to heat during a rotor lock.



### STRONG MOTOR

#### Aluminum Alloy Blades

10 inch / 250 mm fan diameter and 7 thick blades provide large air volume: 1518 CFM / 2580 m<sup>3</sup>/h, which means it can quickly move a large amount of air. Aluminum alloy blades are built to resist heat, cold, and corrosion. Its impeller and cutters are of high resistance to flammability.



### STURDY CONSTRUCTION

#### Heavy Duty Steel Construction

This portable exhaust fan is designed with a high-quality steel shell, which can resist rust, compression, vibration, and deformation. As a result, a slight drop or impact will not affect the internal parts. In addition, two high-density covers prevent small animals from flying into the machine.



### HIGH-QUALITY DUCT HOSE

#### Flexible PVC Ducting Included

Duct hosing applies 0.012 inch / 0.3 mm thickness vinyl weaved polyester for heat resistance and flame retardancy. D-shaped rings are designed for hanging the PVC flexible duct smoothly. Thick ropes are able to be adjusted to fit the duct's mouth size and ensure a good sealing environment.



### PORTABLE & STABLE

#### Portable Handle & Rubber Feet

The industrial extractor fan is humanized designed with an easy-carry handle that is practical and convenient to use, storage, move, and transport. Rubber feet on base help minimize noise, reduce vibrations, and stand stably for a long time. And the lightweight for a fast and easy installation.



### WIDE APPLICATION

#### Wide Range of Applications

This ventilator fume extractor with flexible PVC ducting is designed for ventilation applications in factories, warehouses, kitchens, offices, workshops, laboratories, hotels, wine cellars, sports halls, automobile manufacturing, automobile repair shops, logistics, kilns, tile factories, steel mills, mines, plastic machinery, paper mills, etc.



### Specifications

- Color: Orange
- Power: 320W
- Voltage: 110V
- Frequency: 50 / 60 Hz
- Material: Steel
- Motor Speed: 2800 RPM
- Air Flow: 1518 CFM / 2580 m<sup>3</sup>/h
- Fan Diameter: 10 inch / 250 mm
- Duct: Flexible PVC Ducting
- Duct Expands Length: 32.8 ft / 10 m
- Duct Thickness: 0.012 inch / 0.3 mm
- Duct Diameter: 10 inch / 250 mm
- Axial Fan Bearing Type: Ball Bearing
- Noise: 70 dB(A)
- Static Pressure: 250 pa
- Current: 3.191A
- Fan Dimensions(L x W x H): 13 x 12.9 x 14.8 inch / 330 x 323 x 376 mm
- Net Weight: 31.97 lbs / 14.5 kg



### Package Content

- 1 x 10" / 250 mm Utility Blower
- 1 x 32.8 ft / 10 m PVC Ducting