

# SAFETY DATA SHEET

Issue Date 20-Feb-2023 Revision Date 10-Mar-2023 Version 2

# 1. IDENTIFICATION

Product identifier

Product Name HENRY® 817 ROOF GUARD™ Urethane Enhanced White Waterproof Roof Coating

Other means of identification

Product Code HE817 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Coatings

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressHENRY COMPANY CANADAHENRY COMPANY LLC15 Wallsend Dr.336 Cold Stream RoadScarborough, ON M1E 3X6Kimberton, PA 19442

Canada

Web Site: www.henry.com, www.ca.henry.com

Emergency telephone number

Company Phone Number 800-486-1278

Emergency Telephone US and Canada only (toll-free): 3E Company - 1-866-519-4752 (access code 334832)

US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

# 2. HAZARDS IDENTIFICATION

Web Site: www.henry.com, www.ca.henry.com

# Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Workplace Hazardous Material Information System (WHMIS)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

#### Label elements

#### **Emergency Overview**

#### Warning

#### **Hazard statements**

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer

May cause respiratory irritation. May cause drowsiness or dizziness

-



Appearance viscous cream

Physical state liquid

Odor Slight

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Harmful to aquatic life with long lasting effects.

#### **Unknown acute toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable

#### Mixture

Chemical Name	CAS No	Weight-%
Water *	7732-18-5	30 - 60
Limestone *	1317-65-3	10 - 30
Acrylic polymer blend (non-hazardous) *	Proprietary	10 - 30
Polyurethane polymer (non-hazardous) *	Proprietary	3 - 7
Titanium dioxide *	13463-67-7	1 - 5
Chlorothalonil *	1897-45-6	0.1 - 1

\*The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible). If symptoms persist, call a physician.

**Eye contact** Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. If

symptoms persist, call a physician.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing

before reuse.

**Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If

symptoms persist, call a physician.

Ingestion Call a physician or poison control center immediately. Do not induce vomiting without

medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin

irritation. May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required. Avoid contact with skin, eyes or clothing.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Cover liquid spill with sand, earth or other

non-combustible absorbent material. Dam up. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep at temperatures between 5 and 30 °C.

**Incompatible materials** Strong oxidizing agents. Strong acids. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

L	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL/IDLH
Ī	Limestone	one - TWA: 15 mg/m³ total dust TWA:		TWA: 10 mg/m <sup>3</sup> total dust
	1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
Ī	Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
1	13463-67-7			TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
1				TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,
				including engineered nanoscale

NIOSH REL/IDLH Recommended Exposure Limit/Immediately Dangerous to Life or Health

#### **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state liquid

**Appearance** viscous cream Odor Slight

Color white Odor threshold No information available

Property Remarks • Method Values

Hq 6-9

<= 0 °C / 32 °F Melting point / freezing point Boiling point / boiling range > 100 °C / 212 °F

Flash point > 100 °C / 212 °F Pensky-Martens Closed Cup (PMCC)

**Evaporation rate** >= 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure 18 mmHa @ 25 °C Vapor density No information available

Relative density 1.1-1.3

dispersible Water solubility

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available

Kinematic viscosity > 100 mm2/s

Dynamic viscosity No information available

**Explosive properties** Not an explosive **Oxidizing properties** Not applicable

Other Information

Softening point No information available Molecular weight No information available No information available **VOC Content (%)** No information available **Density** No information available **Bulk density** 

#### 10. STABILITY AND REACTIVITY

@ 40 °C

## Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Elevated Temperature. Keep from freezing. Incompatible materials. Keep at 5 - 30 °C.

## **Incompatible materials**

Strong oxidizing agents. Strong acids. Strong bases.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

### **Product Information**

# HE817 - HENRY® 817 ROOF GUARD™ Urethane Enhanced White Waterproof Roof Coating

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Irritating to eyes.

Skin contact Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

**Ingestion** Based on available data, the classification criteria are not met.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Chlorothalonil 1897-45-6	= 10 g/kg ( Rat ) > 10000 mg/kg ( Rat )	> 10 g/kg(Rabbit)> 2500 mg/kg( Rat)	= 0.1 mg/L (Rat) 4 h = 0.31 mg/L (Rat) 1 h

#### Information on toxicological effects

Symptoms May cause an allergic skin reaction. May cause redness and tearing of the eyes. Coughing

and/ or wheezing. May cause skin irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

This product contains titanium dioxide which is classified as a possible carcinogen when

present as respirable dust. This is not relevant for this product since it is a liquid. The table

below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Polyurethane polymer (non-hazardous)	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Chlorothalonil 1897-45-6	-	Group 2B	-	Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Target Organs. Respiratory system. Eyes.

STOT - repeated exposureBased on available data, the classification criteria are not met.Target Organ EffectsEyes, lungs, Respiratory system, Skin, Central nervous system.Aspiration hazardBased on available data, the classification criteria are not met.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 63,047.00 mg/kg

 ATEmix (dermal)
 50,463.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

## Persistence and degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Partition coefficient	
Chlorothalonil	2.9	
1897-45-6		

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

# 14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
· ·	

# HE817 - HENRY® 817 ROOF GUARD™ Urethane Enhanced White Waterproof Roof Coating

Chlorothalonil - 1897-45-6	0.1
SARA 311/312 Hazard Categories	
Acute health hazard	Yes

Chronic Health Hazard

Fire hazard

Sudden release of pressure hazard

No
Reactive Hazard

No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name California Proposition 65		
Titanium dioxide - 13463-67-7	Carcinogen	
Chlorothalonil - 1897-45-6	Carcinogen	
Quartz - 14808-60-7	Carcinogen	

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	Х
Titanium dioxide 13463-67-7	X	X	Х
Chlorothalonil 1897-45-6	Х	X	Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical Properties -

MIS Health hazards 2\* Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Issue Date 20-Feb-2023 Revision Date 20-Feb-2023

**Revision Note** 

No information available

Procedure used to derive the classification

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**