
### **USE AND CARE GUIDE**

# BAYVIEW 6PC DEEP SEATING HIGH DINING CONVERSATION SET-CHAIRS



Questions, problems, missing parts? Before returning to the store, call Hampton Bay Customer Service 8 a.m. - 7 p.m., EST, Monday - Friday, 9 a.m. - 6 p.m., EST, Saturday

#### 1-855-HD-HAMPTON

#### **HAMPTONBAY.COM**

#### THANK YOU

### **Table of Contents**

Table of Contents2	Pre-Assembly3
Safety Information	Hardware Included
What is covered3	Package Contents
What is not covered	Assembly
Warranty	Service Parts

### **Important Safety Instructions**

# SAVE THESE INSTRUCTIONS READ ALL INSTRUCTIONS BEFORE USE

To reduce the risk of injury to persons:

- 1. Close supervision is necessary when this furnishing is used by or near children, or disabled persons, if applicable.
- 2. Use this furnishing only for its intended use as described in these instructions. Do not use attachments not recommended by the manufacturer.

#### SET UP YOUR FURNITURE PROPERLY

- 1. Ensure that all parts are assembled properly and fully tightened as per the instructions.
- 2. When placing in the desired location, ensure that all legs are resting on the same surface.

#### **EXAMINE YOUR FURNITURE**

Examine occasionally to ensure that there are no loose parts. If loose parts are found, they must be re-tightened fully before additional use.

#### **OBSERVE WEIGHT LIMITS**

The weight limits for the following products are listed below:

☐ Sofa: 700 lbs
☐ Rocking Chair: 300 lbs
☐ Chaise Lounge: 300 lbs
☐ Dining Table: 100 lbs
$\ \square$ Dining Chair: 200 lbs



If you overload your furniture, injuries can

### THREE YEAR FRAME, WEAVE AND FABRIC LIMITED WARRANTY

#### WHAT IS COVERED

We warrant the frame, weave and fabric to be free of manufacturing defects to the original purchaser for three years. For glass table top we warrant 30 days from the date of purchase.

#### WHAT IS NOT COVERED

This warranty does not cover commercial use, hardware, acts of nature, fire, freezing and abusive use. In addition, purchased parts are not covered under this warranty.

We reserve the right to make substitutions with similar merchandise, if the model in question is no longer in production. Contact the Customer Service Team at 1-855-HD-HAMPTON or visit www.Hamptonbay.com.

### **Pre-Assembly**

#### **PLANNING ASSEMBLY**

To prevent damage, place all parts on a soft surface during assembly. Remove all protective caps before beginning assembly.

#### **HARDWARE INCLUDED**







BB



CC

3



DD



EE





FF

Part	Description	Quantity
AA	Bolt ( $\Phi$ 8x35mm)	24
BB	Washer ( ∳8mm)	30
CC	Cap for bolt ( $\Phi$ 8mm)	30
DD	Bolt (⊕8x20mm)	6
EE	Hex wrench (5mm)	1
FF	Bolt ( $\Phi$ 8x12mm)	16

# Pre-Assembly(65-18123 Chr)

### PACKAGE CONTENTS(CHAIR)






Part	Description	Quantity
Α	Seat	1
В	Back	1
C	Left Arm	1
D	Right Arm	1
Е	Seat Cushion	1
F	Back Cushion	1


### Attaching the back


- Attach the back (B) to the seat (A) by aligning two holes on the back (B) with the two holes on the seat (A). Insert bolts(DD) with washers (BB) .
- Tighten half way using the Hex wrench(EE). Do not tighten completely.



### **2** Attaching the left arm


- Attach the left arm (C) to seat (A) fasten with bolts (AA) and washers (BB). Tighten half way using the Hex wrench(EE). Do not tighten completely. (Fig 1)
- Attach the back (B) to the left arm(C) by aligning the hole on the back (B) with the hole on the left arm (C). Insert bolts(AA)with washers (BB) and tighten half way using the Hex wrench (EE). Do not tighten completely.





# 3 Attaching the right arm

- Attach the right arm (D) to seat (A) fasten with bolts (AA) and washers(BB). Tighten half way using the Hex wrench (EE). Do not tighten completely. (Fig 1)
- Attach the back (B) to the right arm (D) insert bolts (AA)with washers (BB) and tighten half way using the Hex wrench (EE). Do not tighten completely. (Fig 2)




# Completing the assembly

- □ Place the chair right side up.
- Fully tighten all the bolts (AA) with the Hex wrench (EE) and cover with the bolt caps (CC). (Fig 1)
- Adjust leg levelers as required.

5


 Place the seat cushion (E) and back cushion (F) on the chair. This chair is now ready for your enjoyment. (Fig 2)



HAMPTONBAY.COM

# Pre-Assembly(65-18123 Lov)


### PACKAGE CONTENTS(LOVESEAT)



Part	Description	Quantity
G	Seat	1
Н	Back	1
M	Left Arm	1
N	Right Arm	1
E	Seat Cushion	2
F	Back Cushion	2


### Attaching the back

- Attach the back (H) to the seat (G) by aligning two holes on the back (H) with the two holes on the seat (G). Insert bolts(DD) with washers (BB) .
- Tighten half way using the Hex wrench(EE). Do not tighten completely.




### **2** Attaching the left arm

- Attach the left arm (M) to seat (G) fasten with bolts (AA) and washers (BB). Tighten half way using the Hex wrench(EE). Do not tighten completely. (Fig 1)
- Attach the back (H) to the left arm(M) by aligning the hole on the back (H) with the hole on the left arm (M).
   Insert bolts(AA)with washers (BB) and tighten half way using the Hex wrench (EE). Do not tighten completely.
   ( Fig 2)




# Attaching the right arm

- Attach the right arm (N) to seat (G) fasten with bolts (AA)and washers(BB). Tighten half way using the Hex wrench (EE). Do not tighten completely. (Fig 1)
- Attach the back (H) to the right arm (N) insert bolts (AA)with washers (BB) and tighten half way using the Hex wrench (EE). Do not tighten completely. (Fig 2)



# 4. Completing the assembly

- Place the loveseat right side up.
- Fully tighten all the bolts (AA) with the Hex wrench (EE)
- □ and cover with the bolt caps (CC). (Fig 1)
- Adjust leg levelers as required.
   Place the seat cushion (E) and back cushion (F) on the loveseat. This loveseat is now ready for your enjoyment.





HAMPTONBAY.COM

7

# Pre-Assembly(65-18123 Ott)

### PACKAGE CONTENTS(OTTOMAN)






Part	Description	Quantity
I	Seat	1
J	Legs	4
K	Cushions	1

### **Assembly**

# Attaching the legs to the seat


- □ Place the seat (I) on a soft surface.
- Separately insert four legs (J) into the seat frames. Insert bolts (FF) into the pictured nuts on the seat (I). Fully tighten all bolts with Hex wrench (EE). Please note there are no holes in the leg for the bolts to go through. There are eight screw nuts on the seat frame which will hold the legs from compression.



9

# **2** Completing the assembly

- Place the ottoman right side up.
- Place the cushion (K) on the ottoman. This ottoman is now ready for your enjoyment.



# **Cleaning and Maintenance**

_	
	Before using, wipe with a clean, dry cloth. Do not use bleach or solvents. When not in use, store furniture in a cool, dry place.
	Do not use bleach or solvents on fabrics. When cleaning the table top make sure to use a soft, clean cloth that does not bleed color
	as well.
Ш	Wash the frame with a mild solution of soap and water, rinse with clean water, and dry thoroughly.
	Cushions may also be cleaned by hand with a mild solution of soap and water. Rinse the cushion cover thoroughly and allow to drip dry. The
	hack cushion and nillow should be snot cleaned with a soft cloth. Do not machine wash or tumble dry, as cushions may shrink. Do not use

Use and operation: To improve the lifespan of this furniture, cover when not in use and store in a dry place in the off season.

bleach or solvents on fabrics. Never use cleaners that contain acid or abrasive materials.

10 HAMPTONBAY.COM

### **Service Parts**

Part	Description	Quantity
Α	Seat	2
В	Back	2
С	Left Arms	2
D	Right Arms	2
E	Seat Cushions	4
F	Back Cushions	4
G	Seat	1
Н	Back	1
I	Seats	2
J	Legs	8
K	Cushions	2
M	Left Arm	1
N	Right Arm	1

# HAMPTON BAY

Questions, problems, missing parts? Before returning to the store, call Hampton Bay Customer Service 8 a.m. - 7 p.m., EST, Monday - Friday, 9 a.m. - 6 p.m., EST, Saturday

1-855-HD-HAMPTON

**HAMPTONBAY.COM** 

Retain this manual for future use.