

INCLUDES

HOT SHOT® BED BUG GLUE TRAP

Place Anywhere Bed Bugs Can Hide: Under The Bed, Between The Mattress & Box Spring, & Around The Room — Multifunctional Design Helps Provide Early Warning of Bed Bug Infestations

HOT SHOT® BED BUG KILLER

1 For Use On Bed Frames, Box Springs & Other Listed Items —
Non-Staining, No Unpleasant Odor

1 HOT SHOT® BED BUG KILLER WITH EGG KILL

Spot Treat Mattress Tufts, Folds, Vent Holes & Seams

1 HOT SHOT® BED BUG KILLER DUST

WITH DIATOMACEOUS EARTH

Non-Staining — Easy To Use



INCLUDES

HOT SHOT® BED BUG GLUE TRAP

Place Anywhere Bed Bugs Can Hide: Under The Bed, Between The Mattress & Box Spring, & Around The Room — Multifunctional Design Helps Provide Early Warning of Bed Bug Infestations

HOT SHOT® BED BUG KILLER

1 For Use On Bed Frames, Box Springs & Other Listed Items —
Non-Staining, No Unpleasant Odor

1 HOT SHOT® BED BUG KILLER WITH EGG KILL

Spot Treat Mattress Tufts, Folds, Vent Holes & Seams

HOT SHOT® BED BUG KILLER DUST

WITH DIATOMACEOUS EARTH

1 Non-Staining — Easy To Use



HOT SHOT® BED BUG KILLER

ACTIVE INGREDIENTS:
Imiprothrin 0.020%
Lambda-Cyhalothrin 0.025%
OTHER INGREDIENTS 99.875%
TOTAL 100.000%

*For terms of guarantee, see back.

Net Wt 17.5 oz
(1 lb 1.5 oz / 496 g)



HOT SHOT® BED BUG GLUE TRAP

4 PACK *For terms of guarantee, see back.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional
precautionary statements.

MANTENGASE FUERA DEL
ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte la parte posterior para conocer las
declaraciones preventivas adicionales.

HOT SHOT® BED BUG KILLER WITH EGG KILL

Active Ingredient:
Cypermethrin 0.20%
Other Ingredients 99.80%
*For terms of guarantee, see back panel.



Net Contents 1 gal (128 fl oz)

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional
precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer las
declaraciones preventivas adicionales.

HOT SHOT® BED BUG KILLER DUST WITH DIATOMACEOUS EARTH

ACTIVE INGREDIENT:
Silicon Dioxide 85%
OTHER INGREDIENTS 15%
*For terms of guarantee, see back.

Net Wt 8 oz (226 g)

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional
precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte la parte posterior para conocer las
declaraciones preventivas adicionales.



BED BUG GLUE TRAP

Trampa con pegamento para chinches de cama

DETECTION

- Where to Use:** Anywhere bed bugs can hide: under the bed, between the mattress and box spring, and around the room.
- How Often to Use:** Disposable. When a bed bug is seen in the trap, begin treatment process. Replace as needed.

Multifunctional design helps provide early warning of bed bug infestations.

The Hot Shot® Bed Bug Glue Trap provides an easy way to detect your bed bug problems. These disposable, ready-to-use traps detect bed bugs where they live and travel. They work best when placed in areas of known bed bug activity and harborage, such as on furniture and bed frame legs, between the mattress and box spring, on the floor and under furniture.


For more information, visit www.hotshot.com.

STOP Read this entire label and follow all directions and precautions.

DIRECTIONS FOR USE

Prepare Trap

1. Push in Tab A to break perforation and pull out to remove completely. **SEE FIGURE A**
2. To remove release paper, hold down Tab B. Keep pressure on the trap and pull release paper from any corner exposing glue stripes. **SEE FIGURE B**
3. Fold trap at fold line (glue side in). Insert Tab C into the Tabs labeled D. **SEE FIGURE C**



For Use On Furniture & Bed Frame Legs

1. If desired, remove Tab B along perforation.
2. Slide onto furniture leg and/or bed frame leg. **SEE FIGURE D**


For Use Between The Mattress & Box Spring

1. Insert Tab B between the mattress and the box spring, allowing glue portion of trap to hang down against box spring. **SEE FIGURE E**

For Use On The Floor & Under Furniture

1. If desired, remove Tab B along perforation.
2. Place on floor along walls, ensuring open edge completely touches wall. **SEE FIGURE F**

Check trap at least once per week for bed bug evidence, such as small, reddish brown bugs the size of an apple seed, small blood stains or dark excreta spots, dead bed bugs, shed skins or small whitish eggs. If no evidence of bed bugs is noticed on the glue, be sure to check along inside of fold line and where Tabs C and D meet as this is where bed bugs will hide.



STORAGE & DISPOSAL

Storage: Store in a dry place inaccessible to children and pets. **Disposal:** Place trap into plastic bag and tightly seal bag. Make sure bag does not have any holes, rips or tears. Discard in trash immediately.

CAUTION. Keep out of reach of children and pets. Do not place traps where non-target animals may come in contact. In case of accidental contact with glue, use vegetable or baby oil to remove from skin. Wash hands thoroughly with soap and water after handling trap.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

Product of China

Distributed by Spectrum Group

Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Est. No. 74786-CHN-1 © 2016 UIC

HOT SHOT® BED BUG KILLER

Insecticida para chinches de cama

ALSO
KILLS FLEAS

TREATMENT

- Where to Use:** Treat cracks & crevices like the bed frame & box springs.
- Application:** Spray intended use areas until damp (not less than 3 seconds). DO NOT SATURATE.
- How Often to Use:** Inspect area and apply every two weeks while bed bugs are present.

Also Kills Fleas • Non-Staining • No Unpleasant Odor

SHAKE WELL BEFORE USING

STOP! READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For indoor residential use only.

HOW TO USE

Shake well before using. Hold can at an angle and spray into cracks and crevices to treat for bed bugs. Spray surfaces until damp, moving the spray rapidly to prevent excessive wetting and waste of product. Application of product should be no less than a three second spray. Point spray away from people, pets and plants. Do not use as a room spray.

Remove pets and cover aquariums before spraying. Do not allow the spray to contact food or food-contacting surfaces. Thoroughly wash dishes, utensils and countertops with soap and water if they are sprayed with this product.



WHERE TO USE

To Kill Bed Bugs and Bed Bug Eggs:

Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls, night stand and dresser drawers, picture frames and wall hangings, crown molding, and door and window casings. Allow treated surfaces to dry thoroughly before use. Inspect area and repeat after 2 weeks, if necessary, while bed bugs are present. For persistent infestations consult a professional applicator.

To Treat Beds for Bed Bugs and Bed Bug Eggs: Disassemble the bed frame and remove bedding. Do not apply product to bedding. Do not saturate the mattress or box spring. Do not treat the entire surface of the mattress or box spring. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges and tufts only. Allow the spray to dry before using the mattress and/or box spring. Also apply the product to cracks and crevices in the sleeping area such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and around other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys.

To Treat Luggage for Bed Bugs and Bed Bug Eggs: Remove contents and spot treat areas that may harbor bed bugs, concentrating on corners, pockets inside the luggage and seams. Allow luggage to dry before reuse.

To Kill Fleas and Ticks: Inspect area to see if fleas or ticks are present. Spray infested areas, such as nearby cracks and crevices, along and behind baseboards, pet resting areas, window and door frames and localized areas of floor coverings. Test inconspicuous sample of fabric or rug for staining before use. Contact fleas and ticks directly with spray. Old bedding of pets should be removed and cleaned or replaced with clean, fresh bedding after treatment of pet area. **Do not treat pets with this product.**

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry area inaccessible to children and away from heat or open flame. Do Not Puncture or Incinerate!

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

Distributed by Spectrum Group

Division of United Industries Corporation

P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-333-8845

EPA Est. Nos. 9688-MO-1 (U), 3657-WI-2 (BU), 58996-MO-1 (AE),

11623-GA-1 (OK), 11623-GA-3 (CN)

Circled letter is first letter of lot number. © 2016 UIC





INCLUDES

HOT SHOT® BED BUG GLUE TRAP

Place Anywhere Bed Bugs Can Hide: Under The Bed, Between The Mattress & Box Spring, & Around The Room — Multifunctional Design Helps Provide Early Warning of Bed Bug Infestations

HOT SHOT® BED BUG KILLER

For Use On Bed Frames, Box Springs & Other Listed Items — Non-Staining, No Unpleasant Odor

1 HOT SHOT® BED BUG KILLER WITH EGG KILL

Spot Treat Mattress Tufts, Folds, Vent Holes & Seams

HOT SHOT® BED BUG KILLER DUST

1 WITH DIATOMACEOUS EARTH

Non-Staining — Easy To Use

FOR BEST RESULTS USE THIS PRODUCT AS PART OF A COMPREHENSIVE BED BUG TREATMENT PLAN.

Treating bed bugs as part of a cycle is key to gaining control. Because infestations may be at a different part of the cycle when treatment begins, the information below will help you determine the best place to begin.

BED BUG HOME PROTECTION CYCLE



PREVENTION

To help prevent the spread of bed bugs from already infested mattresses and box springs into uninfested areas, you want to use an appropriate mattress and box spring encasement.

DETECTION

If you have not seen any bed bugs or are in prevention mode and want to ensure you are still bed bug free, you want to detect using a combination of the following products: • Hot Shot™ Bed Bug Interceptor™ • Hot Shot® Bed Bug Glue Trap

TREATMENT

If you have detected bed bugs by using the products above, being bitten or observing bed bugs, bed bug eggs or excrement in mattress tufts and bedding, you want to choose from one or more of the following product types depending on your needs:

- Use an aerosol product registered to treat bed bugs and bed bug eggs in cracks and crevices.
- Use a ready-to-use liquid product registered to treat bed bugs and bed bug eggs for spot treatment.
- Use a total release fogger registered to treat bed bugs and bed bug eggs for areas such as carpet, mattress and box spring surfaces, and furniture surfaces.
- Use a mattress treatment kit registered to treat bed bugs and bed bug eggs for mattresses and other household items.

*GUARANTEE

If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

EPA Est. Nos. 75793-MO-1(A), 91712-IL-1(D), 9688-MO-1(U), 80202-MO-1(BX), 80202-MO-2(BY), 91784-MO-1(DX),
74291-MO-1(AH), 88660-MO-1(DR), 92246-MO-1(DP)
Circled letter is first letter of lot number.

Distributed by Spectrum Group
Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642
16-12992 © 2018 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96522 6



BED BUG KILLER DUST WITH DIATOMACEOUS EARTH

Insecticida en polvo para chinches de cama con diatomita

TREATMENT

- Where to Use:** Dust around bed frames, mattresses and box springs, and within cracks and crevices in the sleeping area.
- Application:** Lightly coat in areas where listed pests are found and may hide. Keep dry.
Also kills fleas, ants, cockroaches, silverfish, beetles, earwigs, millipedes, centipedes, crickets, slugs and grasshoppers.

READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

Remove protective cap and snip off end of applicator. Replace protective cap after use. Use adequate ventilation and avoid breathing dust. Wear a suitable dust mask when using this product during prolonged exposure.

WHERE TO USE

INDOOR USE

Bed Bugs: Disassemble the bed frame and remove bedding. Do not apply product to bedding. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges and tufts, creases, folds, indentations, buttons and vent holes only. Do not treat the entire surface of the mattress or box spring. After four hours, vacuum the dust from the mattress. Also apply the product to cracks and crevices in the sleeping area, such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys.

Fleas: Thoroughly treat floor and bedding in and around pet sleeping quarters. Treat surrounding cracks and crevices, baseboards, carpeting and wherever fleas are suspected.

Cockroaches, Ants, Earwigs, Millipedes and Centipedes, Crickets and Silverfish: Lightly coat a thin layer of Hot Shot® Bed Bug Killer Dust with Diatomaceous Earth in areas where these pests are found and may hide, such as cracks and crevices; behind and beneath refrigerators, cabinets, stoves and garbage cans; in and around sewer pipes and drains; window frames and in attics and basements. Dust insects directly if possible. Repeat application when dust is no longer present and insects are observed.

Carpet Beetles: Dust along baseboards and carpet edges; under carpeting and furniture; in closets and shelving where these insects are seen or suspected.

OUTDOOR USE

Cockroaches, Earwigs, Millipedes, Centipedes, Slugs, Grasshoppers, Ants, Crickets and other crawling insects: Lightly coat areas where these insects are found or may hide, such as patios, planting beds, outdoor sills, window and door frames and outside of entranceways. Dust around foundations, along ant trails and around sewer pipes and drains.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. **Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eyes. Call a Poison Control Center or doctor for treatment advice.

Hotline Number: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-173-8845

EPA Est. Nos. 39578-TX-1 (AM), 69208-MO-1 (AO), 89287-KS-1 (DA), 89287-KS-2 (DC), 7401-TX-1 (HH), 9688-MO-1 (I), 11623-GA-3 (CN)

Circle letter is first letter of lot number. © 2016 UIC



BED BUG KILLER WITH EGG KILL

Insecticida para chinches de cama con tratamiento para matar sus huevos

TREATMENT

- Where to Use:** Spot treat mattress tufts, folds, vent holes and seams.
- Application:** Spray intended use areas until damp. DO NOT SATURATE.
- How Often to Use:** Inspect area and apply every two weeks while bed bugs are present.

Also Kills Fleas and Dust Mites • Non-Staining • No Odor

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For indoor use only.*

Do not use on pets.

People and pets should not be allowed in treated areas until spray has dried.

HOW TO USE

BEFORE USE:

1. Shake well before each use.
2. Open flip-top closure.
3. Remove sprayer from its slot beneath the bottle handle and unwrap the tubing. Pull hose plug to completely extend tubing.
4. Firmly press hose plug into opening in cap until it snaps into place.
5. Slide switch on hose plug counterclockwise to "OPEN."
6. Adjust nozzle to desired setting, SPRAY or STREAM.
7. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.

AFTER USE:

1. To store, turn sprayer nozzle off.
2. Turn hose plug switch clockwise to "CLOSED."
3. DO NOT disconnect hose.
4. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

WHERE TO USE

For control of carpet beetles, thoroughly spray along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else insects are seen or suspected.

For control of fleas, thoroughly spray pet beds; resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames; and localized areas of floor and floor covering where fleas may be present. Pet bedding should be replaced with clean, fresh bedding after treating the area. **Do not treat pets with this product.** To control the source of flea infestations, pets should be treated with a product registered for application to animals.

Note: Test inconspicuous sample of fabric or rug for staining before use. Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting.

For control of bed bugs and bed bug eggs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. Allow treated surfaces to dry thoroughly before use. Inspect area and repeat after two weeks, if necessary, while bed bugs are present. For persistent infestations, consult a professional applicator.

To treat beds for bed bugs and bed bug eggs: Disassemble the bed frame and remove bedding. Do not apply product to bedding. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges, tufts, folds and vent holes only. Do not saturate the mattress or box spring.

Do not treat the entire surface of the mattress or box spring. Allow the spray to dry before using the mattress and/or box spring. Also apply the product to cracks and crevices in the sleeping area such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys.

To treat luggage for bed bugs and bed bug eggs: Remove contents and spot treat areas that may harbor bed bugs and bed bug eggs, concentrating on corners, pockets inside the luggage and seams. Allow luggage to dry before reuse.

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry area away from heat or open flame.

Pesticide Disposal: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

Environmental Hazards

This product is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

Product of India

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-327-8845

EPA Est. Nos. 9688-MO-1 (J), 58996-MO-1 (AE), 11623-GA-1 (CK)

Circle letter is first letter of lot number. © 2017 UIC

GUARANTEED TO WORK OR
YOUR MONEY BACK*



BED BUG KILLER DUST

WITH **DIATOMACEOUS
EARTH**

Insecticida en polvo para chinches de cama con diatomita

TREATMENT

FOR USE IN WALL VOIDS, ON
CARPET TACK STRIPS & CARPET EDGES

- Non-Staining • Easy To Use

**KILLS BED BUGS
BY CONTACT**

Tratamiento – Para usar en espacios vacíos de la pared,
en tiras de tachuelas para alfombras y bordes de alfombras

ACTIVE INGREDIENT:
Silicon Dioxide..... 85%
OTHER INGREDIENTS..... 15%

*For terms of guarantee, see back.

Net Wt 8 oz (226 g)

KEEP OUT OF REACH OF CHILDREN
See back for additional

CAUTION precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte la parte posterior para conocer las
declaraciones preventivas adicionales.

STOP. READ ENTIRE LABEL BEFORE USE.

ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

**RESEALABLE
LABEL**


ETIQUETA RESELLABLE



BED BUG KILLER DUST WITH DIATOMACEOUS EARTH

Insecticida en polvo para chinches de cama con diatomita

BED BUG HOME PROTECTION CYCLE



FOR BEST RESULTS

USE THIS PRODUCT AS PART OF A
COMPREHENSIVE BED BUG TREATMENT PLAN
Visit our website, www.hotshot.com, for more
information.

Treating bed bugs as part of a cycle is key to gaining control. Because infestations may be at a different part of the cycle when treatment begins, the following information will help you determine the best place to begin.

TREATMENT

If you have detected bed bugs by using the products below, being bitten or observing bed bugs, bed bug eggs or excrement in mattress tufts and bedding, you want to choose from one or more of the following product types depending on your needs:

- Use an aerosol product registered to treat bed bugs and bed bug eggs in cracks and crevices.
- Use a ready-to-use liquid product registered to treat bed bugs and bed bug eggs for spot treatment.
- Use a total release fogger registered to treat bed bugs and bed bug eggs for areas such as carpet, mattress and box spring surfaces, and furniture surfaces.
- Use a mattress treatment kit registered to treat bed bugs and bed bug eggs for mattresses and other household items.

PREVENTION

To help prevent the spread of bed bugs from already infested areas into uninfested areas, you want to use an appropriate mattress and box spring encasement.

DETECTION

If you have not seen any bed bugs or are in prevention mode and want to ensure you are still bed bug free, you want to detect using a combination of the following products:

- Hot Shot™ Bed Bug Interceptor™
- Hot Shot™ Bed Bug Glue Trap

GUARANTEE If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

FAQ Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com
Preguntas o comentarios? Llame al 1-800-917-5431.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Distributed by Spectrum Group, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 6968-173-8845 EPA Est. Nos. 69208-MO-3(DM) 69208-MO-1(AD) 89287-KS-2(CC) 39578-TX-1(AM) 7401-TX-1(OH) 9688-MO-1(U)
Circle letter is first letter of lot number. 17-16681 © 2017 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96446 5

STOP READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

Remove protective cap and snip off end of applicator. Replace protective cap after use. Use adequate ventilation and avoid breathing dust. Wear a suitable dust mask when using this product during prolonged exposure.

WHERE TO USE

INDOOR USE

Bed Bugs: Disassemble the bed frame and remove bedding. Do not apply product to bedding. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges and tufts, creases, folds, indentations, buttons and vent holes only. Do not treat the entire surface of the mattress or box spring. After four hours, vacuum the dust from the mattress. Also apply the product to cracks and crevices in the sleeping area, such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys.

Fleas: Thoroughly treat floor and bedding in and around pet sleeping quarters. Treat surrounding cracks and crevices, baseboards, carpeting and wherever fleas are suspected.

Cockroaches, Ants, Earwigs, Millipedes and Centipedes, Crickets and Silverfish: Lightly coat a thin layer of Hot Shot® Bed Bug Killer Dust with Diatomaceous Earth in areas where these pests are found and may hide, such as cracks and crevices; behind and beneath refrigerators, cabinets, stoves and garbage cans; in and around sewer pipes and drains; window frames and in attics and basements. Dust insects directly if possible. Repeat application when dust is no longer present and insects are observed.

Carpet Beetles: Dust along baseboards and carpet edges; under carpeting and furniture; in closets and shelving where these insects are seen or suspected.

OUTDOOR USE

Cockroaches, Earwigs, Millipedes, Centipedes, Slugs, Grasshoppers, Ants, Crickets and other crawling insects: Lightly coat areas where these insects are found or may hide, such as patios, planting beds, outdoor sills, window and door frames and outside of entranceways. Dust around foundations, along ant trails and around sewer pipes and drains.

ALTO LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

CÓMO APLICAR

Quite la tapa protectora y corte la punta del aplicador. Vuelva a colocar la tapa protectora después de usar. Úselo con ventilación adecuada y evite respirar el polvo. Utilice una mascarilla contra polvo adecuada cuando use este producto durante una exposición prolongada.

DÓNDE USAR

PARA USO EN ESPACIOS INTERIORES

Chinchas de cama: Desarme el armazón de la cama y retire la ropa de cama. No aplique el producto a la ropa de cama. Aplique este producto al armazón de la cama, el colchón y el box spring. La aplicación a colchones y box springs está dirigida a tratar las costuras, bordes, grietas, pliegues, hendiduras, botones y agujeros de ventilación solamente. No trate toda la superficie del colchón o el box spring. Después de cuatro horas, limpie con la aspiradora el polvo del colchón. Además, aplique el producto a grietas y rajaduras en el dormitorio tales como los bordes inferiores, detrás de cuadros, tapices y colgantes, a lo largo y debajo de los bordes de las alfombras y a otros artículos o muebles en el dormitorio o la zona de dormir. No aplique a peluches o juguetes.

Pulgas: Aplique el tratamiento a fondo en pisos y cama en y alrededor de los lugares de descanso de las mascotas. Aplique alrededor de grietas y rajaduras, bordes inferiores, alfombrados y en cualquier otro lugar donde se sospeche que se encuentren las pulgas.

Cucarachas, hormigas, tijeretas, milpiés y ciempiés, grillos y lepismas: Cubra ligeramente con una capa fina de Insecticida en polvo para chinches de cama con diatomita Hot Shot® en las zonas donde se encuentren y puedan esconderse estos insectos nocivos como en grietas y rajaduras; detrás y debajo de refrigeradores, gabinetes, estufas y botes de basura; dentro y alrededor de tubos de alcantarillado y drenajes; marcos de ventanas y en áticos y sótanos. Aplique el polvo directamente a los insectos si es posible. Repita la aplicación cuando ya no haya polvo y se observen insectos.

Escarabajos de la alfombra: Aplique el polvo a lo largo de los bordes inferiores y bordes de alfombras; debajo de alfombrado y muebles; en closets y estantes donde se observen estos insectos o se sospeche que se encuentren.

PARA USO EN ESPACIOS EXTERIORES

Cucarachas, tijeretas, milpiés, ciempiés, babosas, saltamontes, hormigas, grillos y otros insectos rastreados: Cubra ligeramente las zonas donde se encuentren y puedan esconderse estos insectos, como patios, lechos sembrados, alféizares exteriores, marcos de ventanas y puertas y fuera de los caminos de entrada. Aplique el polvo cerca de los cimientos, a lo largo de los caminos de hormigas y alrededor de tubos de alcantarillado y drenajes.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. **Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eyes. Call a Poison Control Center or doctor for treatment advice.

Hotline Number: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

 **Questions or Comments?** Call 1-800-917-5431 or visit our website at www.hotshot.com

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento: Guarde en un lugar fresco y seco. **Eliminación:** Si está vacío: Envase no rellenable. No vuelva a usar o llenar este envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN. Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

PRIMEROS AUXILIOS

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retirelos después de los primeros cinco minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Número de la línea directa: Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5431 para obtener información acerca del tratamiento médico de urgencia.

RIESGOS PARA EL MEDIO AMBIENTE

Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipa lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5431.

INSPECT AREA & APPLY EVERY
2 WEEKS
WHILE BED BUGS ARE PRESENT

GUARANTEED

TO WORK, OR YOUR MONEY BACK*



BED BUG KILLER

WITH **EGG KILL**

Insecticida para chinches de cama con tratamiento para matar sus huevos

TREATMENT

ALSO KILLS FLEAS & DUST MITES • NON-STAINING • NO ODOR
Spot Treat Mattress Tufts, Folds, Vent Holes & Seams

KILLS BED BUGS & BED BUG EGGS BY CONTACT

Tratamiento – Tratamiento localizado de colchones para grietas, pliegues, agujeros de ventilación y costuras

Active Ingredient:
Cypermethrin 0.20%
Other Ingredients..... 99.80%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional
precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer
las declaraciones preventivas adicionales.

*For terms of guarantee, see back panel.

Net Contents 1 gal (128 fl oz / 3.78 L)



17-16289

STOP. READ ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USING.

ALTO. LEA TODA LA ETIQUETA ANTES DE USAR. AGITE BIEN ANTES DE USAR.

PEEL HERE RESEALABLE LABEL
ABRA AQUÍ. ETIQUETA RESELLABLE



BED BUG KILLER

WITH
EGG KILL

Insecticida para chinches de cama con tratamiento para matar sus huevos

BED BUG HOME PROTECTION CYCLE



FOR BEST RESULTS

USE THIS PRODUCT AS PART OF A COMPREHENSIVE BED BUG TREATMENT PLAN

Treating bed bugs as part of a cycle is key to gaining control.

Because infestations may be at a different part of the cycle when treatment begins, the following information will help you determine the best place to begin.

Where to Use: Spot treat mattress tufts, folds, vent holes and seams.

Application: Spray intended use areas until damp. DO NOT SATURATE.

How Often to Use: Inspect area and apply every two weeks while bed bugs are present.

Also Kills Fleas and Dust Mites • Non-Staining • No Odor

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

Environmental Hazards

This product is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*GUARANTEE

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.



Questions or Comments?

Call 1-800-917-5431 or visit our website at www.hotshot.com

• Preguntas o comentarios? Llame al 1-800-917-5431.

TREATMENT

If you have detected bed bugs by using the products below, being bitten or observing bed bugs, bed bug eggs or excrement in mattress tufts and bedding, you want to choose from one or more of the following product types depending on your needs:

- Use an aerosol product registered to treat bed bugs and bed bug eggs in cracks and crevices.
- Use a ready-to-use liquid product registered to treat bed bugs and bed bug eggs for spot treatment.
- Use a total release fogger registered to treat bed bugs and bed bug eggs for areas such as carpet, mattress and box spring surfaces, and furniture surfaces.
- Use a mattress treatment kit registered to treat bed bugs and bed bug eggs for mattresses and other household items.

PREVENTION

To help prevent the spread of bed bugs from already infested areas into uninfested areas, you want to use an appropriate mattress and box spring encasement.

DETECTION

If you have not seen any bed bugs or are in prevention mode and want to ensure you are still bed bug free, you want to detect using a combination of the following products:

- Hot Shot™ Bed Bug Interceptor™
- Hot Shot™ Bed Bug Glue Trap

Product of India

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-327-8845

EPA Est. Nos. 9688-MO-1(1), 58996-MO-1(E)

11623-GA-1(OK)

Circled letter is first letter of lot number.

17-16620 © 2017 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96442 7

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For indoor use only.*

Do not use on pets.



People and pets should not be allowed in treated areas until spray has dried.

HOW TO USE

BEFORE USE:

1. Shake well before each use.
2. Open flip-top closure.
3. Remove sprayer from its slot beneath the bottle handle and unwrap the tubing. Pull hose plug to completely extend tubing.
4. Firmly press hose plug into opening in cap until it snaps into place.
5. Slide switch on hose plug counterclockwise to "OPEN."
6. Adjust nozzle to desired setting, SPRAY or STREAM.
7. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.

AFTER USE:

1. To store, turn sprayer nozzle off.
2. Turn hose plug switch clockwise to "CLOSED."
3. DO NOT disconnect hose.
4. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

WHERE TO USE

For control of carpet beetles, thoroughly spray along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else insects are seen or suspected.

For control of fleas, thoroughly spray pet beds; resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames; and localized areas of floor and floor covering where fleas may be present. Pet bedding should be replaced with clean, fresh bedding after treating the area. ***Do not treat pets with this product.*** To control the source of flea infestations, pets should be treated with a product registered for application to animals.

Note: *Test inconspicuous sample of fabric or rug for staining before use. Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting.*

For control of bed bugs and bed bug eggs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. Allow treated surfaces to dry thoroughly before use. Inspect area and repeat after two weeks, if necessary, while bed bugs are present. For persistent infestations, consult a professional applicator. **To treat beds for bed bugs and bed bug eggs:** Disassemble the bed frame and remove bedding. Do not apply product to bedding. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges, tufts, folds and vent holes only. Do not saturate the mattress or box spring. Do not treat the entire surface of the mattress or box spring.

ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. *Solo para uso en espacios interiores.*

No lo use en mascotas.



No permita que las personas ni las mascotas entren en las áreas tratadas hasta que el rocío se haya secado.

CÓMO USAR

ANTES DE USAR:

1. Agite bien antes de cada uso.
2. Levante la tapa abatible.
3. Retire el rociador de su ranura debajo del asa de la botella y desenvuelva el tubo. Jale el tapón de la manguera para que el tubo se extienda por completo.
4. Presione fuerte el tapón de la manguera en la abertura de la tapa hasta que trabe.
5. Deslice la llave en el tapón de la manguera en sentido contrario a las manecillas del reloj para abrir ("OPEN").
6. Ajuste la boquilla al nivel deseado, SPRAY (Roció) o STREAM (Chorro).
7. Sostenga el rociador por debajo del nivel del envase y cárguelo bombeando el gatillo varias veces hasta que salga el producto.

DESPUÉS DE USAR:

1. Para guardar, gire la boquilla del rociador a la posición "off" (apagado).
2. Gire la llave del tapón de la manguera en sentido de las manecillas del reloj hasta "CLOSED" para cerrarla.
3. NO desconecte la manguera.
4. Coloque el rociador nuevamente en su ranura. La manguera se puede meter en el asa del rociador.

DÓNDE USAR

Para el control de los escarabajos de las alfombras, rocíe a fondo a lo largo de bordes inferiores y bordes de alfombras, debajo del alfombrado, de tapetes y muebles, en closets y estantes, y en cualquier otro lugar donde se observen los insectos o se sospeche que se encuentran.

Para el control de pulgas, rocíe a fondo las camas de las mascotas; los lugares de descanso; cerca de grietas y rajaduras; a lo largo y detrás de bordes inferiores, marcos de ventanas y puertas; y zonas localizadas de pisos y coberturas de pisos donde las pulgas puedan estar presentes. Después de tratar el lugar, la cama de la mascota se debe reemplazar con una cama nueva y limpia. ***No trate a las mascotas con este producto.*** Para controlar la fuente de infestaciones por pulgas, las mascotas se deben tratar con un producto que esté autorizado para aplicar a animales.

Nota: *Antes de usarlo, pruebe el producto en una muestra del tejido o tapete que no se vea para asegurarse de que no manche. Antes de usar el producto en su marca específica de alfombra, revise la garantía y las instrucciones del fabricante sobre el cuidado y mantenimiento de la alfombra.*

Para el control de chinches de cama y sus huevos: Aplique como tratamiento localizado a grietas y rajaduras alrededor de bordes inferiores, tablas de suelo, tablas de cama y paredes. Permita que las superficies tratadas se sequen bien antes de usarlas. Inspeccione el área y repita el tratamiento después de 2 semanas si es necesario mientras haya chinches de cama. Para infestaciones persistentes, consulte con un aplicador profesional. **Para aplicar el tratamiento de chinches de cama y sus huevos a las camas:** Desarme el armazón de la cama y retire la ropa de cama. No aplique el producto a la ropa de cama. Aplique este producto al armazón de la cama, el colchón y el box spring. La aplicación a colchones y box springs está dirigida a tratar las costuras, bordes, grietas, pliegues y agujeros de ventilación solamente. No sature el colchón o el box spring. No trate toda la superficie del colchón o el box spring.

Allow the spray to dry before using the mattress and/or box spring. Also apply the product to cracks and crevices in the sleeping area such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys. **To treat luggage for bed bugs and bed bug eggs:** Remove contents and spot treat areas that may harbor bed bugs and bed bug eggs, concentrating on corners, pockets inside the luggage and seams. Allow luggage to dry before reuse.

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry area away from heat or open flame.

Pesticide Disposal: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

Environmental Hazards

This product is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

 **Questions or Comments?** Call 1-800-917-5431 or visit our website at www.hotshot.com

Product of India

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-327-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE), 11623-GA-1(CK)

Circle letter is first letter of lot number. 17-16620 © 2017 UIC

Permita que el rocío se seque antes de usar el colchón y/o el box spring. Además, aplique el producto a grietas y rajaduras en el dormitorio tales como los bordes inferiores, detrás de cuadros, tapices y colgantes, a lo largo y debajo de los bordes de las alfombras y a otros artículos o muebles en el dormitorio o la zona de dormir. No aplique a peluches o juguetes. **Para aplicar el tratamiento de chinches de cama y sus huevos al equipaje:** Vacíe el contenido y aplique como tratamiento localizado a las áreas donde pueda haber chinches de cama y sus huevos, concentrándose en las esquinas, los bolsillos dentro de las maletas y las costuras. Deje secar el equipaje antes de volver a usarlo.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Guarde en un lugar fresco y seco, lejos del calor o del fuego.

Eliminación del pesticida: Envase no rellenables. No vuelva a usar ni a rellenar este envase. **Si está vacío:** Tírela en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use gafas de protección. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

Primeros auxilios

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelas después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5431 para obtener información acerca del tratamiento médico de urgencia.

Riesgos para el medio ambiente

Este producto es tóxico para los peces y otros organismos acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escorra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipa lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

 **¿Preguntas o comentarios?** Llame al 1-800-917-5431.

GUARANTEEDTO WORK, OR
YOUR MONEY BACK*

BED BUG KILLER

Insecticida para chinches de cama

ALSO

KILLS FLEAS

TREATMENT

with BED BUG EGG KILL

- For Use On Bed Frames, Box Springs & other listed items
- Non-Staining, No Unpleasant Odor

KILLS BY CONTACT

Tratamiento para matar los huevos de las chinches de cama

ACTIVE INGREDIENTS:

Imiprothrin 0.100%
 Lambda-Cyhalothrin 0.025%
 OTHER INGREDIENTS 99.875%
 TOTAL 100.000%

*For terms of guarantee, see back.

Net Wt 17.5 oz
(1 lb 1.5 oz / 496 g)

KEEP OUT OF REACH OF CHILDREN

CAUTION See back for additional precautionary statements.

MANTÉNGASE FUERA DEL

ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte la parte posterior para conocer las declaraciones preventivas adicionales.



STOP. READ ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USING.
 ALTO. LEA TODA LA ETIQUETA ANTES DE USAR. AGITE BIEN ANTES DE USAR.

RESEALABLE LABEL
 ETIQUETA RESELLABLE



BED BUG KILLER

Insecticida para chinches de cama

ALSO **KILLS FLEAS**

BED BUG HOME PROTECTION CYCLE



FOR BEST RESULTS USE THIS PRODUCT AS PART OF A COMPREHENSIVE BED BUG TREATMENT PLAN

Treating bed bugs as part of a cycle is key to gaining control.

Because infestations may be at a different part of the cycle when treatment begins, the following information will help you determine the best place to begin.

*GUARANTEE

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.
NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Questions or Comments? Call 1-800-917-5431 or visit our website at
www.hotshot.com

¿Preguntas o comentarios? Llame al 1-800-917-5431.

Distributed by Spectrum Group, Division of United Industries Corporation

P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-333-8845

EPA Est. Nos. 9688-MO-1(1), 3657-WI-2(BU), 58996-MO-1(AE),

11623-GA-1(CX), 11623-GA-3(CN)

Circled letter is first letter of lot number.

17-15468

© 2016 UIC



Federal regulations prohibit
CFC propellants in aerosols.

PROOF OF PURCHASE

FPO UPC
0 71121 96440 3

SHAKE WELL BEFORE USING (AGITE BIEN ANTES DE USAR)

STOP! READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For indoor residential use only.

HOW TO USE

Shake well before using. Hold can at an angle and spray into cracks and crevices to treat for bed bugs. Spray surfaces until damp, moving the spray rapidly to prevent excessive wetting and waste of product. Application of product should be no less than a three second spray. Point spray away from people, pets and plants. Do not use as a room spray.

Remove pets and cover aquariums before spraying. Do not allow the spray to contact food or food-contacting surfaces. Thoroughly wash dishes, utensils and countertops with soap and water if they are sprayed with this product.



¡ALTO! LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

Solo para uso residencial en espacios interiores.

CÓMO USAR

Agite bien antes de usar. Sostenga la lata en un ángulo y rocíe en grietas y rajaduras para eliminar las chinches de cama. Rocíe las superficies hasta humedecer, moviendo el rociador rápidamente para evitar mojar en exceso y desperdiciar el producto. La aplicación del producto no debe ser menos de una rociada de tres segundos. Dirija el rocio lejos de las personas, las mascotas y las plantas. No lo use como un rocio de habitación.

Antes de rociar, retire a las mascotas y cubra las peceras. No permita que el rocio entre en contacto con alimentos ni con superficies que entren en contacto con alimentos. Lave muy bien con agua y jabón platos, utensilios y superficies de cocina en caso de que se rocién con este producto.



WHERE TO USE

To Kill Bed Bugs and Bed Bug Eggs:

Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls, night stand and dresser drawers, picture frames and wall hangings, crown molding, and door and window casings. Allow treated surfaces to dry thoroughly before use. Inspect area and repeat after 2 weeks, if necessary, while bed bugs are present. For persistent infestations consult a professional applicator.

To Treat Beds for Bed Bugs and Bed Bug Eggs: Disassemble the bed frame and remove bedding. Do not apply product to bedding. Do not saturate the mattress or box spring. Do not treat the entire surface of the mattress or box spring. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges

DÓNDE USAR

Para eliminar chinches de cama y sus huevos:

Aplique como tratamiento localizado a grietas y rajaduras a lo largo de bordes inferiores, tablas de suelo, tablas de cama y paredes, gavetas de tocadores y mesitas de noche, marcos, tapices, molduras de techo y marcos de puertas y ventanas. Permita que las superficies tratadas se sequen bien antes de usarlas. Inspeccione el área y repita el tratamiento después de 2 semanas, si es necesario, mientras haya chinches de cama. Para infestaciones persistentes, consulte con un aplicador profesional.

Para aplicar el tratamiento de chinches de cama y sus huevos a las camas: Desarme el armazón de la cama y retire la ropa de cama. No aplique el producto a la ropa de cama. No sature el colchón o el box spring. No trate toda la superficie del colchón o el box spring. Aplique este producto al armazón de la cama, el colchón y el box spring. La aplicación a colchones y box springs está dirigida a tratar las costuras, bordes y grietas solamente. Permita que el rocio se seque antes de usar el colchón y/o el box spring. Además, aplique el producto a grietas y

and tufts only. Allow the spray to dry before using the mattress and/or box spring. Also apply the product to cracks and crevices in the sleeping area such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and around other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys.

To Treat Luggage for Bed Bugs and Bed Bug Eggs: Remove contents and spot treat areas that may harbor bed bugs, concentrating on corners, pockets inside the luggage and seams. Allow luggage to dry before reuse.

To Kill Fleas and Ticks: Inspect area to see if fleas or ticks are present. Spray infested areas, such as nearby cracks and crevices, along and behind baseboards, pet resting areas, window and door frames and localized areas of floor coverings. Test inconspicuous sample of fabric or rug for staining before use. Contact fleas and ticks directly with spray. Old bedding of pets should be removed and cleaned or replaced with clean, fresh bedding after treatment of pet area. ***Do not treat pets with this product.***

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry area inaccessible to children and away from heat or open flame. Do Not Puncture or Incinerate!

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

 **Questions or Comments?** Call 1-800-917-5431 or visit our website at www.hotshot.com

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-333-8845

EPA Est. Nos. 9688-MO-1 (U), 3657-WI-2 (BU), 58996-MO-1 (AE), 11623-GA-1 (CK), 11623-GA-3 (CN)

Circle letter is first letter of lot number. 17-15468 © 2016 UIC

rajaduras en la zona de dormir tales como los bordes inferiores, detrás de cuadros, tapices y colgantes, a lo largo y debajo de los bordes de las alfombras y a lo largo de otros artículos o muebles en el dormitorio o la zona de dormir. No aplique a peluches o juguetes.

Para aplicar el tratamiento de chinches de cama y sus huevos al equipaje: Vacíe el contenido y aplique como tratamiento localizado a las áreas donde pueda haber chinches de cama, concentrándose en las esquinas, los bolsillos dentro de las maletas y las costuras. Deje secar antes de volver a usarlo.

Para matar pulgas y garrapatas: Inspeccione el área para ver si hay pulgas y garrapatas. Rocíe las áreas infestadas, como grietas y rajaduras cercanas, a lo largo y detrás de bordes inferiores, los lugares de descanso de las mascotas, los marcos de ventanas y puertas y áreas localizadas de coberturas de piso. Antes de usarlo, pruebe el producto en una muestra del tejido o tapete que no se vea para asegurarse de que no manche. Rocíe directamente a las pulgas y garrapatas. Después de tratar el lugar de la mascota, la cama vieja de la mascota se debe retirar y limpiar o reemplazar con una cama nueva y limpia. **No trate a las mascotas con este producto.**

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Guarde en un lugar fresco y seco que no sea accesible a los niños, y lejos del calor o del fuego. ¡No lo perfore ni incinere!

Eliminación del pesticida y manipulación del envase: Envase no rellenable. No vuelva a usar ni a llenar este envase. **Si está vacío:** Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación.

Riesgos físicos o químicos

Contenido bajo presión. No lo use ni guarde cerca de una fuente de calor ni del fuego. No perfore ni incinere el envase. La exposición a una temperatura superior a 130°F puede causar explosiones.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

 ¿Preguntas o comentarios? Llame al 1-800-917-5431.

Trampa con pegamento para chinches de cama

BED BUG GLUE TRAP

4 PACK



GUARANTEED

**TO WORK, OR
YOUR MONEY BACK***

HOT SHOT™



BED BUG GLUE TRAP

Trampa con pegamento para chinches de cama

DETECTION

**PLACE ANYWHERE BED BUGS CAN HIDE:
UNDER THE BED, BETWEEN THE MATTRESS
& BOX SPRING, & AROUND THE ROOM**

Multifunctional Design Helps Provide Early Warning of Bed Bug Infestations

PESTICIDE-FREE

Detector de chinches de cama

*Coloque en cualquier lugar donde pueden esconderse las chinches de cama:
debajo de la cama, entre el colchón y el box spring y en los alrededores de la habitación*




4 PACK

Paquete de 4

*For terms of guarantee, see back.



BED BUG HOME PROTECTION CYCLE



FOR BEST RESULTS

USE THIS PRODUCT AS PART OF A
COMPREHENSIVE BED BUG TREATMENT PLAN

Treating bed bugs as part of a cycle is key to gaining control.

Because infestations may be at a different part of the cycle when treatment begins, the following information will help you determine the best place to begin.

DETECTION

If you have not seen any bed bugs or are in prevention mode and want to ensure you are still bed bug free, you want to detect using a combination of the following products:

- Hot Shot™ Bed Bug Interceptor™
- Hot Shot™ Bed Bug Glue Trap

TREATMENT

If you have detected bed bugs by using the products above, being bitten or observing bed bugs, bed bug eggs or excrement in mattress tufts and bedding, you want to choose from one or more of the following product types depending on your needs:

- Use an aerosol product registered to treat bed bugs and bed bug eggs in cracks and crevices.
- Use a ready-to-use liquid product registered to treat bed bugs and bed bug eggs for spot treatment.
- Use a total release fogger registered to treat bed bugs and bed bug eggs for areas such as carpet, mattress and box spring surfaces, and furniture surfaces.
- Use a mattress treatment kit registered to treat bed bugs and bed bug eggs for mattresses and other household items.

PREVENTION

To help prevent the spread of bed bugs from already infested areas into uninfested areas, you want to use an appropriate mattress and box spring encasement.

*GUARANTEE

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5431.

Product of China
Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Est. No. 74786-CHN-1
16-11837 © 2016 UIC

FPO UPC
0 71121 96318 5

Where to Use: Anywhere bed bugs can hide: under the bed, between the mattress and box spring, and around the room.

How Often to Use: Disposable. When a bed bug is seen in the trap, begin treatment process. Replace as needed.

Multifunctional design helps provide early warning of bed bug infestations.

The Hot Shot™ Bed Bug Glue Trap provides an easy way to detect your bed bug problems. These disposable, ready-to-use traps detect bed bugs where they live and travel. They work best when placed in areas of known bed bug activity and harborage, such as on furniture and bed frame legs, between the mattress and box spring, on the floor and under furniture.

For more information, visit www.hotshot.com.




Read this entire label and follow all directions and precautions.

DIRECTIONS FOR USE

Prepare Trap

1. Push in Tab A to break perforation and pull out to remove completely.
SEE FIGURE A
2. To remove release paper, hold down Tab B. Keep pressure on the trap and pull release paper from any corner exposing glue stripes. *SEE FIGURE B*
3. Fold trap at fold line (glue side in). Insert Tab C into the Tabs labeled D.
SEE FIGURE C



For Use On Furniture & Bed Frame Legs

1. If desired, remove Tab B along perforation.
2. Slide onto furniture leg and/or bed frame leg. *SEE FIGURE D*


For Use Between The Mattress & Box Spring

1. Insert Tab B between the mattress and the box spring, allowing glue portion of trap to hang down against box spring. *SEE FIGURE E*

For Use On The Floor & Under Furniture

1. If desired, remove Tab B along perforation.
2. Place on floor along walls, ensuring open edge completely touches wall.
SEE FIGURE F

Check trap at least once per week for bed bug evidence, such as small, reddish brown bugs the size of an apple seed, small blood stains or dark excreta spots, dead bed bugs, shed skins or small whitish eggs. If no evidence of bed bugs is noticed on the glue, be sure to check along inside of fold line and where Tabs C and D meet as this is where bed bugs will hide.



STORAGE & DISPOSAL

Storage: Store in a dry place inaccessible to children and pets. **Disposal:** Place trap into plastic bag and tightly seal bag. Make sure bag does not have any holes, rips or tears. Discard in trash immediately.

CAUTION. Keep out of reach of children and pets. Do not place traps where non-target animals may come in contact. In case of accidental contact with glue, use vegetable or baby oil to remove from skin. Wash hands thoroughly with soap and water after handling trap.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-917-5431 or visit our website at www.hotshot.com

Dónde usar: En cualquier lugar donde pueden esconderse las chinches de cama: debajo de la cama, entre el colchón y el box spring y en los alrededores de la habitación.

Con cuánta frecuencia usar: Desechable. Cuando vea chinches en la trampa, empiece el proceso de tratamiento. Reemplace cuando sea necesario.

El diseño multifunción proporciona un aviso temprano de infestaciones de chinches de cama.


La Trampa con pegamento para chinches de cama Hot Shot™ proporciona una manera fácil de detectar los problemas de chinches de cama. Estas trampas desechables y listas para usar detectan las chinches de cama donde viven y viajan. Funcionan mejor cuando se colocan en áreas donde se sabe que hay actividad de chinches de cama o donde se alojan, como en los muebles y las patas del armazón de la cama, entre el colchón y el box spring, en el piso y debajo de los muebles.

ALTO Lea esta etiqueta completa y siga todas las indicaciones y precauciones.

MODO DE EMPLEO

Prepare la trampa

1. Oprima la pestaña (TAB) A para romper por la perforación y jale para sacar por completo. [VEA LA FIGURA A](#)
2. Para quitar el papel antiadherente, sujeté la pestaña B. Mantenga la presión sobre la trampa y jale el papel antiadherente por cualquier esquina hasta dejar expuestas las franjas de pegamento. [VEA LA FIGURA B](#)
3. Doble la trampa por la línea de plegado (el lado con el pegamento hacia el interior). Inserte la pestaña C en las pestañas marcadas D. [VEA LA FIGURA C](#)



Para usar en muebles y patas del armazón de la cama

1. Si lo desea, desprenda la pestaña B por la perforación.
2. Deslice en la pata del mueble y/o en la pata del armazón de la cama. [VEA LA FIGURA D](#)


Para usar entre el colchón y el box spring

1. Inserte la pestaña B entre el colchón y el box spring, permitiendo que la parte con pegamento de la trampa cuelgue de frente al box spring. [VEA LA FIGURA E](#)

Para usar en el piso y debajo de los muebles

1. Si lo desea, desprenda la pestaña B por la perforación.
2. Coloque en el piso a lo largo de las paredes, asegurándose de que el lado abierto toque completamente la pared. [VEA LA FIGURA F](#)

Revise la trampa por lo menos una vez por semana para buscar evidencia de chinches de cama, tales como pequeños insectos de color marrón rojizo del tamaño de una semilla de manzana, pequeñas manchas de sangre o de excrementos oscuros, chinches de cama muertas, piel descamada o huevecillos blancos. Si no hay evidencia de chinches de cama en el pegamento, asegúrese de revisar el interior de la línea de plegado y en el punto de encuentro de las pestañas C y D porque ahí es donde se esconderán las chinches de cama.



ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento: Guarde en un lugar seco, inaccesible a niños y mascotas. **Eliminación:** Meta la trampa en una bolsa de plástico y cierre bien la bolsa. Asegúrese de que la bolsa no tenga agujeros, roturas o rasgaduras. Deseche en la basura inmediatamente.

PRECAUCIÓN. Manténgase fuera del alcance de los niños y las mascotas. No coloque las trampas donde pueden entrar en contacto con animales que no sean el objetivo. Si se produce el contacto accidental con el pegamento, use aceite vegetal o para bebés para quitarlo de la piel. Lávese muy bien las manos con agua y jabón después de manipular la trampa.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5431.