



# Safety Data Sheet

Revision Date: 02/14/2016

## SECTION 1: Identification and Company Details

**Product Name:** CEMENT BOARD TAPE  
**Product Code:** 99605Q  
**Manufacturer/ Supplier:** Q.E.P. Co., Inc.  
**Address:** 1001 Broken Sound Pkwy NW, Suite A and B Boca Raton, FL 33487  
**Emergency Phone:** #(886)4358665  
**Recommended Use:** Joint the Cement/Gypsum Board/Wall Crack

## SECTION 2: Hazard(s) Identification

**Classification of the substance or mixture:** This product is not classified as hazardous under GHS criteria.

## SECTION 3: Composition / Information on Ingredients

### General Chemical Description:

Chemical Name	Percent (by weight)	CAS Number
Fiberglass	68-70%	65997-17-3
Acrylic Acid-axrylate	29-32%	25085-34-1

## SECTION 4: First-Aid Measures

**Inhalation:** Remove to fresh air. Drink water to clear throat and blow nose to expel fibers.  
**Skin Contact:** Wash with soap and water, remove and wash clothing before reuse. If irritation develops, get medical attention.  
**Eye Contact:** Flush eyes with water for at least 10 minutes; Get medical assistance if irritation persists.  
**Ingestion:** Call MD immediately

## SECTION 5: Fire-Fighting Measures

**Extinguishing Media:** Use that which is appropriate for surrounding fire.  
**Extinguishing Hazards:** None  
**Hazardous Combustion Products:** No particular hazards known.  
**Protection of Firefighters:** Thermal decomposition of coating material may produce an irritating mixture of smoke and fumes. Firefighters should wear full protective equipment.

## SECTION 6: Accidental Release Measures

**Personal Precautions:** Review Section 5 and Section 7 before proceeding with clean up. Use proper personal protective equipment as indicated in Section 8.  
**Environmental Precautions:** Do not allow product to get into drains, soil, or surface water.  
**Methods of Clean-up:** Remove all sources of ignition. Stop leak if safe to do so. Molten / melted product should be allowed to cool and harden before cleanup.

## SECTION 7: Handling and Storage

**Handling Precautions:** General Information: This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. Smoking should be prohibited in areas where this material is stored.

**Handling:** Avoid to storage with the corrosive and volatility solvent, and regard to water and flame. Avoid contact with eyes. Avoid ingestion.

**Storage:** Ventilation, dryness and moistureproof, feasible temperature is 15~35°C, relative humidity is 30%~70%; the holder and support's surface is plane, not to stack on the ground, and the products packaged with paper box is not more than 1.2m, (the products packaged with air spring film and sponge paper, should be not more than 1.0m), cannot put heavy things on the products, not to tip, not to extrusion, gently take and gently put.

## SECTION 8: Exposure Control / Personal Protection

**Respiratory Protection:** Where dust levels exceed the TLV, use NIOSH approved respirator to protect against nuisance dusts.

**Ventilation:** Mechanical or local exhaust to keep below TLV.

**Protective Equipment:** Glove; Safety glasses.

## SECTION 9: Physical and Chemical Properties

**Freeze-thaw stability:** -15°C(adhesive)

**SRY (%):** 52±1%(adhesive)

**Melting Point:** 500°C (fiberglass)

**Appearance and Odor:** Woven fabric, coated, white; Slight hydrocarbon odor

**Boiling Point:** N/A

**Vapor Pressure:** N/A

**Vapor Density:** N/A

**Softening Point:** 31-33°C(adhesive)

**Specific Gravity:** 2.05-2.15(H<sub>2</sub>O=1)

**Solubility:** Insoluble in water

**VOC:**None known for fiberglass. However, Small amounts of CO<sub>2</sub> and CO from the finish.

## SECTION 10: Stability and Reactivity

**Chemical Stability:** Stable under normal temperature conditions and recommended use.

**Conditions to Avoid:** Incompatible materials, any sources of ignition or heat (e.g. open flames, smoking, hot surfaces, excess heat).

**Materials to Avoid:** Avoid acid, alkali, oil and volatility solvent.

**Hazardous Decomposition:** Non decomposed

**Hazardous Polymerization:** Will not occur.

## SECTION 11: Toxicological Information

**Primary Route of Entry:** Inhalation

**Effects of Overexposure:**

**Eyes:** Dust fibers can cause irritation.

**Skin:** Repeated or prolonged contact may cause irritation.

**Ingestion:** Not likely to occur

**Inhalation:** Excessive inhalation of fibers can cause nasal and respiratory irritation.

**Chronic:** None known

**Carcinogenicity of ingredients:**

Material	NTP	IARE	OSHA
All	Not listed	Not listed	Not listed

**Medial Condition Aggravated by Exposure:** Any condition generally aggravated by mechanical irritants in air or on skin

## SECTION 12: Ecological Information

**Ecological Toxicity:** Not available.  
**Persistence and degradability:** Not available.  
**Bio accumulative Potential:** Not available.  
**Mobility in Soil:** Not available.  
**Other adverse effects:** Not available.

## SECTION 13: Disposal Considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14: Transport Information

**Road:** DOT Proper Shipping Name: **Non-Regulated**  
DOT Packing Group: N/A  
DOT Label: N/A  
UN Number: N/A

**Ocean:** Proper Shipping Name: **Non-Regulated**  
Sea – IMO/IMDG Class: N/A  
UN Number: N/A  
Label: N/A  
Packing Group: N/A  
Marine Pollutant: N/A  
EMS: N/A

**Air:** Proper Shipping Name: **Non-Regulated**  
Air – ICAO/IATA Class: N/A  
UN Number: N/A  
Label: N/A  
Sub Class: N/A  
Packing Group: N/A  
Pack Instr. Passenger: N/A  
Pack Instr. Cargo: N/A

## SECTION 15: Regulatory Information

**Regulatory Information: Reference to the local, national, US, EU, CA and international regulations.**

CAS No.	TSCA	Canada	IECSC
65997-17-3	Listed	Listed in DSL	Listed
25085-34-1	Listed	Listed in DSL	Listed

## SECTION 16: Other Information

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

Prepared by: Q.E.P.

The information herein is given in good faith, but no warranty expressed or implied is made. Q.E.P. Industry urges users of this product to evaluate its suitability and compliance with local regulations as Q.E.P. Industry cannot foresee the final use of the product, nor the final location of usage.

Date of issue: 2/14/2016