





Global Harmonized System - Fire-Poof™

1. Identification

> **Product Identifier** Fire-poof Interior Flame Retardant Other means of Identification Water-based flame retardant saturant. Refer to manufacturer sell sheet. Recommended use Refer to manufacturer sell sheet.

Recommended restrictions Manufacturer name Firetect, Inc.

Address 28298 Constellation Road

Valencia, CA 91355

Country USA

Phone 661-295-3473 Fax 661-295-3880 E-mail info@firetect.com Website www.firetect.com

Hazard(s) Identification

Irritant. **Emergency overview**

Classification

Hazard symbol Category 5. No symbol.

Signal word Warning.

Potential health effects

Inhalation May be harmful if inhaled. Short-term exposure may cause irritation of nose,

throat, and lungs.

Eyes/Skin May be harmful in contact with eyes/skin. Short-term exposure may cause

irritation.

Ingestion Ingestion of large quantities may cause symptoms of non-specific irritation of

> gastrointestinal tract, nausea, vomiting—seek medical attention. May be harmful in contact with eyes/skin. Short-term exposure may cause irritation.

Environmental hazards

No known significant environmental effects.

NFPA/HMIS classification Health: 0 Flammability:

0 Reactivity: 0

0-Least, 1-Slight, 2-Moderate, 4-Extreme

3. Composition/Information on ingredients

Chemical name	CAS number	Percent
Water Trade secret per 29 CFR 1910.1200	7732-18-5 -	70-86% 14-30%
NO REPORTABLE HAZARDOUS INGREDIENTS		

First-aid measures

Inhalation Remove person to fresh air. If necessary, seek advice of a

physician.

Skin contact Wash skin with soap and water. Launder clothing before

Eye contact In case of eye contact, flush with running water for at least

15 minutes. If irritation persists, seek advice of a physician.

Ingestion If swallowed, induce vomiting, seek medical attention. 5. Fire-fighting measures

> Suitable extinguishing media Unsuitable extinguishing media

Carbon dioxide, dry chemical, foam, water spray. None.

Specific hazards arising from

the substance or mixture

Special protective equipment and precautions for fire-fighters None.

None.

6. Accidental release measures

Personnel precautions

Environmental precautions

Cleanup measures

None.

Avoid runoff into storm sewers, ditches, and waterways. Spills should be contained, solidified, and placed in suitable containers for disposal. Wash exposed skin with soap and water.

Handling and storage

Precautions for safe handling

Engineering controls

Avoid breathing mist. Avoid prolonged skin contact.

Use local exhaust ventilation if sprayed inside. Otherwise, general ventilation is adequate.

Conditions for safe storage

Store upright in original sealed container in a cool, dry

location away from light and strong frost.

Storage temperature

Shelf life

Store between 40°F and 1000°F. Keep cap on container at all times.

Shelf life is 5 years, if unopened.

Exposure controls/Personal protection

Exposure controls

Use appropriate engineering controls such as proper

ventilation. Where such systems are not effective, wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other

recognized standards.

Personal protective equipment

Eye/Face protection

Wear goggles to avoid overspray and splashing. Eye and face

protection should be in accordance with OSHA 29 CFR 1910.133.

Hand/Arm protection Respiratory protection Rubber or plastic gloves are recommended. Use an N-95 or P-95 mask.

If used in a confined area, use respirators in accordance with 29 CFR

1910.134(d)(3)(i)(A) Table 1, 29 CFR 1910.134(d)(3)(iii)(B) and 29 CFR

1910.134(d)(3)(iv)(B).

9. Physical and chemical properties

Appearance

Physical state Liquid. Color Clear.

Odor Very faint odor. Not applicable. **Odor threshold** 6.5-7.0 pН

% volatile by vol

Freezing point 32°F **Boiling point** 212°F 1.08 Specific gravity

Evaporation rate

Vapor pressure Same as water. Vapor density Same as water.

10. Stability and reactivity

Reactivity No special reactivity.

Chemical stability Stable under normal conditions.

www.firetect.com | Firetect™, Inc. 28298 Constellation Road, Valencia, CA 91355

Fire-Poof™

Incompatible materials **Decomposition materials** May tarnish or react to metal, much like water would. Strong oxidizer.

None.

11. Toxicological information

Acute toxicity

Potential health effects

Inhalation

May be harmful if inhaled. Short-term exposure may cause

irritation of nose, throat and lungs.

May be harmful in contact with eyes/skin. Short-term Eyes/Skin

exposure may cause irritation.

May be harmful if swallowed. Possible stomach irritation and Ingestion

nausea.

12. Ecological information

Eco toxicity Persistence and degradability Bio accumulative potential

Mobility in soil Other adverse effects No data available. No data available. No data available.

No data available. No data available.

13. Disposal considerations

Waste disposal of product Contaminated packaging **Container disposal**

Do not discharge product into storm or waste water sewer systems. Dispose of in accordance with federal, state, and local regulations.

Plastic pails are recyclable. Rinse well before recycling or disposal. Dispose of in accordance with federal, state, and local regulations. Contact local authorities

for further information.

14. Transport information

Land transport

USDOT

Marine transport

IMDG

Air transport

IATA

Non-hazardous product. Not regulated.

Non-hazardous product. Not regulated.

Non-hazardous product. Not regulated.

15. Regulatory information

Additional safety, health and environmental regulations Not applicable.

16. Other information

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.

Preparation information

Prepared by Disclaimer

Firetect ®, Inc.

It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information given is presented in good faith and believed to be correct as of the date hereof, based on available data, material components, and similar materials. Firetect®, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used.