SAFETY DATA SHEET

Goof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Goof Off Super Glue & Adhesive Remover **Product Name:**

W. M. Barr **Phone Number:** Company Name: (901)775-0100

2105 Channel Avenue Memphis, TN 38113

Web site address: www.wmbarr.com

3E 24 Hour Emergency Contact (800)451-8346 **Emergency Contact:** Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Removes super glue

Product Code: FG678

2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Carcinogenicity, Category 2

Specific Target Organ Toxicity (single exposure), Category 3







GHS Signal Word:

GHS Hazard Phrases: H225: Highly flammable liquid and vapor.

H319: Causes serious eye irritation. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer.

P201: Obtain special instructions before use. **GHS Precaution Phrases:**

> P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing gas/mist/vapors/spray. P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P235: Keep cool.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated **GHS Response Phrases:**

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+313: IF exposed or concerned: Get medical attention/advice. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337+313: If eye irritation persists, get medical advice/attention.

P370+378: In case of fire, use dry chemical powder to extinguish.

P403+233: Store container tightly closed in well-ventilated place. **GHS Storage and Disposal**

P405: Store locked up. Phrases:

SAFETY DATA SHEET

Goof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

P501: Dispose of contents/container according to local, state and federal regulations.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects

No data available.

(Acute and Chronic):

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Components (Chemical Name)** Concentration 67-64-1 80.0 -100.0 % Acetone {2-Propanone} 109-99-9 Tetrahydrofuran {THF; Diethylene oxide; 10.0 -30.0 %

1,4-Epoxybutane}

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

Primary Routes of Exposure:

Inhalation, ingestion, and dermal.

Note to Physician: Treatment of overexposure should be directed at the control of symptoms and the clinical

condition of the patient.

5. FIRE FIGHTING MEASURES

Class IB

Flash Pt: -17.80 C Method Used: Setaflash Closed Cup (Rapid Setaflash)

UEL: No data. **Explosive Limits:** LEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use carbon dioxide, dry powder, or alcohol-resistant foam.

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

> buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have

been exposed to intense heat or flame.

Flammable Properties and

Hazards:

Extremely Flammable!

Do not spread this product over a large surface area because the fire and health safety

risks will increase dramatically.

SAFETY DATA SHEET Goof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

Flammability Classification:

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions,

Vapors may cause flash fire or ignite explosively.

Protective Equipment and Emergency Procedures:

Safety glasses and chemical resistant gloves recommended.

Environmental Precautions:

Dispose in accordance with applicable local, state, and federal regulations.

Steps To Be Taken In Case Material Is Released Or Absorb the liquid and scrub the area with detergent and water.

Spilled:

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Do not use this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc.

Do not use in small enclosed spaces, such as basements and bathrooms. Vapors can accumulate and explode if ignited.

Do not spread this product over large surface areas because fire and health safety risks will increase dramatically.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near any source of heat or flame, furnace areas, pilot lights, stoves, etc. Do not reuse this container. Use product within one year of purchasing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS# | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|----------|----------------------------------|---------------|-------------------------------|--------------|
| 67-64-1 | Acetone {2-Propanone} | PEL: 1000 ppm | TLV: 500 ppm STEL: 750 ppm | No data. |
| 109-99-9 | Tetrahydrofuran {THF; Diethylene | PEL: 200 ppm | TLV: 50 ppm STEL: 100 ppm | No data. |

Respiratory Equipment

When used by the consumer following directions for use and with adequate ventilation,

(Specify Type):

respiratory protection should not be needed.

Eye Protection: Eye protection recommended

Protective Gloves: Protective gloves recommended

Other Protective Clothing:

No data available.

Engineering Controls (Ventilation etc.):

Use with adequate ventilation.

Work/Hygienic/Maintenance

Wash hands thoroughly after use and before eating, drinking, smoking, or using the

Discard any clothing or other protective equipment that cannot be decontaminated.

Practices: restroom.

Do not eat, drink, or smoke in the work area.

Licensed to W.M. Barr and Company

SAFETY DATA SHEETGoof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear colorless thin liquid. Ketone odor.

Melting Point: No data.

Boiling Point: > 99.00 F (37.2 C)

Autoignition Pt: No data.

Flash Pt: -17.80 C Method Used: Setaflash Closed Cup (Rapid Setaflash)

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 0.8025

Density: 6.677 LB/GA

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1):No data.Evaporation Rate:> 1 (BuAC=1)Solubility in Water:Miscible

Percent Volatile: 100.0 % by weight. VOC / Volume: 15.0000 % WT

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials To Avoid contact with acids, aldehydes, alkalies, amines, ammonia, oxidizing agents,

Avoid: reducing agents, chlorine compounds.

May form explosive mixtures with chromic anhydride, chromyl alcohol,

hexachloromelamine, hydrogen peroxide, permonosulfuric acid, potassium tertbutoxide,

and thioglycol. Strong oxidizers.

Hazardous Decomposition or Decomposition may produce carbon monoxide, carbon dioxide, nitrogen oxides, and

Byproducts: other asphyxiants.

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

SAFETY DATA SHEET

Goof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Information below will be for individual

ingredients. Refer to section 2 for acute and chronic health effects.

CAS# 67-64-1:

Carcinogenicity/Other Information:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 109-99-9:

Other Studies:, TDLo, Oral, Rat, 26280. mg/kg.

Result:

Liver: Tumors.

Kidney, Ureter, Bladder: Kidney tumors.

- Toxicologist., Soc. of Toxicology, Inc., 475 Wolf Ledge Parkway, Akron, OH 44311,

Vol/p/yr: 60,286, 2001

ACGIH A4 - Not Classifiable as a Human Carcinogen.

| CAS# | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|----------|--|------|------|-------|------|
| 67-64-1 | Acetone {2-Propanone} | n.a. | n.a. | A4 | n.a. |
| 109-99-9 | Tetrahydrofuran {THF; Diethylene oxide; 1.4-Epoxybutane} | n.a. | n.a. | n.a. | n.a. |

12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Acetone solution

DOT Hazard Class: FLAMMABLE LIQUID 3

UN/NA Number: UN1090 Ш **Packing Group:**



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:

UN Number: 1090 **Packing Group:** Ш

Hazard Class: 3 - FLAMMABLE LIQUID **TDG Classification:**

SAFETY DATA SHEETGoof Off Super Glue & Adhesive Remover

Revision: 10/15/2018 Supersedes Revision: 09/11/2018

Additional Transport Information:

The shipper/supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

| CAS# | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|----------|---|---|--|---------------|
| 67-64-1 | Acetone {2-Propanone} | No | Yes 5000 LB | No |
| 109-99-9 | Tetrahydrofuran {THF; Diethylene oxide; 1,4-Epoxybutane} | No | Yes 1000 LB | No |
| CAS# | Hazardous Components (Chemical Name) | Canadian NPRI | Canadian IDL | Canadian DSL |
| 67-64-1 | Acetone {2-Propanone} | No | Yes | Yes |
| 109-99-9 | Tetrahydrofuran {THF; Diethylene oxide; 1,4-Epoxybutane} | Yes | Yes | Yes |
| CAS# | Hazardous Components (Chemical Name) | Other US EPA or State Lists | | |
| 67-64-1 | Acetone {2-Propanone} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No | | |
| 109-99-9 | Tetrahydrofuran {THF; Diethylene oxide; 1,4-Epoxybutane} | , | No; CWA NPDES: No R; CA PROP.65: No | ; TSCA: Yes - |
| CAS# | Hazardous Components (Chemical Name) | International Reg | ulatory Lists | |
| 67-64-1 | | | | |
| 07-04-1 | Acetone {2-Propanone} | | | |
| 109-99-9 | Acetone {2-Propanone} Tetrahydrofuran {THF; Diethylene oxide; 1,4-Epoxybutane} | | | |

Canadian WHMIS Classification:

No data available.

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 10/15/2018

Preparer Name: W.M. Barr EHS Department (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.