

COM-PAK WALL HEATER


The Com-Pak is an efficient, affordable way to add warmth quickly and easily. These hard-wired heaters have proven safety features and multiple installation options, and provide safe, sensible warmth for years.

BENEFITS

- Fan provides quiet, efficient heating
- Warm up in a hurry with a fast-heating element
- Unique compact design is recess mounted to suit any room
- All metal surfaces are powder-coated paint to remove sharp edges and provide a durable finish, with a galvanized wall can
- Easy to install - only three screws to install heater assembly and grille
- Rest easy – includes high temperature safety shutoff
- Available with or without built-in thermostat
- Models without built-in thermostat, 1500 watts or less can be ceiling mounted
- 10-packs available for wall cans and grilles

APPLICATIONS

All Residential Applications | Commercial Offices



ORDERING GUIDE

COMPLETE UNITS

Part	Model	Description	Watts	Volts	Amps	BTU	Weight (kg/lbs.)
67508	CSC101TW	Complete unit with built-in thermostat, wall can & grille, white	1000	120	8.3	3415	3.2 / 7
67509	CSC151TW	Complete unit with built-in thermostat, wall can & grille, white	1500	120	12.5	5120	3.2 / 7
67505	CSC102TW	Complete unit with built-in thermostat, wall can & grille, white	1000/750	240/208	4.2/3.6	3415/2560	3.2 / 7
67506	CSC152TW	Complete unit with built-in thermostat, wall can & grille, white	1500/1125	240/208	6.3/5.4	5120/3840	3.2 / 7
67507	CSC202TW	Complete unit with built-in thermostat, wall can & grille, white	2000/1500	240/208	8.3/7.2	6825/5120	3.2 / 7
67549	CSC101W	Complete unit without built-in thermostat, with wall can & grille, white	1000	120	8.3	3415	3.2 / 7
67553	CSC151W	Complete unit without built-in thermostat, with wall can & grille, white	1500	120	12.5	5120	3.2 / 7
67540	CSC072W	Complete unit without built-in thermostat, with wall can & grille, white	750/563	240/208	3.1/2.7	2560/1925	3.2 / 7
67541	CSC102W	Complete unit without built-in thermostat, with wall can & grille, white	1000/750	240/208	4.2/3.6	3415/2560	3.2 / 7
67543	CSC152W	Complete unit without built-in thermostat, with wall can & grille, white	1500/1125	240/208	6.3/5.4	5120/3840	3.2 / 7
67544	CSC202W	Complete unit without built-in thermostat, with wall can & grille, white	2000/1500	240/208	8.3/7.2	6825/5120	3.2 / 7

HEATER ASSEMBLY

67550 / 67560	CS051 / CS051T	Heater assembly without / with built-in thermostat	500	120	4.2	1710	1.5 / 3.5
67515 / 67523	CS101 / CS101T	Heater assembly without / with built-in thermostat	1000	120	8.3	3415	1.5 / 3.5
67516 / 67524	CS151 / CS151T	Heater assembly without / with built-in thermostat	1500	120	12.5	5120	1.5 / 3.5
67563 / 67573	CS058 / CS058T	Heater assembly without / with built-in thermostat	563	208	2.7	1925	1.5 / 3.5
67564 / 67589	CS078 / CS078T	Heater assembly without / with built-in thermostat	750	208	3.6	2560	1.5 / 3.5
67557 / 67586	CS108 / CS108T	Heater assembly without / with built-in thermostat	1000	208	4.8	3415	1.5 / 3.5
67569 / 67598	CS118 / CS118T	Heater assembly without / with built-in thermostat	1125	208	5.4	3840	1.5 / 3.5
67571 / 67599	CS158 / CS158T	Heater assembly without / with built-in thermostat	1500	208	7.2	5120	1.5 / 3.5
67517 / 67525	CS208 / CS208T	Heater assembly without / with built-in thermostat	2000	208	9.6	6825	1.5 / 3.5
67584 / 67585	CS052 / CS052T	Heater assembly without / with built-in thermostat	500/375	240/208	2.1/1.8	1710/1280	1.5 / 3.5
67510 / 67518	CS072 / CS072T	Heater assembly without / with built-in thermostat	750/563	240/208	3.1/2.7	2560/1925	1.5 / 3.5
67511 / 67519	CS102 / CS102T	Heater assembly without / with built-in thermostat	1000/750	240/208	4.2/3.6	3415/2560	1.5 / 3.5
67512 / 67520	CS122 / CS122T	Heater assembly without / with built-in thermostat	1250/937	240/208	5.2/4.5	4265/3200	1.5 / 3.5
67513 / 67521	CS152 / CS152T	Heater assembly without / with built-in thermostat	1500/1125	240/208	6.3/5.4	5120/3840	1.5 / 3.5
67514 / 67522	CS202 / CS202T	Heater assembly without / with built-in thermostat	2000/1500	240/208	8.3/7.2	6825/5120	1.5 / 3.5

Note: Heater assemblies require a wall can, grille kit, and may require a thermostat

THERMOSTAT KITS AND ACCESSORIES

Part	Model	Description	Volts	Amps	Weight (kg/lbs.)
67071 67072	CTT1W CTT2W	Built-in thermostat kit for model CS, single or double pole, 40°F to 85°F (4°C to 29°C), white, retail pack	120/208/240	22	.1 / 0.3
67063 67064	CTT1W CTT2W	Built-in thermostat kit for model CS, single or double pole, 40°F to 85°F (4°C to 29°C), white	120/208/240	22	.1 / 0.3
67065 67066	CTT1A CTT2A	Built-in thermostat kit for model CS, single or double pole, 40°F to 85°F (4°C to 29°C), almond	120/208/240	22	.1 / 0.3
67067 67068	CTT1P CTT2P	Built-in thermostat kit, tamper proof (no knob) for model CS, single or double pole, 40°F to 85°F (4°C to 29°C)	120/208/240	22	.1 / 0.3
67061 67060	CC CC10	Wall can for model CS, single or 10-pack			1.2 / 2.8 10.2 / 22.5
69110 69111 69112	CCSMB CCSMW CCSMA	Surface mount wall can for model CS, single, black, white or almond, 9-13/16" W x 12-3/4" H x 4-7/16" D			2.0 / 4.4
67079 67081	CGW CGW10	Vertical grille kit for model CS, single or 10-pack, white			0.6 / 1.5 5.5 / 12.3
67075 67080	CGA CGA10	Vertical grille kit for model CS, single or 10-pack, almond			0.6 / 1.5 5.5 / 12.3
67082 67083	CGB CGB10	Vertical grille kit for model CS, single or 10-pack, black			0.6 / 1.5 5.5 / 12.3
65005 65006	CMGW CMGW5	Horizontal grille kit for model CS, single or 5-pack, white			0.9 / 2.0 3.1 / 7.5
65015 65016	CMGA CMGA5	Horizontal grille kit for model CS, single or 5-pack, almond			0.9 / 2.0 3.1 / 7.5
67105 / 67100	CAMW / CAMA	Adapter plate for model CS, 18-1/2" W x 22" H, white or almond			1.7 / 3.4
67115 / 67110	SAMW / SAMA	Adapter plate for model CS, 12" W x 21-1/4" H, white or almond			.9 / 1.9
67091 / 67096	C1TKW/C1TKA	1" Trim kit for 2"x3" walls for model CS or CB, 9-1/4" W x 12-1/4" H, white or almond			0.5/1.0
67094 / 67095	C4TKW/C4TKA	4" Surface box for model CS or CB, 9-1/4" W x 12-1/4" H, white or almond			1.4/3.0
00535	KNOB CS/CST	Replacement knob for model CS, white, retail pack		single 6-pack	0.1/0.2 0.5/1.2

Note: 5-pack models must be ordered in multiples of 5; 10-pack models in multiples of 10

SPECIFICATIONS

Voltage	120V, 208V, 240/208V
Wattage	Sizes ranging from 500W to 2000W
Color	White or Almond
Finish	Powder coating resists fading and abrasion
Construction	Robust, 20 gauge steel construction
Heating Element	Coil element designed for rapid heat up
Warranty	2-year warranty on complete unit

DIMENSIONS ROUGH-IN: 8" W x 10-1/8" H x 4" D

