



500 LB. FOLDING HITCH CARGO CARRIER BASKET



Maximum Weight Capacity: 500 lb.


**Actual product may vary slightly*

Please carefully read and save these instructions before attempting to assemble, maintain, install, or operate this product. Observe all safety information to protect yourself and others. Failure to observe the instructions may result in property damage and/or personal injury. Please keep instructions for future reference.

For warranty purchases, please keep your dated proof of purchase. File or attach to the manual for safe keeping.

Basket Assembly



Slide cargo carrier sections together until the bolt holes line up . It may help to prop up one or both ends to keep the holes aligned .







Secure the sections with 4 M10x80 bolts , Washers , Lock Nuts.



Flip the carrier over to install the main tube W/Bracket. Secure with 3 M10x80 Bolts. Washers ,Lock Nuts.



Receiver Tube Assembly



Limited Manufacturer Warranty

FOT makes every effort to ensure that this product meets high quality and durability standards. FOT warrants to the original retail consumer a 1-year limited warranty from the date the product was purchased at retail and each product is free from defects in materials. Warranty does not apply to defects due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations, or a lack of maintenance. FOT shall in no event be liable for death, injuries to persons or property, or for incidental, special or consequential damages arising from the use of our products. To receive service under warranty, the original manufacturer part must be returned for examination by an authorized service center. Shipping and handling charges may apply. If a defect is found, FOT will either repair or replace the product at its discretion.

DO NOT RETURN TO STORE

For Customer Service:

Email: customerservice@focus-ontools.com or Call 1-800-348-5004