

BEHR
PREMIUM
FLOOR COATINGS

DECORATIVE CONCRETE FINISHES

GRANITE GRIP®

BEHR PREMIUM® GRANITE GRIP®

For more info, see www.homedepot.com/behrgranitegrip



Pebble Sunstone
GG-13



DECORATIVE, SLIP-RESISTANT CONCRETE COATING

- Revives Concrete Surfaces
- Durable, Protective Finish
- Available in 2 Pre-mixed and 16 Custom Colors
- Fills in Hairline Cracks
- Resists Hot Tire Pick-Up, Dirt, Grease & Household Stains
- Ideal for Driveways, Garage Floors, Porches, Patios, Walkways and Interior Concrete Surfaces



BEFORE



Tan
No. 655

GRANITE GRIP® TAN BASE COLOR OPTIONS



Tan
No. 655



Pebble Sunstone
GG-13



Copper Marble
GG-10



Sunset Ridge
GG-09



Sahara Canyon
GG-11



Imperial Jade
GG-12



Baltic Stone
GG-16



Autumn Mountain
GG-14



Amethyst
GG-15

Color samples and textures are simulated. There may be a slight difference between the color of the chip shown and the actual coated surface.



Gray
No. 650

GRANITE GRIP® GRAY BASE COLOR OPTIONS



Gray
No. 650



Mission Olive
GG-18



Slate Ivory
GG-01



Stone Valley
GG-02



Azul Diamond
GG-05



Mineral Gray
GG-17



Atlantic Topaz
GG-03



Galaxy Quartz
GG-08



Ornamental Gem
GG-07

2 coats required for optimum color match, durability and coverage.

EASY APPLICATION STEPS*

BEHR PREMIUM GRANITE GRIP™

Clean and etch surface until it feels like 150 grit sandpaper.



Apply coating to the outer edges of your project area and fill in hairline cracks.



Apply 1st Coat:
First coat acts as the base and will not completely cover the surface by design.

NOTE: MUST USE 1/4" ADHESIVE ROLLER COVER



Apply 2nd Coat
(1 gallon covers ≈ 50 sq. ft. with 2 required coats)



APPLICATORS:

- ☐ 1/4" Adhesive Roller Cover
- ☐ Nylon/Polyester Brush
- ☐ Optional: Texture Sprayer for Large Projects

PROJECT ITEMS:

- ☐ Plastic Sheeting
- ☐ Broom
- ☐ Plastic Watering Can
- ☐ Stiff Bristle Brush (Non-Metal)
- ☐ Painter's Tape
- ☐ Hose
- ☐ Stir Stick

BEHR PREMIUM® SEMI-TRANSPARENT DECORATIVE CONCRETE FINISH


Clean and etch surface until it feels like 150 grit sandpaper.



Apply 1st color with a pump sprayer.
(250 sq. ft. per gallon)



If desired, apply an accent color with a sprayer for a variegated look. For a uniform look, apply a 2nd coat of the base



Optional:
Apply Wet-Look Sealer



APPLICATORS:

- ☐ High Quality Pump Sprayer with a Conical Tip
- ☐ 3/8" Roller Cover