

OWNER'S MANUAL - BASIC SETUP DIMENSIONS & ASSEMBLY NOTES

It is critically important that you start with square and level footings or concrete pad to attach your structure

- Pay close attention to the items needed for each step. Make sure you are using the correct hardware for each step. Using incorrect hardware may result in improper assembly
- Remember to double check for underground utilities and overhead electrical lines
- The hardware to attach the post mounts to the structure is included.
- The hardware to mount the structure permanently to a concrete surface is included.



OWNER'S MANUAL - ANCHORING LAYOUT



OWNER'S MANUAL - SITE LOCATION AND PREPARATION

A. Check your local building and city codes for permit requirements or restrictions, including any HOA restrictions.

B. Select a location with lots of sun, good drainage, and the ability to create a level firm surface for your greenhouse.
- A firm, level surface is critically important to the longevity of your greenhouse.
- Ensure it is accessible on all sides to clean and conduct annual maintenance
- Consider a site location with a close proximity to both water and electrical sources
- Make sure site drains well and avoid low lying areas.
- Recommended area for site preparation of the Willow Greenhouse is 10'-4 3/16" x 7'-11/16" x 7'-10" (3155mm x 2152mm x 2386mm).

C. Before preparing your surface – double check for possibility of any underground utilities (example: gas, cable, or sprinkler lines)
- Remove any grass, dirt, landscaping to create a level, hard-packed surface
- This may involve some digging to create a level spot, dependent on your site location.

D. Determine your preferred site pad materials for your greenhouse
- It is NOT recommended to set the greenhouse directly on soil or grass. This will shorten the lifespan of your greenhouse.
- Site pad options include gravel, patio or brick pavers, concrete pad.
- Anchors are included for either natural surface, such as gravel, or for a concrete foundation.
- Manufacturer recommends installation on concrete surface or concrete post pads.