

## Antifreeze/Coolant Recommendations

### Extended Drain Products

Automotive Approvals and Recommendations

**ShellZone DEXCOOL® Extended Life Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D3306 and D4985, GMW 3420 (GM6277M), Ford WSS-M97B44-D

**ShellZone® Multi-Vehicle Extended Life Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D 3306. For all Make and Model Automobiles and Light Duty Trucks

Heavy-Duty Diesel Approvals and Recommendations

**Shell Rotella® ELC Extended Life Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D3306, ASTM D4985, ASTM D6210, Cummins CES 14439, Detroit Diesel 93K217, Ford WSS-M97B44D, General Motors GM 6277M, Deutz DQC CB-14, MTU MTL 5048, Navistar MPAPS B-1 (formerly Int CEMS B-1), PACCAR, Volvo/Mack STD 418-0005, TMC RP 329, RP 364

**Shell Rotella® ELC NF (Nitrite Free) Extended Life Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D 3306, ASTM D 4985, ASTM D 6210, Cummins CES 14439, Detroit Diesel 93K217, Ford WSS-M97B44D, General Motors GM 6277M, Mack Truck, MTU MTL 5048, Navistar MPAPS B-1 Type III (formerly Int CEMS B-1 Type IIIA), PACCAR TMC RP 329, RP 364

### Conventional Drain Products

Automotive Approvals and Recommendations

**ShellZone® Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D3306, ASTM D 4985


Heavy-Duty Diesel Approvals and Recommendations

**Shell HD Phosphate Free Antifreeze/Coolant Concentrate and Pre-Diluted 50/50:** ASTM D3306, ASTM D6210, and ASTM D4985, TMC RP 302B, RP 329, RP 351, Case/New Holland, CAT EC-1, Cummins CES 14603, Detroit Diesel DFS 93K217, John Deere H24A1 and H24A2, Navistar MPAPS B-1 (formerly Int CEMS B-1), Paccar, Volvo/Mack, Waukesha 4-1947D

### Flushing Procedures and Specification Requirements

Please follow recommendation of Original Equipment Manufacturer found in your owner's manual.

DEX-COOL® is a registered trademark of General Motors Corporation



# SHELL DOMESTIC LUBRICANTS RECOMMENDATIONS AND CAPACITIES GUIDE

FOR 2010 – 2021 APPLICATION



