



**BULLY TOOLS**  
*100% American Made*



Est. 1994

OVER  
**20 Years**  
*Making it the American Way*

## MESSAGE FROM OUR PRESIDENT



Founded in 1994, Bully Tools has been proudly producing 100% American made tools. We control our quality and costs with in-house manufacturing from our state-of-the-art facilities designed and built in 2006 in Steubenville, Ohio.

Our in-house operations include stamping, robotic welding, plasma cutting, heat treating, tempering, powder coating and product design. This not only guarantees the quality, durability and reliability of our products, but our future as well.

The strategic location of our plant allows for affordable shipping, saving our customers money. Our products reach our customers in a maximum of four days at a price LOWER than imported tools of an equal or lesser quality.

With an unprecedented history of quality, Bully Tools is committed to applying the same reliability to our business practices. We continue to grow and adapt to meet the ever-changing needs of the economy and our consumers.

Mark Gracy, CEO and Founder  
Bully Tools

## INDEX



### PAGES

- 4-5 Ash Handled and Fiberglass Shovels
- 6 Snow Shovels and Sidewalk Scrapers
- 7 Trench Shovels
- 8 All Steel Spades
- 9-10 Specialty Shovels
- 11 Post Hole Diggers, Digging Bars and Tampers
- 12 Lawn Rakes
- 13 Landscaping Rakes
- 14 Bow Rakes and Level Head Rakes
- 15 Weed Cutting Tools, Sod Lifter
- 16-17 Home Gardening Tools
- 18-20 Garden Hoes, Field Hoes, Barn Cleaning Tools
- 21-22 Brush Clearing Tools and Digging Forks
- 23 Heavy Duty Scrapers, Edgers and Planters
- 24-25 Asphalt and Concrete Tools
- 26 Flooring Material Removers
- 27-28 Roofing Material Removers and Framing Tools
- 29 Fire Fighting and Forestry Tools
- 30 Manhole Cover Hooks, Soil Probes, Water Keys
- 31 Merchandising and UPC Codes



Not available for  
general distribution.



# NO MINIMUM!

YOU CAN ORDER JUST ONE CASE.

## IN-HOUSE CAPABILITY



HEAT TREATING



FULLY AUTOMATED  
ROBOTIC WELDING



POWDER COATING SYSTEM



DUAL PLASMA CUTTING TABLES

## PRODUCT FEATURES



Our high-strength pultruded fiberglass handles provide the benefits of strength as well as corrosion, heat and weathering. This cost-effective element enables us to provide our customers with quality products at affordable prices.



Resin Bonded  
Glass Strands

Mat

Polyester Veil

Thick fiberglass the entire length with special proprietary rovings, mats and veils. A wood reinforcing core through the stress point for maximum handle strength.



All shovels have a closed back to eliminate debris build up.



Ribs provide additional strength.



All Planting Spades feature a sharpened edge to penetrate dense soil and sod.



Wide D-grip accommodates work gloves.



Strong rivet secures the D-grip to the fiberglass handle.



One-piece ferrule won't split like other models.



Strong rivet secures the ferrule to the fiberglass handle.



Welded "I-beam" support, as well as the extended and crimped ferrule, ensures no excessive bending.



Our shovels are up to 30% thicker than competitor models. True 14 gauge.

1" Forward step provides greater control.

## SHOVELS & SPADES ASH



## NORTH AMERICAN ASH HANDLES

### FEATURES:

- True 14 and 12 Gauge blades
- Support rib adds strength
- American Ash handle
- Extended length ferrule
- Forward step

#### A 72515 • 5/Case - 26#

14 Ga. Round Point Shovel. American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 46.5", tool length: 57.5".

#### B 72525 • 5/Case - 28#

14 Ga. Square Point Shovel. American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 46", tool length: 56.75".

#### C 72530 • 6/Case - 32#

12 Ga. 14" Drain Spade. American Ash Long Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 45", tool length: 57".

#### D 72502 • 5/Case - 29#

12 Ga. Edging and Planting Spade. American Ash Long Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 44", tool length: 57".

#### E 72510 • 5/Case - 24#

14 Ga. Round Point Shovel. American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 31.5", tool length: 42.375".

#### F 72520 • 5/Case - 28#

14 Ga. Square Point Shovel. American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 31", tool length: 42.25".

#### G 72535 • 6/Case - 29#

12 Ga. 14" Drain Spade. American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 30", tool length: 44".

#### H 72500 • 6/Case - 30#

12 Ga. Edging and Planting Spade. American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 28.5", tool length: 40".



True 14 gauge steel.  
Up to 30% thicker  
than the competition.



Closed back design  
eliminates debris  
build up.



4

E

F

G

H



**SHOVELS  
& SPADES  
FIBERGLASS**



**FIBERGLASS  
HANDLES WITH A  
WOOD CORE**

**FEATURES:**

- True 14 and 12 Gauge blades
- Support rib adds strength
- Reinforced fiberglass handle
- Extended length ferrule
- Forward step

**A 82515 • 5/Case - 27#**

14 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".

**B 82525 • 5/Case - 29#**

14 Ga. Square Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 49", tool length: 59.25".

**C 82530 • 6/Case - 31#**

12 Ga. 14" Drain Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 42", tool length: 56".

**D 82502 • 5/Case - 31#**

12 Ga. 13" Edging and Planting Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 44.5", tool length: 58.25".

**E 82510 • 5/Case - 24#**

14 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".

**F 82520 • 5/Case - 27#**

14 Ga. Square Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".

**G 82535 • 6/Case - 28#**

12 Ga. 14" Drain Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 32", tool length: 45.5".

**H 82500 • 6/Case - 33#**

12 Ga. 13" Edging and Planting Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 27", tool length: 40".



Closed back design eliminates debris build up.



No handle break-through. One piece ferrule won't separate.



**SNOW  
PUSHERS  
& SCOOPS**



**LARGE  
CAPACITY PUSHERS,  
SCOOPS & SCRAPERS**

**NEW FOR 2015  
SNOW PUSHER!**

**A 92814 • 6/Case**  
22" Combination Snow Pusher • Fiberglass D-grip Handle.  
Poly scoop.

**B 92400 • 6/Case - 23#**  
Mulch/Snow Scoop. Fiberglass D-grip Handle. Poly scoop.  
Scoop: 15"x19.75", 4.5" deep, handle: 33.75",  
tool length: 53.5".

**C 92402 • 6/Case - 24#**  
AlumiNy Mulch/Snow Scoop. Fiberglass D-grip Handle.  
Nylon/Aluminum blend. Scoop: 15"x19.75", 4.5" deep,  
handle: 33.75", tool length: 53.5".

**D 92201 • 8/Case - 36#**  
Sidewalk Scraper. Steel D-grip Handle. 11 Ga.  
Head: 6"x7", handle: (from head) 41", tool length: 46".

**E 92200 • 8/Case - 42#**  
Sidewalk Scraper. Steel Long Handle. 11 Ga.  
Head: 6"x7", handle: (from head) 50", tool length: 57".

**F 92712 • 5/Case - 17#**  
Trunk Shovel. Steel D-grip Handle. Round Point, 14 Ga.,  
closed back. Blade: 9.25"x12", handle: 24.25",  
tool length: 32.75".

**NEW**

Large grips  
for gloved  
hands.

8" Taller  
than others  
means less  
back strain.

**BREAKS  
THICK ICE**

500% more  
durable than  
aluminum.



## TRENCH SHOVELS

### A 92719 • 5/Case - 19#

3" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 3"x12", handle: 47", tool length: 59".

### B 92720 • 5/Case - 21#

4" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".

### C 92721 • 5/Case - 22#

5" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 5"x12", handle: 47", tool length: 59".

### D 92722 • 5/Case - 23#

6" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 6"x12", handle: 47", tool length: 59".

### E 92730 • 5/Case - 25#

4" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".

### F 92731 • 5/Case - 29#

6" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 6"x12", handle: 47", tool length: 59".



**TRUE  
14 GAUGE**

Remember how they used to be made?

**ALL  
STEEL  
SPADES**



**ALL STEEL  
HANDLES AND  
GRIPS**

**A 92600 • 5/Case - 35#**

13" All Steel Spade, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x13", handle: 28", tool length: 41".

**B 92601 • 5/Case - 36#**

15" All Steel Spade, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".

**C 92604 • 5/Case - 36#**

15" All Steel Spade, Serrated Edge, Steel D-grip Handle, 12 Ga., closed back. Blade: 5.5x11.5", handle: 27", tool length: 38.5".

**D 92605 • 5/Case - 37#**

15" All Steel Spade, Serrated Edge, Steel T-style Handle, 12 Ga., closed back. Blade: 5.5x11.5", handle: 24.5", tool length: 36".

**E 92602 • 5/Case - 40#**

15" All Steel Spade, Steel Long Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 50", tool length: 65".

**F 92603 • 5/Case - 35#**

15" All Steel Spade, Pointed Tip, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".

**SUPER  
12 GAUGE  
THICK**



12 Ga. spades  
are sharpened  
for better digging.





## SPECIALTY SHOVELS



## FIBERGLASS HANDLES WITH A WOOD CORE

### FEATURES:

- Closed back design
- Support rib adds strength
- Reinforced fiberglass handle
- Extended length ferrule
- Forward step

#### A 92515 • 5/Case - 30#

12 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".

#### B 92510 • 5/Case - 29#

12 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".

#### C 92705 • 5/Case - 26#

Mud Shovel - "USA" Pattern. Fiberglass Long Handle. Round Point, 14 Ga., closed back, support rib, extended length ferrule. 71 drain holes, reinforced handle. Blade: 9.25"x11", handle: 48.5", tool length: 59".

#### D 92700 • 5/Case - 24#

Mud Shovel - "USA" Pattern. Fiberglass D-grip Handle. Round Point, 14 Ga., closed back, support rib, extended length ferrule. 71 drain holes, reinforced fiberglass handle. Blade: 9.25"x11", handle: 33", tool length: 45".

#### E 92702 • 5/Case - 40#

Weighted Caprock/Pony Shovel. Fiberglass Long Handle. 12 Ga., closed back, reinforced handle, extra long ferrule. Blade: 10"x9", handle: 48.5", tool length: 59.375".

#### F 92707 • 5/Case - 29#

Tooth Shovel. Fiberglass Long Handle. 12 Ga., 2" Teeth, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.375".



Holes in the Mud Shovels provide drainage when working in wet soils.

## SPECIALTY SHOVELS



### A 92718 • 5/Case - 25#

Irrigation Shovel. American Ash Long Handle. 14 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x11", handle: 46.5", tool length: 55.25 (3.25' Lift)

### B 92716 • 5/Case - 27#

Irrigation Shovel. Fiberglass Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 48.5", tool length: 57.25 (4' Lift)

### C 92717 • 5/Case - 29#

Irrigation Shovel. Ash Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 46.5", tool length: 55.5 (4' Lift)

### D 92704 • 5/Case - 30#

Rice Shovel. Fiberglass Long Handle. 14 Ga., 3 drain holes, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9"x10", handle: 48.5", tool length: 59.375"

### E 92703 • 5/Case - 33#

Rice Shovel. American Ash Long Handle. 14 Ga., 3 drain holes, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9"x10", handle: 46.5", tool length: 56.375"

### F 72600 • 5/Case - 24#

Ceremonial Shovel - "USA" Pattern. Round Point. American Ash D-grip Handle. 14 Ga., closed back, support rib, extended length ferrule. Blade: 9.25"x11", handle: 31.5", tool length: 42.375"

### G 72601 • 5/Case - 26#

Ceremonial Shovel - "USA" Pattern. Round Point. American Ash Long Handle. 14 Ga. 4 Ga., closed back, support rib, extended length ferrule. Blade: 9.25"x11", handle: 46.5", tool length: 57.5"



## POST HOLE DIGGERS & TAMPERS



### A 92382 • 3/Case - 28#

5" Post Hole Digger. Fiberglass Handles.  
12 Ga., reinforced handles.  
Blades: 9"x5", handle: 47", tool length: 59.5".

### B 92384 • 3/Case - 32#

6.5" Post Hole Digger. Fiberglass Handles.  
12 Ga., reinforced handles.  
Blades: 9"x6.5", handle: 47", tool length: 59.5".

### C 92539 • 4/Case - 68#

Digging Bar. 69". 1" Diameter solid steel bar,  
3/8" thick plate. Head: 3"x5", tool length: 69".

### D 92448 • 4/Case - 48#

Digging Bar. 48". 1" Diameter solid steel bar,  
3/8" thick plate. Head: 3"x5", tool length: 48".

### E 92540 • 4/Case - 65#

Tamper. 9.75"x9.75", 3/8" thick steel plate, steel handle.  
Tool length: 49". (Ships Disassembled)



5"  
SPREAD



6.5"  
SPREAD



3/8"  
Thick head.



69"

C



48"

D



E



Tamper head  
is bolted on for  
easier storage.

**LAWN &  
GARDEN  
RAKES**



**NEW FOR FALL 2014  
POLY LAWN  
AND LEAF RAKES!**

**A 92624 • 6/Case - 21#**

24" Poly Rake. Head: 24"x22", handle: 41",  
tool length: 63".

**B 92630 • 6/Case - 23#**

30" Poly Rake. Head: 30"x22", handle: 41",  
tool length: 63".

**C 92312 • 6/Case - 25#**

24 Tine Spring Steel Leaf and Thatching Rake.  
Fiberglass Handle. 24 Spring steel tines.  
Head: 24"x16", handle: 50",  
tool length: 63".



## LANDSCAPING RAKES



### **A 92316 • 5/Case - 25#**

18" Landscape Rake. Steel Handle. 18 - 2.5" hardened steel tines, interchangeable head. Head: 18"x3.5", handle: 60, tool length: 61.5".

### **B 92320 • 5/Case - 28#**

24" Landscape Rake. Steel Handle. 22 - 2.5" hardened steel tines, interchangeable head. Head: 24"x3.5", handle: 60, tool length: 61.5".

### **C 92313 • 5/Case - 29#**

30" Landscape Rake. Steel Handle. 26 - 2.5" hardened steel tines, interchangeable head. Head: 30"x3.5", handle: 60, tool length: 61.5".

### **D 92315 • 5/Case - 31#**

36" Landscape Rake. Steel Handle. 32 - 2.5" hardened steel tines, interchangeable head. Head: 36"x3.5", handle: 60, tool length: 61.5".

#### Not Shown:

**E 92116 • 5/Case - 8#**

18" Landscape Rake Replacement Head

**F 92120 • 5/Case - 10#**

24" Landscape Rake Replacement Head

**G 92113 • 5/Case - 11#**

30" Landscape Rake Replacement Head

**H 92115 • 5/Case - 13#**

36" Landscape Rake Replacement Head

**GREAT  
FOR  
THATCHING**



Interchangeable rake heads are bolted on for extra stability.

**LAWN &  
LEVEL HEAD  
RAKES**



**A 92311 • 5/Case - 19#**

16" Level Head Rake. 60". Fiberglass Handle.  
7 Ga., 16 tines, steel head. Head: 16"x4",  
tool length: 60".

**B 92301 • 8/Case - 32#**

16" Level Head Rake. 66". Fiberglass Handle.  
7 Ga., 16 tines, steel head. Head: 16"x4",  
tool length: 66".

**C 92369 • 8/Case - 32#**

18" Stone Rake. 66". Fiberglass Handle.  
7 Ga., 18 tines, steel head. Head: 18"x3.5",  
handle: 54.5", tool length: 66".

**D 92309 • 6/Case - 23#**

16" Bow Rake. 58". Fiberglass Handle.  
10 Ga., 16 tines, steel head.  
Head: 16"x4", handle: 54.5", tool length: 58".

**E 92379 • 8/Case - 33#**

16" Bow Rake. 66". Fiberglass Handle.  
10 Ga., 16 tines, steel head. Head: 16"x4",  
handle: 54.5", tool length: 66".



**NEW**



Welded  
connection  
can't separate.



**BRUSH  
CLEARING  
TOOLS**

**A 92397 • 6/Case - 11#**

Curved Corn Knife. Fiberglass Handle. 12 Ga., adjustable steel blade. Blade: 16"x1.375", handle: 19".

**B 92391 • 6/Case - 15#**

Grass Hook. All Steel. 12 Ga. Blade: 18"x.75", tool length: 14".

**C 92393 • 6/Case - 13#**

22" Machete. All Steel. 12 Ga. Blade: 22"x2.25", tool length: 27".

**D 92392 • 6/Case - 23#**

Weed Cutter. Fiberglass Handle. 12 Ga., sharpened steel blade. Blade: 14"x2.25", handle: 43", tool length: 45".

**E 92399 • 6/Case - 14#**

Grass Whip. Fiberglass Handle. 12 Ga., sharpened steel blade. Blade: 10.5"x2", handle: 38", tool length: 42.5".

**F 92395 • 6/Case - 14#**

Bean Hook/Paver Weeder. Fiberglass Handle. 7 Ga. 3" Dual-sided sharpened blade. Steel shank. Blade: 3", handle: (from head) 42", tool length: 43".

**G 92390 • 6/Case - 28#**

Sod Lifter. Fiberglass D-grip Handle. 12 Ga., steel shank. Head: 9"x4.5", handle: (from head) 52".

Not Shown:

H 92497 • 6/Case - 5#  
Corn Knife Blade. 12 Ga.



Dual edge cuts weeds when pushed or pulled. Cleans between pavers too.

F

G

**HOME  
GARDENING  
TOOLS**



**A 92319 • 5/Case - 11#**

8" Shrub Rake. Short Fiberglass Handle.  
10 Spring steel tines. Head: 8"x10",  
tool length: 26.25".

**B 92317 • 5/Case - 18#**

8" Shrub Rake. American Ash Handle.  
10 Spring steel tines. Head: 8"x10",  
handle: 43", tool length: 53".

**C 92305 • 5/Case - 37#**

Bulb Planter. Post Hole Style. Fiberglass Handles.  
12 Ga. Blades: 4.25"x6", handles: 43",  
tool length: 57".

**D 92711 • 5/Case - 18#**

Floral Spade, American Ash D-grip Handle.  
14 Ga., closed back, support rib for strength,  
extended length ferrule. Blade: 6.5"x8.5",  
handle: 31", tool length: 39.5".

**E 92710 • 5/Case - 20#**

Floral Spade, American Ash Handle. 14 Ga.,  
closed back, support rib for strength,  
extended length ferrule. Blade: 6.5"x8.5",  
handle: 45", tool length: 54.625".

**HEAVY  
DUTY  
SHRUB  
RAKES**





## HOME GARDENING TOOLS



- A 92302 • 5/Case - 18#**  
3" Diameter Bulb Planter. Steel T-style Handle. Tube: 3"x9", handle: 26.5", tool length: 36".
- B 92100 • 8/Case - 45#**  
Dirt Ripper Cultivator. Steel T-style Handle. Four 1/2" offset beveled steel tines penetrate 8". Handle: 29", tool length: 41.75".
- C 92251 • 4/Case - 18#**  
Round Lawn Edger. Steel T-style Handle. 12 Ga. Head: 9"x7", handle: 33", tool length: 38.375".
- D 92300 • 6/Case - 13#**  
Root Soaker Irrigation Tool. Steel T-style Handle. 1/2" Diameter tube, pointed tip, hose fitting. Tool length: 38".
- E 92350 • 6/Case - 20#**  
Weed Bully Weed Extractor. Steel T-style Handle. 6 - 3" tines pull the weeds quickly. Handle: 33", tool length: 36".
- F 92307 • 4/Case - 13#**  
7" Level Head Rake, Steel Handle. 12 Ga. 8 Tines. Head: 7"x3.5", tool length: 46.375".
- G 92150 • 5/Case - 5#**  
Dirt Ripper, Jr. 4". All Steel. Beveled tines. Handle: 6", tool length: 10".
- H 92159 • 5/Case - 7#**  
7" Level Head Rake. All Steel. 12 Ga., 8 tines. Head: 7"x3.75", tool length: 15.375".
- I 92151 • 5/Case - 6#**  
Hand Rake. All Steel. 7"-9" tines. Head: 3" wide, tool length: 18.125".
- J 92158 • 5/Case - 6#**  
Oriental Gardening Tool. All Steel. 14 Ga. Blade: 3"x7", tool length: 11.75".
- K 92505 • 5/Case - 9#**  
Tulip Spade. All Steel. 14 Ga., 8" T-style handle. Blade: 3.5"x6", tool length: 15.75".
- L 92152 • 5/Case - 7#**  
Garden Trowel. All Steel. 14 Ga. Blade: 3.75"x6", tool length: 14".
- M 92154 • 5/Case - 6#**  
Transplanting Trowel. All Steel. 14 Ga., depth indicators. Blade: 3"x7", tool length: 15.125".
- N 92153 • 5/Case - 7#**  
Japanese Hoe. All Steel. 14 Ga. Blade: 2.75"x4.25", tool length: 11.75".



I

J

K

L

M

N

17

**GARDEN HOES  
& WEEDERS  
ASH**



**NORTH  
AMERICAN  
ASH HANDLES**

*Shorter Ash Handled Hoes - 44" to 50".  
7.5" Shorter than our fiberglass models.*

**A 92344 • 5/Case - 19#**

Nursery/Beet Hoe. 7"x3.5". American Ash Handle.  
12 Ga. Head: 7"x3.5", handle: (from head) 50".

**B 92347 • 5/Case - 19#**

Nursery/Beet Hoe. 6"x2.5". American Ash Handle.  
12 Ga. Head: 6"x2.5", handle: (from head) 50".

**C 92345 • 5/Case - 14#**

Loop Hoe. American Ash Handle. 12 Ga.  
Head: 6"x3.25", handle: (from head) 43".

**D 92355 • 6/Case - 23#**

Garden Hoe. American Ash Handle. 12 Ga. Head:  
6.5"x4.75", handle: (from head) 51.5".

**E 92349 • 6/Case - 23#**

Warren Hoe. American Ash Handle. 12 Ga.  
Head: 5"x6.5", handle: (from head) 50.5".

**F 92352 • 6/Case - 22#**

Cavex Hoe. American Ash Handle. 7 Ga.  
Head: 7.5"x5.5", handle: (from head) 44".

**G 92356 • 6/Case - 22#**

Stealth Weeder. American Ash Handle. 12 Ga.  
Head: 3.75"x9.25", handle: (from head) 44".

**H 92358 • 6/Case - 19#**

Two Prong Weeding Hoe. American Ash Handle.  
12 Ga. Head: 3.75"x9.25", handle: (from head)  
44".




**GARDEN HOES  
& WEEDERS  
FIBERGLASS**



*Longer Fiberglass Hoes - 50" to 60".  
7.5" Longer than our Ash handled models.*

- A 92343 • 5/Case - 19#**  
Nursery/Beet Hoe. 7"x3.5".  
Fiberglass Handle. 12 Ga. Head: 7"x3.5",  
handle: (from head) 57.5".
- B 92346 • 5/Case - 18#**  
Nursery/Beet Hoe. 6"x2.5".  
Fiberglass Handle. 12 Ga. Head: 6"x2.5",  
handle: (from head) 57".
- C 92348 • 5/Case - 14#**  
Loop Hoe. Fiberglass Handle. 12 Ga.  
Head: 6"x3.25", handle: (from head) 55".
- D 92353 • 6/Case - 23#**  
Garden Hoe. Fiberglass Handle. 12 Ga.  
Head: 6.5"x4.75", handle: (from head) 56".
- E 92354 • 6/Case - 21#**  
Warren Hoe. Fiberglass Handle. 12 Ga.  
Head: 5"x6.5", handle: (from head) 56".
- F 92351 • 6/Case - 22#**  
Cavex Hoe. Fiberglass Handle. 7 Ga.  
Head: 7.5"x5.5", handle: (from head) 56.5".
- G 92359 • 6/Case - 20#**  
Stealth Weeder. Fiberglass Handle. 7 Ga.  
Head: 3.75"x9.25",  
handle: (from head) 60".
- H 92357 • 6/Case - 20#**  
Two Prong Weeding Hoe.  
Fiberglass Handle. 12 Ga.  
Head: 3.75"x9.25",  
handle: (from head) 50.375".



## FIELD HOES & BARN CLEANING



### A 92417 • 4/Case - 16#

Curved Garden Hoe. Fiberglass Handle. 7 Ga.  
Head: 7"x5.5", handle: (from head) 57.25",  
tool length: 57.5".

### B 92415 • 4/Case - 16#

5" Field Hoe. Fiberglass Handle. 7 Ga.  
Head: 5"x5.5", handle: (from head) 58.5",  
tool length: 59".

### C 92414 • 4/Case - 15#

4" Field Hoe. Fiberglass Handle. 7 Ga.  
Head: 4"x5.5", handle: (from head) 58.5",  
tool length: 59.5".

### D 92323 • 4/Case - 22#

8" Field Hoe. Fiberglass Handle. 7 Ga.  
Head: 8"x8.5", handle: (from head) 34.5",  
tool length 39.75".

### E 92361 • 5/Case - 24#

Livestock Hoe. All Steel. 12 Ga. Blade: 12"x3",  
tool length: 60.5".

### F 92371 • 4/Case - 35#

24" Barn Scraper. Fiberglass Handle. 14 Ga.,  
detachable curved blade. Blade: 24"x7.5",  
handle: 62", tool length: 67".



**BRUSH  
CLEARING**



**A 92376 • 4/Case - 20#**  
Ditch Bank Blade. 12", 12 Ga.  
36" Hickory Handle. Tool length: 48.375".

**B 92386 • 4/Case - 19#**  
Ditch Bank Blade. 16", 12 Ga.  
36" Hickory Handle. Tool length: 52.375".

**C 92387 • 4/Case - 23#**  
Double Edge Brush Hook.  
36" Hickory Handle. 12 Ga.  
Blade: 12"x3.5". Tool length: 45"

**D 92388 • 4/Case - 23#**  
12" Single Edge Brush Hook.  
36" Hickory Handle. 12 Ga.  
Blade: 12"x3.5". Tool length: 45".

*12 Ga. Replacement Blades  
and Handle • 5/Case*

- E 92476 for #92376 • 7#
- F 92486 for #92386 • 11#
- G 92487 for #92387 • 10#
- H 92488 for #92388 • 10#
- I 99300 36" Handle • 12#



**36"  
HICKORY  
HANDLES**

## DIGGING & AGRICULTURAL FORKS



**A 92373 • 5/Case - 46#**  
Super Fork. Steel D-grip Handle. Extra wide handle, 4 Tines (1/2"), 8.25"x11" head. Handle: (from head) 35", tool length: 46.5".

**B 92370 • 5/Case - 19#**  
Spading Fork. Fiberglass D-grip Handle. 4 Tines, 7"x10" head. Handle: (from head) 32", tool length: 43.875".

**C 92342 • 5/Case - 21#**  
Stall Fork. Fiberglass Handle. 18 Tines, 15"x12" head. Handle: (from head) 49", tool length: 59".

**D 92334 • 5/Case - 20#**  
Four-Tine Cultivating Fork. Fiberglass Handle. 4 Tines, 4.5"x4.5" head. Handle: (from head) 51.5", tool length: 54.5".

**E 92626 • 4/Case - 70#**  
Broadfork. Fiberglass Handles. 7 - 1/2" steel tines, detachable handles. Head: 20"x13", Handles: 43".



## SCRAPERS, EDGERS & PLANTERS



**BREAKS  
THICK ICE**

**A 92201 • 8/Case - 36#**

Sidewalk Scraper. Steel D-grip Handle. 11 Ga.  
Head: 6"x7", handle: (from head) 41", tool length: 46".

**B 92200 • 8/Case - 42#**

Sidewalk Scraper. Steel Long Handle. 11 Ga.  
Head: 6"x7", handle: (from head) 50", tool length: 57".

**C 92424 • 8/Case - 31#**

4" Scraper. Fiberglass Long Handle. 7 Ga.,  
beveled head. Head: 4"x9", handle: (from head) 50",  
tool length: 59".

**D 92423 • 8/Case - 30#**

4" Scraper. Fiberglass D-grip Handle. 7 Ga.,  
beveled head. Head: 4"x9", handle: (from head) 40",  
tool length: 49.5".

**E 92426 • 8/Case - 36#**

7" Scraper. Fiberglass Long Handle. 7 Ga.,  
beveled head. Head: 7"x9", handle: (from head) 50",  
tool length: 59".

**F 92425 • 8/Case - 34#**

7" Scraper. Fiberglass D-grip Handle. 7 Ga.,  
beveled head. Head: 7"x9", handle: (from head) 40",  
tool length: 49.5".

**G 92202 • 4/Case - 60#**

Square Edger/Root Cutter. Steel Long Handle.  
7 Ga., beveled blade, 1" solid handle. Head: 8"x6",  
handle: (from head) 53", tool length: 59".

**H 92381 • 4/Case - 34#**

Dibble Bar. Steel T-style Handle. 3/8" thick steel bar,  
plant up to 12" deep. Head: 3/8"x10",  
handle: (from head)  
27", tool length: 38.125".

**I 92389 • 5/Case - 32#**

Sapling Planter. Steel T-style Handle.  
1" Diameter beveled tube for planting and  
core samples up to 6". Head: 6",  
handle: (from head) 34",  
tool length: 40.625".



**15 LBS.  
CUTS ROOTS  
FASTER**



**Six inch  
depth.**



**Also takes  
core samples.**

## ASPHALT TOOLS

### A 92308 • 5/Case - 25# •

16" Asphalt Rake. Fiberglass Handle. 7 Ga., 14 tines,  
24" 1/2" diameter steel shank. Head: 16"x4",  
handle: (from head) 71.5", tool length: 72".

### B 92441 • 4/Case - 29# •

30" Asphalt Lute. Fiberglass Handle. 14 Ga., bolted on head.  
Head: 30"x3.5", handle: (from head) 65.5", tool length: 66".

### C 92442 • 4/Case - 31# •

36" Asphalt Lute. Fiberglass Handle. 14 Ga.,  
bolted on head. Head: 36"x3.5",  
handle: (from head) 65.5", tool length: 66".

### D 92431 • 4/Case - 29# •

30" Serrated Asphalt Lute.  
Fiberglass Handle. 14 Ga., 30 teeth, bolted on head.  
Head: 30"x3.5", handle: (from head) 65.5",  
tool length: 66".

### E 92432 • 4/Case - 31# •

36" Serrated Asphalt Lute.  
Fiberglass Handle. 14 Ga., 36 teeth, bolted on head.  
Head: 36"x3.5", handle: (from head) 65.5",  
tool length: 66".

\*Ships Disassembled





## CONCRETE TOOLS



### A 92419 • 5/Case - 13#

Short Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 6.5"x4.25", handle: (from head) 17.5", tool length: 21".

### B 92360 • 6/Case - 22#

Mason Hoe. Fiberglass Handle. 12 Ga. Head: 6.5"x4.25", handle: (from head) 57", tool length: 57.25".

### C 92375 • 4/Case - 43#

Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 10"x6", handle: (from head) 65.75", tool length: 66".

### D 92450 • 4/Case - 28# \*

Concrete Placer. Fiberglass Handle. 14 Ga. Head: 20"x35", handle: (from head) 65.75", tool length: 66".

### E 92440 • 4/Case - 28# \*

Concrete Placer with Wire Hook. Fiberglass Handle. 14 Ga. Head: 20"x35", handle: (from head) 65.75", tool length: 66".

\*Ships Disassembled



**TWO PIECE  
DESIGN  
STORES EASILY**

## FLOORING MATERIAL REMOVERS



**RESHARPEN  
NO REPLACEMENT  
BLADE NEEDED**



Blades sharpen  
easily with a  
file or grinder.

### A 91300 • 7/Case - 26#

Floor Bully Flooring Scraper. Fiberglass Handle.  
11 Ga., 6" width, resharpen with a file or grinder.  
Head: 6"x7", handle: (from head) 50",  
tool length: 57".

### B 91340 • 5/Case - 22#

Big Bully Flooring Scraper. Fiberglass Handle.  
11 Ga., 12" width, resharpen with a file or grinder.  
Head: 12"x7", handle: (from head) 50",  
tool length: 57".

### C 91325 • 4/Case - 26#

Tile Bully Tile Breaker. Fiberglass Handle.  
3/8" Thick head, resharpen with a file or grinder.  
Breaks up tile, slate, etc. Head: 3"x9",  
handle: (from head) 44.5", tool length: 53.625".

### D 91350 • 5/Case - 6#

Floor Bully, Jr. Scraper. Steel Handle.  
11 Ga., 2" width, resharpen with a file or grinder.  
Head: 2"x3.5", handle: (from head) 9",  
tool length: 13.875".



Chiseled head removes  
tile set in mortar beds  
quickly and easily.



## ROOFING MATERIAL REMOVERS



Hammer point gets you through the toughest material.

### A 81250 • 4/Case - 17#

Demolition Bully Wrecking Bar. Steel Handle. 7 Ga., beveled teeth, 1" diameter handle, hammer block to get under tough materials. Head: 4"x8", handle: (from head) 19.5", tool length: 21.65".

### B 91400 • 6/Case - 19#

Stud Tuner Lumber Straightener. Steel Handle. 1" dia. Handle, U-shaped head, hold 2x4s in place during nailing. Handle: (from head) 20", tool length: 23.625".

### C 91111 • 4/Case - 51#

24" Shingle Plow. Long steel "U" bar handle. 11 Ga., 24 beveled teeth. Head: 23.5"x7.125", handle: (from head) 39", tool length: 47".

### D 91109 • 6/Case - 45#

Shingle Bully. Steel Handle. 10 Ga., beveled teeth, 1" diameter handle. Head: 9.75"x11", handle: (from head) 50", tool length: 57.5".

### E 91110 • 5/Case - 29#

ProShingle. Fiberglass D-grip Handle. 10 Ga., notched teeth, replaceable blade. Head: 9", handle: (from head) 40", tool length: 44.75".

### F 91115 • 5/Case - 11#

Replacement Blade for 91110.



A

B

Straightens warped and twisted lumber prior to nailing.



C

D

E

F

## ROOFING MATERIAL REMOVERS

### A 91117 • 5/Case

Shingle Shovel. Fiberglass D-grip Handle. 14 Ga., 7 teeth.  
Head: 7.625"x12".

### B 91116 • 5/Case

Shingle Shovel. Fiberglass Long Handle. 14 Ga., 7 teeth.  
Head: 7.625"x12".

### C 91119 • 5/Case

Shingle Shovel. Ash D-grip Handle. 14 Ga., 7 teeth. Head: 7.625"x12".

### D 91118 • 5/Case

Shingle Shovel. Ash Long Handle. 14 Ga., 7 teeth.  
Head: 7.625"x12".

### E 91101 • 5/Case - 21#

Shingle Remover. Steel D-grip Handle. 11 Ga., 7 beveled teeth.  
Head: 7.5"x7.25", handle: (from head) 21", tool length: 27".

### F 91102 • 5/Case - 25#

Shingle Remover. Fiberglass Long Handle. 11 Ga., 7 beveled teeth.  
Head: 7.5"x7.25", handle: (from head) 50.5", tool length: 57.375".

### G 91108 • 5/Case - 23#

Shingle Remover. Steel Long Handle. 11 Ga.,  
7 beveled teeth. Head: 7.5"x7.25", handle: (from head) 50.75",  
tool length: 57".

### H 91105 • 5/Case - 22#

Shingle Remover. Fiberglass D-grip Handle. 11 Ga.,  
7 beveled teeth. Head: 7.5"x7.25",  
handle: (from head) 41", tool length: 47.25".

### I 91103 • 6/Case - 29#

Adjustable Shingle Remover. Fiberglass D-grip  
Handle. 11 Ga., adjustable head allows for  
different roof pitches,  
7 beveled teeth.  
Head: 7.5"x7.25",  
handle: (from head) 41",  
tool length: 43.5".

**NEW**

**NEW**

**NEW**

**NEW**

Four-position  
adjustable head  
to suit your height  
or roof pitch.



**FIRE  
TOOLS**



**A**  
Double  
bolted head.

**A 99001 • 4/Case - 22#**

Drywall Hook. Fiberglass D-grip Handle. 7 Ga., 5.25" head, four sharpened teeth, 7.5" long blade for removing wallboard. Grip set 90° from double bolted head. Handle: (from head) 48", tool length: 53.5".

**B 99104 • 5/Case - 27#**

Fire Rake. Fiberglass Long Handle. 12 Ga., four 3.5" sharpened teeth.

Handle: (from head) 59", tool length: 59.25".

**C 99106 • 5/Case - 7#**

Four Replacement Teeth for Fire Rake. 12 Ga.

**D 99003 • 4/Case - 19#**

Rubbish Hook. Fiberglass D-grip Handle. 1/2" Diameter prongs set 6" apart, 6" long. Grip set 90° from the head. Handle: (from head) 55", tool length: 60".

**E 99002 • 5/Case - 18#**

Pike Pole. Fiberglass D-grip Handle. 7 Ga., 5" sharpened (double bolted) head.

Handle: (from head) 63", tool length: 68.75".

**F 99004 • 5/Case - 24#**

Wall Ripper. Fiberglass D-grip Handle. 12 Ga., 9"x2.25" head with four sharpened teeth on two plates. Grip set 90° from bolted head. Handle: (from head) 58.5", tool length: 69.25".



**E**  
7 Gauge  
sharpened  
head.



**F**  
Dual plates.

**D**

**E**

**F**

## MUNICIPAL TOOLS



- A 99200 • 5/Case - 12#**  
24" Manhole Cover Hook.  
Steel T-style Handle.  
1/2" Diameter Steel, 4" hook.
- B 99201 • 5/Case - 16#**  
36" Manhole Cover Hook.  
Steel T-style Handle.  
1/2" Diameter Steel, 4" hook.
- C 99202 • 5/Case - 18#**  
36" Soil Probe. Steel T-style Handle.  
1/2" Diameter Steel, sharpened tip.
- D 99203 • 5/Case - 21#**  
48" Soil Probe. Steel T-style Handle.  
1/2" Diameter steel, sharpened tip.
- E 99204 • 5/Case - 24#**  
60" Soil Probe. Steel T-style handle.  
1/2" Diameter steel, sharpened tip.
- F 99208 • 5/Case - 25#**  
60" Water Key. Steel T-style Handle.  
1/2" Diameter steel, 3/8" key opening.
- G 99207 • 5/Case - 22#**  
48" Water Key. Steel T-style Handle.  
1/2" Diameter steel, 3/8" key opening.
- H 99206 • 5/Case - 19#**  
36" Water Key. Steel T-style Handle.  
1/2" Diameter steel, 3/8" key opening.
- I 99205 • 5/Case - 15#**  
12" Water Key. Steel T-style Handle.  
1/2" Diameter steel, 3/8" key opening.



**MERCHANDISING****UPC CODES**

UPC: 7-35390- plus the number below.

**PAGE 4**

A 72515-7  
B 72525-6  
C 72530-0  
D 72502-2  
E 72510-2  
F 72520-1  
G 72535-5  
H 72500-3

**PAGE 5**

A 82515-4  
B 82525-3  
C 82530-7  
D 82502-4  
E 82510-9  
F 82520-8  
G 82535-2  
H 82500-0

**PAGE 6**

A 92814-5  
B 92400-0  
C 92402-4  
D 92201-3  
E 92200-6  
F 92712-4

**PAGE 7**

A 92719-3  
B 92720-9  
C 92721-6  
D 92722-3  
E 92730-8  
F 92731-5

**PAGE 8**

A 92600-4  
B 92601-1  
C 92604-2  
D 92605-9  
E 92602-8  
F 92603-5

**PAGE 9**

A 92515-1  
B 92510-6  
C 92705-6  
D 92700-1  
E 92702-5  
F 92707-0

**PAGE 10**

A 92718-6  
B 92716-2  
C 92717-9  
D 92704-9  
E 92703-2  
G 72600-0  
H 72601-7

**PAGE 11**

A 92382-9  
B 92384-3  
C 92539-7  
D 92448-2  
E 92540-3

**PAGE 12**

A 92624-0  
B 92630-1  
C 92312-6

**PAGE 13**

A 92316-4  
B 92320-1  
C 92313-3  
D 92315-7  
E 92116-0  
F 92120-7  
G 92113-9  
H 92115-3

**PAGE 14**

A 92311-9  
B 92301-0  
C 92369-0  
D 92309-6  
E 92379-9

**PAGE 15**

A 92397-3  
B 92391-1  
C 92393-5  
D 92392-8  
E 92399-7  
F 92395-9  
G 92390-4  
H 92497-0

**PAGE 16**

A 92319-5  
B 92317-1  
C 92305-8  
D 92711-7  
E 92710-0

**PAGE 17**

A 92302-7  
B 92100-9  
C 92251-8  
D 92300-3  
E 92350-8  
F 92307-2  
G 92150-4  
H 92159-7  
I 92151-1  
J 92158-0  
K 92505-2  
L 92152-8  
M 92154-2  
N 92153-5

**PAGE 18**

A 92344-7  
B 92347-8  
C 92345-4  
D 92355-3  
E 92349-2  
F 92352-2  
G 92356-0  
H 92358-4

**PAGE 19**

A 92343-0  
B 92346-1  
C 92348-5  
D 92353-9  
E 92354-6  
F 92351-5  
G 92359-1  
H 92357-7

**PAGE 20**

A 92417-8  
B 92415-4  
C 92414-7  
D 92323-2  
E 92361-4  
F 92371-3

**PAGE 21**

A 92376-8  
B 92386-7  
C 92387-4  
D 92388-1  
E 92476-5  
F 92486-4  
G 92487-1  
H 92488-8  
I 99300-6

**PAGE 22**

A 92373-7  
B 92370-6  
C 92342-3  
D 92626-4  
E 92334-8

**PAGE 23**

A 92201-3  
B 92200-6  
C 92424-6  
D 92423-9  
E 92426-0  
F 92425-3  
G 92202-0  
H 92381-2  
I 92389-8

**PAGE 24**

A 92308-9  
B 92441-3  
C 92442-0  
D 92431-4  
E 92432-1

**PAGE 25**

A 92419-2  
B 92360-7  
C 92375-1  
D 92450-5  
E 92440-6

**PAGE 26**

A 91300-4  
B 91340-0  
C 92325-7  
D 91350-9

**PAGE 27**

A 81250-5  
B 91400-1  
C 91111-4  
D 91109-3  
E 91110-9  
F 91115-4

**PAGE 28**

A 91117-7  
B 91116-1  
C 91119-2  
D 91118-5  
E 91101-7  
F 91102-4  
G 91108-6  
H 91105-5  
I 91103-1

**PAGE 29**

A 99001-2  
B 99104-0  
C 99106-4  
D 99003-6  
E 99002-9  
F 99004-3

**PAGE 30**

A 99200-9  
B 99201-6  
C 99202-3  
D 99203-0  
E 99204-7  
F 99208-5  
G 99207-8  
H 99206-1  
I 99205-4



**WWW.BULLYTOOLS.COM**  
**14 TECHNOLOGY DRIVE**  
**STEUBENVILLE, OH 43952**  
**800-469-5522**

