SAFETY DATA SHEET

Issuing Date 05-Sep-2017

Revision Date 04-Sep-2017

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier	
Product Name	CR1216 CR1220 CR1225 CR1616
Other means of identification	
Product Code(s)	1416209
Recommended use of the chemical	and restrictions on use
Recommended Use	Lithium Primary/Metal Batteries
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Supplier Identification	ChangZhou Anyida Power Technology Co., Ltd
Address	ChangZhou Xinbei District TianShan Road No. 60 Changzhou Jiangsu 213000 CN
Telephone	Phone:0519-83270441
E-mail	j10732@163.com
Emergency telephone number	
Company Emergency Phone Number	0519-83270441

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A



Reproductive toxicity

Category 1B

This is a battery. In case of rupture: the above hazards exist.

Appearance No information available

Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements Harmful if swallowed Harmful if inhaled Causes skin irritation Causes serious eye irritation May damage fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life with long lasting effects.



Unknown acute toxicity

93.6 % of the mixture consists of ingredient(s) of unknown toxicity 6.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

93.6 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

62.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

61.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Iron	7439-89-6	52	-	-
Manganese dioxide	1313-13-9	30	-	-
Graphite	7782-42-5	4.6	-	-
Propylene carbonate	108-32-7	3	-	-
Lithium	7439-93-2	2	-	-
Ethylene glycol dimethyl ether	110-71-4	2	-	-
1,3-Dioxolane	646-06-0	1.3	-	-

4. FIRST AID MEASURES

First aid measures	
General advice	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effe	ects, both acute and delayed

Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Symptoms



Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Avoid generation of dust. Do not breathe dust.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Ensure adequate ventilation. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	ĽV	0	SHA PEL		NIOSH IDLH
Manganese dioxide 1313-13-9		TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter		(vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn		IDLH: 500 mg/m ³ Mn TWA: 1 mg/m ³ Mn STEL: 3 mg/m ³ Mn	
Graphite 7782-42-5		TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers		TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural		IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust	
1,3-Dioxolane 646-06-0		TWA: 20 p	opm		-		
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Manganese dioxide 1313-13-9	Т	WA: 0.2 mg/m ³	TWA: 0.	2 mg/m³	TWA: 0.02 mg/r TWA: 0.1 mg/n		TWA: 0.2 mg/m ³
Graphite 7782-42-5		WA: 2 mg/m ³ TWA: 2		2 mg/m ³	TWA: 2 mg/m ³		TWA: 2 mg/m ³
Ethylene glycol dimethyl ether 110-71-4					TWA: 5 ppm TWA: 18 mg/m Skin		
1,3-Dioxolane 646-06-0		TWA: 20 ppm WA: 61 mg/m³	TWA: 2	20 ppm	TWA: 20 ppm		

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment


Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or



smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Propertie	es_	
Physical state	Solid	
Appearance	No information available	
Odor	No information available	
Color	No information available	
Odor Threshold	No information available	
Property	Values	Remarks Method
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
-	No data available	None known
Vapor pressure Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/w		None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
		None known
Other Information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	
	10. STABILITY AND	REACTIVITY
Reactivity	No information available.	



Stable under normal conditions.

Chemical stability

Hazardous Decomposition Products Carbon oxides.

	11. TOXICOLOGICAL INFORMATION					
Information on likely routes of	exposure_					
Product Information	Product does not present In case of rupture:	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:				
Inhalation		Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).				
Eye contact	Specific test data for the s (based on components).		ble. Causes serious eye irritation.			
Skin contact	Specific test data for the s on components).	ubstance or mixture is not availal	ble. Causes skin irritation. (based			
Ingestion		Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).				
Information on toxicological ef	fects					
Symptoms	Redness. May cause redr	less and tearing of the eyes. Cou	ghing and/ or wheezing.			
Numerical measures of toxicity	<u> </u>					
Acute Toxicity						
The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)862.00 mg/kgATEmix (dermal)41,622.45 mg/kgATEmix (inhalation-gas)5,217.00 mg/LATEmix (inhalation-dust/mist)1.80 mg/LATEmix (inhalation-vapor)12.75 mg/L						
93.6 % of the mixture consist 62.9 % of the mixture consist 62.9 % of the mixture consist	93.6 % of the mixture cons of ingredient(s) of unknown acu s of ingredient(s) of unknown ac s of ingredient(s) of unknown ac s of ingredient(s) of unknown ac s of ingredient(s) of unknown ac	ute dermal toxicity ute inhalation toxicity (gas) ute inhalation toxicity (vapor)	toxicity			
Component Information						
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50			
Iron	= 984 mg/kg (Rat)	-	-			
Manganese dioxide	= 9000 mg/kg (Rat)	-	-			
Propylene carbonate	= 29000 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-			
Ethylene glycol dimethyl ether	= 775 mg/kg (Rat)> 4000 mg/kg (Rat)	-	-			
1,3-Dioxolane	= 3 g/kg (Rat)	= 15 g/kg (Rat)= 8480 µL/kg (Rabbit)	= 20650 mg/m³(Rat)4 h			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Classification based on data available for ingredients. Irritating to skin.	
Classification based on data available for ingredients. Irritating to eyes.	
No information available.	
No information available.	
No information available.	
Classification based on data available for ingredients. Contains a known or suspected reproductive toxin.	
No information available.	
No information available.	
No information available.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Iron	-	96h LC50: = 13.6 mg/L	-	-
		(Morone saxatilis)		
Propylene carbonate	72h EC50: > 500 mg/L	96h LC50: > 1000 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Cyprinus carpio) 96h		
	subspicatus)	LC50: = 5300 mg/L		
		(Leuciscus idus)		

Persistence and Degradability No information available.

Bioaccumulation

<0
0.48
-0.37

Mobility

No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.



California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical na	me	California Hazardous Waste	
Lithium			
/439-93-	7439-93-2 Ignitable Reactive		
		Reactive	
	14. TRANSPO	RT INFORMATION	
Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"		
DOT Proper Shipping Name Emergency Response Guide Number	NOT REGULATED NON-REGULATED 138		
TDG	Not regulated		
MEX	Not regulated		
ICAO	Not regulated		
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A		
IMDG/IMO Proper Shipping Name Hazard Class EmS-No.	Not regulated NON-REGULATED PE N/A F-A, S-I	R SP 188	
<u>RID</u>	Not regulated		
ADR	Not regulated		
<u>ADN</u>	Not regulated		
	15. REGULATO	DRY INFORMATION	

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Manganese dioxide - 1313-13-9	1313-13-9	30	1.0
Ethylene glycol dimethyl ether - 110-71-4	110-71-4	2	1.0
Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden release of pressure hazard Reactive Hazard	No No No No		

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.



Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Manganese dioxide	Х		Х	Х	Х
1313-13-9					
Graphite	Х	X	Х		
7782-42-5					
Lithium	Х	X	Х		
7439-93-2					
Ethylene glycol dimethyl ether	Х	Х	Х	Х	Х
110-71-4					
1,3-Dioxolane	Х	Х	Х		
646-06-0					

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -	
HMIS	Health hazards 0	Flammability 0	Physical hazards 0	Personal Protection X	
Prepared By					
Issuing Date	05-Sep-2017				
Revision Date	04-Sep-2	017			
Revision Note	No inform	ation available			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet