



# 18v LXT® Lithium-Ion Brushless Cordless 2-Pc. Combo Kit (4.0Ah)

Model XT269M

Kit Includes Brushless Hammer Driver-Drill, Impact Driver and 2 ea. 18v LXT® 4.0Ah Batteries



## SPEED

1/2" Hammer Driver-Drill  
(0-500 & 0-2,000 RPM) with  
BL™ Motor delivers 530 in.lbs.  
of Max Torque



## POWER

Variable speed Impact Driver  
(0-3,400 RPM & 0-3,600 IPM)  
delivers 1,500 in.lbs. of Max Torque



## EFFICIENCY

Efficient BL™ Brushless motor  
optimizes battery energy use  
for up to 50% longer run time  
per charge



## INNOVATION

18v Lithium-Ion 4.0Ah battery  
BL1840B features an integrated  
L.E.D. battery charge level  
indicator



# LXT® BRUSHLESS

## FEATURES

- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently for longer life
- The electronically-controlled BL™ Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) with BL™ Brushless Motor delivers 1,500 in.lbs. of Max Torque; weighs only 3.3 lbs. with battery
- Hammer Driver-Drill features Extreme Protection Technology (XPT™) which is engineered to provide increased dust and water resistance in harsh job site conditions.
- 18v LXT® Lithium-Ion 4.0Ah battery BL1840B provides up to 35% more run time per charge compared to 3.0Ah battery BL1830
- 18v LXT® Lithium-Ion 4.0Ah battery BL1840B features an integrated L.E.D. battery charge level indicator

## SPECIFICATIONS

Battery	18v LXT® Lithium-Ion
Battery Charge Time (minutes)	40
Shipping Weight	14.7 lbs.
UPC Code	088381-827768

## STANDARD EQUIPMENT

- 18v LXT® Brushless 1/2" Hammer Driver-Drill (XPH12Z)
- 18v LXT® Brushless Impact Driver (Tool Only) (XDT13Z)
- (2) 18v LXT® Lithium-Ion 4.0Ah Battery (BL1840B)
- 18v Lithium-Ion Rapid Optimum Charger (DC18RC)

## OPTIONAL ACCESSORIES

- 18v LXT® Lithium-Ion 5.0Ah Battery (BL1850B)
- 18v LXT® Lithium-Ion 6.0Ah Battery (BL1860B)
- 18v Lithium-Ion Dual Port Rapid Optimum Charger (DC18RD)
- 18v Lithium-Ion 4-Port Charger (DC18SF)

All specifications subject to change without prior notice. All models and accessories subject to stock on hand.  
The Makita Teal Color is the trade dress of Makita Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office

Makita offers a wide variety of accessories. For a complete listing, please refer to the Makita General Catalog or visit our website at makitatools.com, or call 1-800-4MAKITA.





# 18V LXT® Lithium-Ion Cordless Multi-Tool Kit

Model XMT035 / 3Z (Tool Only)

18V LXT® LITHIUM-ION BATTERY PROVIDES UP TO 20 MINUTES OF CONTINUOUS RUN TIME

- Variable speed control dial (6,000-20,000 OPM) enables user to match the speed to the application
- 3.2° oscillation angle engineered for faster, more aggressive cutting and sanding
- Large on/off slide switch with lock-on button for operator convenience
- Includes adapters to fit most competitive accessories

## CONVENIENCE



"Tool-less" clamp system for fast accessory installation

## PERFORMANCE



18V LXT® Lithium-Ion battery provides up to 20 minutes of continuous run time

## CONTROL



Variable speed control dial (6,000-20,000 OPM) enables user to match the speed to the application

## ERGONOMICS



Small diameter barrel grip (only 2-3/8") for improved handling



# TOOL-LESS ACCESSORY CHANGE

# 18v LXT<sup>®</sup> Lithium-Ion Cordless Multi-Tool Kit

## Model XMT035 / 3Z (Tool Only)

### FEATURES & BENEFITS

- 18V LXT<sup>®</sup> Lithium-Ion battery provides up to 20 minutes of continuous run time
- Variable speed control dial (6,000-20,000 OPM) enables user to match the speed to the application
- 3.2° oscillation angle engineered for faster, more aggressive cutting and sanding
- Large on/off slide switch with lock-on button for operator convenience
- Includes adapters to fit most competitive accessories
- Small diameter barrel grip (only 2-3/8") for easy handling
- Battery capacity warning system turns on indicator light and is engineered to automatically stop motor to notify user when it is time to recharge the battery
- Weighs only 4.9 lbs. with battery for reduced operator fatigue
- Built-in L.E.D. light illuminates the work area
- Soft start feature for smooth start-ups
- Ideal for wood flooring, tile, plaster, sheetrock, wood, PVC and a variety of other applications
- Equipped with Star Protection Computer Controls™ to protect against overloading, over-discharging and over-heating
- 18V LXT<sup>®</sup> Lithium-Ion 3.0 Ah battery BL1830 reaches a full charge in 30 minutes or less



Model XMT035



Model XMT03Z



### STANDARD EQUIPMENT

- Makita Multi-Tool Adapter (313249-6)
- Makita Multi-Tool Adapter (313248-8)
- 1-3/8" Plunge Saw Blade (BiM) (A-95255)

### SPECIFICATIONS

Oscillations Per Minute	6,000 - 20,000 OPM	
Oscillation Angle	3.2°	
Battery	18V LXT <sup>®</sup> Lithium-Ion	
Overall Length	13-3/8"	
Battery Charge Time	30 min.	
Net Weight	4.9 lbs. (w/ battery)	
Shipping Weight	13 lbs. (w/ battery)	
UPC Code	XMT035	088381-667715
	XMT03Z	088381-667708

### OPTIONAL ACCESSORIES

- 18V Lithium-Ion Rapid Optimum 4-Port Charger (DC18SF)



Makita offers a wide variety of accessories. For a complete listing, please refer to the Makita General Catalog or visit our website at [makitatools.com](http://makitatools.com), or call 1-800-4MAKITA.

All specifications subject to change without prior notice. All models and accessories subject to stock on hand.  
The Makita Teal Color is the trade dress of Makita Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office.  
XMT035-0514 MA-3613-14