
Assembly Instructions

Caution: You must read this before you proceed

Chair




	ا عہ	! -	1
Pai	rt I	LIS	τ

1 are Elst				
Label	Picture	Description	QTY	
А		Seat	1	
В		Seat	1	
С		Chair Legs	1	
D		Seat Cushion	1	

<u>Hardware</u>					
Label	Picture	Description	QTY		
1)	0	Bolt (M6X40mm)	5		
2		Spring Washer	5		
3	0	Washer	13		
4		Nut	5		
(5)		Сар	5		
6		Сар	9		
7	6	Bolt (M6X20mm)	5		
8		Allen Key	1		
9	£	Open ended wrench	1		

Assembly Preparation

Before Beginning Assembly:





• Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-



Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-

Overview Seat (A、B) Chair Legs (B) FRONT FACING

This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.










Unpack and place all parts on a clean, non-marring surface.






Place the Seat(B) face up onto a clean, non-marring surface.

Align the Seat(B) to the Backrest(A) as shown above.

Attach the Seat(B) to the Backrest(A) using Bolts(1), Spring Washers(2) \checkmark Washers(3) and Nuts (4) with an Allen Key(8) and the Open ended wrench (9).

Do not fully tighten the Bolts.

Step 3



Place the Seat(B) facedown.

Align the Seat(B) to the Chair Legs(C) as shown above.

Attach the Seat(B) to the Chair Legs(C) using Bolts(7), and Washers(3) with an Allen Key(8).

Do not fully tighten the Bolts.

Step 4



Stand the Chair up.

Exert pressure floorwards, onto the Chair with both of your hands.

This pressure will help the Legs and Seat reach full alignment status.

Check for wobbles on a LEVEL surface.


If no wobbles are found proceed to tighten the Bolts in a sequential manner, until evenly secured.

When tightening the Bolts tighten sequentially.

Do not tighten any Bolt fully and then move on towards the next one.


If there are still wobbles after tightening, loosen the Bolts and execute the same above process.

Step 5



Cover the Bolts(12) and a Nut(7) using Caps(56).






Stand the Chair up.

Put the Seat Cushion(D) onto the Chair.

Secure the Seat Cushion using the Velco straps as pictured.

Step 7



Your Chair is ready for use.

This Chair can only be used on a flat and level surface.

Use adjustable foot pads to adjust the chair

Care & Maintenance



Do not put hot items directly on furniture surface





Do not clean furniture with harsh cleansers or polish.



 To obtain the longest lifespan of your outdoor prodcts, minimizing exposure to direct sunlight is recommended.





Children should not climb or jump on the furniture.





Do not write on furniture without a padded barrier to protect the surface.



To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.



Not for commercial use. For residential use only.



Stains may be removed with mild soap solution and damp cloth.





Keep away from sources of ignition.



Dust and pick-up spills using a clean, non-colored, lint-free cloth.