

CUSTOM COMPLETE

Product Catalog



Flooring Preparation & Installation Products



CUSTOM[®]
TILE INSTALLATION SYSTEMS

Grouts

GROUT

Select the right grout for the job. CUSTOM now offers all of its major grout lines in a standard palette of 40 colors. With the best color selection to match today's tile trends, count on CUSTOM for all your grout needs. CUSTOM's Grout Solutions are easy to work with yet deliver hard, durable joints.

Fusion Pro® Single Component® Grout

Fusion Pro is a breakthrough in grout technology. Its superior stain resistance and color consistency exceeds that of many epoxy grouts, while its easy handling and cleanability compares to cementitious grouts. Plus, it never needs to be sealed.

NEW

Fusion Pro Designer Series delivers reflective color accents in eight unique options.

* Fusion Pro will not effloresce, mottle, fade or color shade within the grout joint when installed per manufacturer's directions. Cured Fusion Pro will not stain when exposed to most common, non-corrosive household goods and cleaning agents. All spills should be immediately cleaned from the grout. See website for details.



CEG Grouts

CEG-Lite™ is a lightweight, 2-part, 100% solids epoxy that delivers high stain and chemical resistance combined with superior handling characteristics and versatility. For demanding projects, choose **CEG-IG™**, an industrial grade, water cleanable, 100% solids epoxy grout that has high chemical, stain and temperature resistance.



Prism® Color Consistent Grout

With its unique formula, Prism offers consistent color without shading — regardless of tile type, temperature or humidity. This cementitious grout also eliminates the potential for efflorescence.



Polyblend®

North America's #1 Grout

Tile pros count on Polyblend for everyday performance. This polymer-modified grout family, formulated for durability, produces hard, dense joints that resist shrinking, cracking and wear. Sanded and non-sanded formulations are available.



See page 21 for available colors and sizes.

Specialty Grout

Fusion Pro® Single Component® Grout

Fusion Pro® is a professional grade grout that features unsurpassed stain resistance with no sealing required. Its Single Component formula is ready to use, color consistent and easy to spread and clean. Fusion Pro can be used in commercial and residential environments, interiors and exteriors, and on walls and floors. Its patented formulation can be used on all tiles and has built-in Microban® antimicrobial product protection.



Fusion Pro® Single Component® Grout — Designer Series

The Fusion Pro® Designer Series includes 8 specialty colorations featuring metallic and reflective options to highlight high end tile for a special effect.



CEG-Lite™ 100% Solids Commercial Epoxy Grout

CEG-Lite™ 100% Solids Commercial Epoxy Grout provides stain resistance with a fast cure time for a quick return to service. Its lightweight formula makes it easier to spread than typical epoxy grouts and is water-cleanable. CEG-Lite exceeds ANSI A118.3 performance requirements, is suitable for use on vertical joints without an additive, and can also be used as a mortar. Its two-component formula combines a Part A pigmented hardener with a Part B consisting of resins and lightweight aggregates.



ITEM CODE	SIZE	COLOR
LWCEGB1-EA	9.5 lb (4.3 kg) Pail	See CEG Part A, Page 21
LWCEGB2	19 .4 lb (8.8 kg) Pail	See CEG Part A, Page 21

CEG-IG™ Industrial Grade 100% Solids Epoxy Grout

CEG-IG is an industrial grade, water cleanable, 100% solids epoxy grout that has high chemical, temperature and stain resistance. It is formulated for harsh environments such as commercial kitchens and food processing facilities. CEG-IG is a two component epoxy system that combines a pigmented hardener with epoxy resins and recycled aggregates to fill joint widths from 1/16" to 1/2" (1.6-13 mm) and won't shrink or sag. With its fast cure time, CEG-IG provides a quick return to service.



ITEM CODE	SIZE	COLOR
CEGIGB2	27.7 lb (12.68 kg) Pail	See CEG Part A, Page 21

Prism® Color Consistent Grout

A fast-setting, polymer-modified, cement-based grout that offers consistent color without mottling or shading, regardless of tile type, temperature or humidity. Cures quickly and develops high early-strength to accommodate grout joints from 1/16" to 1/2" (1.6 mm - 13 mm). Prism may be used for interior or exterior installations.



Polyblend® Sanded Grout

A polymer-modified, cement based grout that produces hard, dense joints that resist shrinking, cracking and wear. Formulated for durability, Polyblend Sanded Grout accommodates 1/8" to 1/2" (3-13 mm) joints for interior or exterior installations, including floors, countertops, walls, ceilings, showers, fountains and pools.



Polyblend® Non-Sanded Grout

A polymer-modified grout designed for highly glazed or polished tile, marble and natural stone that would be scratched by sanded grouts. This durable, non-shrinking grout accommodates joints up to 1/8" (3 mm) and can be used for interior or exterior installations, including floors, countertops, walls, ceilings, showers, fountains and pools.



Polyblend® White Dry Grout

Polymer-modified, high performance formula generates hard, dense grout joints. Use in joints up to 1/8" (6 mm).

ITEM CODE	SIZE	COLOR
PBWDG25	25 lb (11.34 kg) Bag	White

Saltillo Grout

Fill Saltillo, terra-cotta or quarry tile joints from 1/2" to 1-1/4" (13 to 32 mm) with this pre-blended cement grout. 40 colors available through special order.

ITEM CODE	SIZE	COLOR
SLGXXX50	50 lb (22.68 kg) Bag	40 colors available

White Dry Non-Sanded Grout

Economical, non-sanded grout for filling joints up to 1/8" (6 mm) wide.

ITEM CODE	SIZE	COLOR
WDG1-6	1 lb (.45 kg) Can	White
WDG5-4	5 lb (2.27 kg) Box	White
WDG25	25 lb (11.34 kg) Bag	White

Special order colors and sizes available.



Grout Solutions

Custom Building Products continues to lead the grout industry by offering the best color lineup that combines existing popular favorites with nine refreshed nature-inspired colors added for 2015.

Designers and end-users have a new and dynamic array of colors to choose from — all coordinating with today's tile styles including glass and weathered wood-inspired patterns featuring gray, brown and green tones.

Grouts continued

Caulk

Commercial 100% Silicone Caulk

Designed for use in coves, corners, changes in plane and expansion joints associated with exterior and interior applications of tile and stone. Can be used in pools and other wet area applications. Conforms to ASTM C-920 and ASTM C-794 properties. Available in 40 colors and clear.

Polyblend® Ceramic Tile Caulk

Siliconized, acrylic formula caulk for use around tubs, showers, sinks or change of plane.

Colorant

Polyblend® Grout Renew

Renew or change the color of grout while sealing it against stains. Available through special order in all Polyblend Grout colors.

SimpleFix®

Ceramic Tile & Fixture Caulk

For caulking around sinks, tubs and showers and where tile meets tile or another surface. Also adheres bath fixtures and loose tile. Available in Bright White, Smooth.

ITEM CODE	SIZE	COLOR
CTFC381	5.5 oz (162.6 ml) Tube	Bright White, Smooth

Pre-Mixed Adhesive & Grout

Ready-to-use product bonds and grouts ceramic floor and wall tile. Crack, shrink and stain resistant. Great for repairs and small jobs. Available in Bright White and Alabaster.

ITEM CODE	SIZE	COLOR
TAGWQT	1 quart (.946 L) Pail	Bright White
TAGW1	1 gallon (3.78 L) Pail	Bright White
TAGAQT	1 quart (.946 L) Pail	Alabaster
TAGA1	1 gallon (3.78 L) Pail	Alabaster

SimpleGrout®

Pre-Mixed Grout

Pre-Mixed Grout is the no mix, no mess alternative to traditional grout. This shrink and crack resistant formula is also highly resistant to most common household stains. Ideal for grout restoration. Available in eight popular colors.

ITEM CODE	SIZE	COLOR
PMG09QT	1 quart (.946 L) Pail	Natural Gray
PMG105QT	1 quart (.946 L) Pail	Earth
PMG122QT	1 quart (.946 L) Pail	Linen
PMG165QT	1 quart (.946 L) Pail	Delorean Gray
PMG180QT	1 quart (.946 L) Pail	Sandstone
PMG333QT	1 quart (.946 L) Pail	Alabaster
PMG380QT	1 quart (.946 L) Pail	Haystack
PMG381QT	1 quart (.946 L) Pail	Bright White
PMG091	1 gallon (3.78 L) Pail	Natural Gray
PMG1051	1 gallon (3.78 L) Pail	Earth
PMG1221	1 gallon (3.78 L) Pail	Linen
PMG1651	1 gallon (3.78 L) Pail	Delorean Gray
PMG1801	1 gallon (3.78 L) Pail	Sandstone
PMG3331	1 gallon (3.78 L) Pail	Alabaster
PMG3801	1 gallon (3.78 L) Pail	Haystack
PMG3811	1 gallon (3.78 L) Pail	Bright White

GROUTS						
PHYSICAL PROPERTIES	FUSION PRO GROUT	CEG-LITE EPOXY GROUT	CEG-IG EPOXY GROUT	PRISM GROUT	POLYBLEND SANDED	POLYBLEND NON-SANDED
Applicable ANSI Standards	A118.7 A118.3	A118.3	A118.3	A118.7	A118.6	A118.6
Systems Warranty	Up to Lifetime	Up to Lifetime	Up to Lifetime	Up to Lifetime	Up to Lifetime	Up to Lifetime
Linear Shrinkage:						
7 day cure	0.16%	< 0.10%	< 0.05%	< 0.2%	<0.08%	<0.10%
Water Absorption:	8%	N/A	N/A	< 5%	8%	16%
Compressive Strength:						
7 day cure	>3000 psi	> 5500 psi	> 9500 psi	>3000 psi	4650 psi	3299 psi
Flexural Strength (7 days)	N/A	N/A	N/A	> 1000 psi	990 psi	> 799 psi
Pot Life	Indefinite	60 minutes	60 minutes	60–90 minutes	1–2 hours	1–2 hours
Initial Set	> 2 hours	> 2 hours	> 2 hours	2 hrs	4 hrs	5 hours
Final Set	24 hours	18–24 hours	18–24 hours	2.5 hours	5 hours	6 hours
Colors	40	40	40	40	40	40

	FUSION PRO 1 gallon (3.78 L) Pail	FUSION PRO 1 quart (956 ml) Tub	FUSION PRO DESIGNER SERIES 1 quart (956 ml) Tub	CEG PART A 1.3 lb (.58 kg) Tub	PRISM 17 lb (7.71 kg) Box	POLYBLEND SANDED 7 lb (3.17 kg) Box	POLYBLEND SANDED 25 lb (11.34 kg) Bag	POLYBLEND NON-SANDED 10 lb (4.54 kg) Box	CSC CAULK 10.1 oz (300 ml) Cartridge	POLYBLEND SANDED CAULK 10.5 oz (310 ml) Cartridge	POLYBLEND NON-SANDED CAULK 10.5 oz (310 ml) Cartridge	POLYBLEND GROUT RENEW 8 fl oz (237 ml) Bottle
COLOR	ITEM CODE		ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE	ITEM CODE
#000 Clear									CCSC000			
#09 Natural Gray	FP091-2T	FP09QT-4	LWCEG09A-EA	PG0917T	PBG097-4	PBG0925	PBG0910	CCSC09	PC0910S-6	PC0910N-6	GCL09HPT	
#10 Antique White	FP101-2T		LWCEG10A-EA	PG1017T	PBG107-4	PBG1025	PBG1010	CCSC10	PC1010S-6	PC1010N-6	GCL10HPT	
#11 Snow White	FP111-2T		LWCEG11A-EA	PG1117T	PBG117-4	PBG1125	PBG1110	CCSC11	PC1110S-6	PC1110N-6	GCL11HPT	
#19 Pewter	FP191-2T	FP19QT-4	LWCEG19A-EA	PG1917T	PBG197-4	PBG1925	PBG1910	CCSC19	PC1910S-6	PC1910N-6	GCL19HPT	
#22 Sahara Tan	FP221-2T		LWCEG22A-EA	PG2217T	PBG227-4	PBG2225	PBG2210	CCSC22	PC2210S-6	PC2210N-6	GCL22HPT	
#45 Summer Wheat	FP451-2T		LWCEG45A-EA	PG4517T	PBG457-4	PBG4525	PBG4510	CCSC45	PC4510S-6	PC4510N-6	GCL45HPT	
#50 Nutmeg	FP501-2T		LWCEG50A-EA	PG5017T	PBG507-4	PBG5025	PBG5010	CCSC50	PC5010S-6	PC5010N-6	GCL50HPT	
#52 Tobacco Brown	FP521-2T	FP52QT-4	LWCEG52A-EA	PG5217T	PBG527-4	PBG5225	PBG5210	CCSC52	PC5210S-6	PC5210N-6	GCL52HPT	
#59 Saddle Brown	FP591-2T		LWCEG59A-EA	PG5917T	PBG597-4	PBG5925	PBG5910	CCSC59	PC5910S-6	PC5910N-6	GCL59HPT	
#60 Charcoal	FP601-2T	FP60QT-4	LWCEG60A-EA	PG6017T	PBG607-4	PBG6025	PBG6010	CCSC60	PC6010S-6	PC6010N-6	GCL60HPT	
#95 Sable Brown	FP951-2T	FP95QT-4	LWCEG95A-EA	PG9517T	PBG957-4	PBG9525	PBG9510	CCSC95	PC9510S-6	PC9510N-6	GCL95HPT	
#101 Quartz	FP1011-2T		LWCEG101A-EA	PG10117T	PBG1017-4	PBG10125	PBG10110	CCSC101	PC10110S-6	PC10110N-6	GCL101HPT	
#105 Earth	FP1051-2T	FP105QT-4	LWCEG105A-EA	PG10517T	PBG1057-4	PBG10525	PBG10510	CCSC105	PC10510S-6	PC10510N-6	GCL105HPT	
#115 Platinum	FP1151-2T	FP115QT-4	LWCEG115A-EA	PG11517T	PBG1157-4	PBG11525	PBG11510	CCSC115	PC11510S-6	PC11510N-6	GCL115HPT	
#122 Linen	FP1221-2T	FP122QT-4	LWCEG122A-EA	PG12217T	PBG1227-4	PBG12225	PBG12210	CCSC122	PC12210S-6	PC12210N-6	GCL122HPT	
#135 Mushroom	FP1351-2T		LWCEG135A-EA	PG13517T	PBG1357-4	PBG13525	PBG13510	CCSC135	PC13510S-6	PC13510N-6	GCL135HPT	
#145 Light Smoke	FP1451-2T	FP145QT-4	LWCEG145A-EA	PG14517T	PBG1457-4	PBG14525	PBG14510	CCSC145	PC14510S-6	PC14510N-6	GCL145HPT	
#156 Fawn	FP1561-2T		LWCEG156A-EA	PG15617T	PBG1567-4	PBG15625	PBG15610	CCSC156	PC15610S-6	PC15610N-6	GCL156HPT	
#165 Delorean Gray	FP1651-2T	FP165QT-4	LWCEG165A-EA	PG16517T	PBG1657-4	PBG16525	PBG16510	CCSC165	PC16510S-6	PC16510N-6	GCL165HPT	
#172 Urban Putty	FP1721-2T		LWCEG172A-EA	PG17217T	PBG1727-4	PBG17225	PBG17210	CCSC172	PC17210S-6	PC17210N-6	GCL172HPT	
#180 Sandstone	FP1801-2T		LWCEG180A-EA	PG18017T	PBG1807-4	PBG18025	PBG18010	CCSC180	PC18010S-6	PC18010N-6	GCL180HPT	
#183 Chateau	FP1831-2T		LWCEG183A-EA	PG18317T	PBG1837-4	PBG18325	PBG18310	CCSC183	PC18310S-6	PC18310N-6	GCL183HPT	
#185 New Taupe	FP1851-2T		LWCEG185A-EA	PG18517T	PBG1857-4	PBG18525	PBG18510	CCSC185	PC18510S-6	PC18510N-6	GCL185HPT	
#186 Khaki	FP1861-2T		LWCEG186A-EA	PG18617T	PBG1867-4	PBG18625	PBG18610	CCSC186	PC18610S-6	PC18610N-6	GCL186HPT	
#333 Alabaster	FP3331-2T	FP333QT-4	LWCEG333A-EA	PG33317T	PBG3337-4	PBG33325	PBG33310	CCSC333	PC33310S-6	PC33310N-6	GCL333HPT	
#335 Winter Gray	FP3351-2T		LWCEG335A-EA	PG33517T	PBG3357-4	PBG33525	PBG33510	CCSC335	PC33510S-6	PC33510N-6	GCL335HPT	
#370 Dove Gray	FP3701-2T		LWCEG370A-EA	PG37017T	PBG3707-4	PBG37025	PBG37010	CCSC370	PC37010S-6	PC37010N-6	GCL370HPT	
#380 Haystack	FP3801-2T	FP380QT-4	LWCEG380A-EA	PG38017T	PBG3807-4	PBG38025	PBG38010	CCSC380	PC38010S-6	PC38010N-6	GCL380HPT	
#381 Bright White	FP3811-2T	FP381QT-4	LWCEG381A-EA	PG38117T	PBG3817-4	PBG38125	PBG38110	CCSC381	PC38110S-6	PC38110N-6	GCL381HPT	
#382 Bone	FP3821-2T	FP382QT-4	LWCEG382A-EA	PG38217T	PBG3827-4	PBG38225	PBG38210	CCSC382	PC38210S-6	PC38210N-6	GCL382HPT	
#386 Oyster Gray	FP3861-2T		LWCEG386A-EA	PG38617T	PBG3867-4	PBG38625	PBG38610	CCSC386	PC38610S-6	PC38610N-6	GCL386HPT	
#540 Truffle	FP5401-2T		LWCEG540A-EA	PG54017T	PBG5407-4	PBG54025	PBG54010	CCSC540	PC54010S-6	PC54010N-6	GCL540HPT	
#541 Walnut	FP5411-2T		LWCEG541A-EA	PG54117T	PBG5417-4	PBG54125	PBG54110	CCSC541	PC54110S-6	PC54110N-6	GCL541HPT	
#542 Graystone	FP5421-2T		LWCEG542A-EA	PG54217T	PBG5427-4	PBG54225	PBG54210	CCSC542	PC54210S-6	PC54210N-6	GCL542HPT	
#543 Driftwood	FP5431-2T		LWCEG543A-EA	PG54317T	PBG5437-4	PBG54325	PBG54310	CCSC543	PC54310S-6	PC54310N-6	GCL543HPT	
#544 Rolling Fog	FP5441-2T		LWCEG544A-EA	PG54417T	PBG5447-4	PBG54425	PBG54410	CCSC544	PC54410S-6	PC54410N-6	GCL544HPT	
#545 Bleached Wood	FP5451-2T		LWCEG545A-EA	PG54517T	PBG5457-4	PBG54525	PBG54510	CCSC545	PC54510S-6	PC54510N-6	GCL545HPT	
#546 Cape Gray	FP5461-2T		LWCEG546A-EA	PG54617T	PBG5467-4	PBG54625	PBG54610	CCSC546	PC54610S-6	PC54610N-6	GCL546HPT	
#547 Ice Blue	FP5471-2T		LWCEG547A-EA	PG54717T	PBG5477-4	PBG54725	PBG54710	CCSC547	PC54710S-6	PC54710N-6	GCL547HPT	
#548 Surf Green	FP5481-2T		LWCEG548A-EA	PG54817T	PBG5487-4	PBG54825	PBG54810	CCSC548	PC54810S-6	PC54810N-6	GCL548HPT	
#549 Smoked Quartz		FPD549QT-4										
#550 Starlight		FPD550QT-4										
#551 Moonshadow		FPD551QT-4										
#552 Ice Crystal		FPD552QT-4										
#553 Glitter		FPD553QT-4										
#554 Raw Sugar		FPD554QT-4										
#555 Starry Night		FPD555QT-4										
#556 Gold		FPD556QT-4										

Special order colors and sizes available.



CUSTOM® Technical University

Custom Building Products developed Custom Technical University or "CTU" as its exclusive, interactive educational forum. CTU combines impactful curriculum, all the latest tools and a state-of-the-art facility designed to engage sales representatives, distributor personnel, contractors, installers, architects, designers and specifiers.

A variety of programs acquaint professionals with the latest installation methods, best practices, time-saving tips, codes, standards, products and system assemblies for the tile, stone and flooring industries.

CTU also offers AIA and CES programs plus specialized care and maintenance certification opportunities.

CustomBuildingProducts.com

For the most updated product information and specifications, visit our website. Our videos, technical data sheets and technical bulletins will help you select the right product for your job.

Customer Support:

800-272-8786

Technical Support:

800-282-8786



©2015 Custom Building Products. All rights reserved. The CUSTOM logo, and product logos are registered trademarks of Custom Building Products. All other trademarks are the property of their respective owners. CUSTOM may make product modifications at any time without notice. Product specifications are subject to change. Visit custombuildingproducts.com for updated technical data sheets and MSDS information.

Custom Building Products
800-272-8786
custombuildingproducts.com

Printed in the U.S.A. CCB1 3/15R

