



Wood



Stone



Metal



Ceramic



Foam



Glass

Conforms to ASTM D-4236

## Bonds Virtually Everything

Wood, Stone, Metal,  
Ceramic, Foam, Glass  
& More!

**Directions:** All surfaces must be clean and tight fitting. Clear Gorilla Glue will stain clothes.

### 3 Easy Steps:



#### 1. Damp It

For non-porous surfaces only (i.e. metal, glass, plastics), lightly dampen one surface with water. Do not add water to bottle.



#### 2. Glue It

Apply Clear Gorilla Glue to surface. Best at room temperature.



#### 3. Clamp It®

Clamp objects together for 2 hours. Full cure in 24 hrs. You can use heavy objects to achieve clamping pressure.

Not recommended for use on polyethylene or polypropylene plastics.

**STORAGE:** After each use, wipe nozzle clean with a dry cloth and tightly replace lid. Store in a cool, dry place with exposure to light. Lack of light and heat can cause product to yellow. Cured glue can be removed from work surface with chisel, scraper or sandpaper. **Store away from children and animals.**

**WARNING: EYE & SKIN IRRITANT. MAY PRODUCE AN ALLERGIC SKIN REACTION.** Do not swallow. Do not get in eyes. Do not get on skin or clothing. Do not breathe fumes. **KEEP OUT OF REACH OF CHILDREN.** Wear safety glasses and chemical resistant gloves. Do not microwave or heat. Do not leave in a hot vehicle. Contains Amino Alkoxysilane, HALS- Sebacate, Hydrophobic Silica. Methanol may be released during cure. **FIRST AID TREATMENT:** If swallowed, call a poison control center or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water. If breathed in, move person to fresh air. For medical emergencies only, call 800-420-7186.

**WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**ADVERTENCIA: IRRITALOS OJOS Y LA PIEL. PUEDE PRODUCIR REACCIONES ALÉRGICAS EN LA PIEL.** No ingerir. Evite el contacto con los ojos. Evite el contacto con la piel o la ropa. **MANTÉNGA LEJOS DEL ALCANCE DE LOS NIÑOS.** Use lentes de seguridad y guantes resistentes a los químicos. Contiene aminoalcoxilano, sebacato HALS, sílice hidrofóbica. Se podría liberar metanol durante la curación. **TRATAMIENTO DE PRIMEROS AUXILIOS:** Si hay ingestión, llame de inmediato al Centro de toxicología o al médico. No induzca al vómito. Si hay contacto con los ojos, enjuague con agua por 15 minutos. Si hay contacto con la piel, enjuague bien con agua. Si se inhaló, traslade a la persona al aire fresco. Llame al 800-420-7186 en caso de emergencias médicas únicamente.

**ADVERTENCIA:** Daño Reproductivo - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).