

**KILLS
CRABGRASS**

PPH1001U1-07 LB13828

Roundup[®]

FOR LAWNS,

**KILLS WEEDS -
WON'T HARM LAWNS***

3 UP TO
MONTH
CONTROL**

KILLS CRABGRASS · DANDELION · CLOVER · YELLOW NUTSEDGE***

FAST ACTING FOR VISIBLE RESULTS IN HOURS

Keep Out Of Reach Of Children

CAUTION Stop! Read the entire label first. Observe all precautions and follow directions carefully. See back panel booklet for additional precautionary statements and first aid.

ACTIVE INGREDIENTS:	
MCPA, dimethylamine salt	0.257%
Quinclorac	0.118%
Dicamba, dimethylamine salt	0.029%
Sulfentrazone	0.015%
OTHER INGREDIENTS:	99.581%
TOTAL	100.000%

Mantener Fuera Del Alcance De Los Niños

PRECAUCIÓN ¡Atto! Lea primero toda la etiqueta. Observe todos los avisos de precaución y siga atentamente las instrucciones. También preste atención a los avisos de precaución y los primeros auxilios en la contraportada.

THIS PRODUCT CONTAINS:
0.018 lb 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 0.210%
0.010 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.118%
0.002 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%
0.001 lb N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl] phenyl]methanesulfonamide per gallon or 0.015%

PPN 10011U1-01



1305187

NET CONTENTS / CONTENIDO NETO: 1.33 GALLONS (170 FL OZ/5L)

* When used as directed

** As listed

*** See inside booklet for weed list

READY-TO-USE

FOR USE ON NORTHERN GRASSES

KILLS 253 TYPES OF WEEDS**

ONE STEP WEED CONTROL FOR UP TO 3 MONTHS



For best results in non-lawn areas like garden beds, patios and driveways, use Roundup® Ready-To-Use Weed & Grass Killer III

† **Guaranteed results:** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.



Questions & Comments

Call 1-800-246-7219 or Visit our Website at www.roundup.com

Preguntas y comentarios

Produced for:
Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
© 2020 Monsanto Company

EPA Reg. No. 2217-917-71995
EPA Est. No. 239-1A-3

** As listed

1005



FPO

70183 50202 8

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:



- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Do not allow people or pets to enter treated area until spray has dried.

PRECAUTIONS:

Roundup® For Lawns, is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product may be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, fescue species (including tall, red, and fine leaf varieties), bermudagrass¹, buffalograss and zoysiagrass.

¹ Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F.

Roundup® For Lawns, should **not** be used on lawns containing bentgrass, St Augustinegrass, bahiagrass, centipedegrass, or carpetgrass. Do **not** use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs).

WEEDS CONTROLLED:

Roundup® For Lawns, will control or suppress the following broadleaf and grass weeds.

BROADLEAF WEEDS

Amaranth, purple	Burweed, lawn (spurweed)	Common mullein	Goldenrod
Amaranth, slender	Buttercup, bulbous	Corn spurry	Ground ivy
Aster, heath	Buttercup, creeping	Creeping beggarweed	Groundsel
Aster, white heath	Buttonweed, common	Creeping Jenny	Gumweed
Aster, purple	(poorjoe)	(creeping Charlie)	Hairy fleabane
Aster, white prairie	Buttonweed, Virginia	Cupid shaving brush	Hawkweed, meadow
Artichoke	Carolina geranium (wild)	Cudweed	Hawkweed, mouseear
Austrian fieldcress	Carpetweed	Daisy, English	Hawkweed, orange
Bedstraw, catchweed	Catnip	Daisy, oxeye	Hawkweed, yellow
Bedstraw, smooth	Catsear, spotted	Dandelion, common	Healall
Bedstraw, northern	(false dandelion)	Dandelion, false	Heartleaf drymary
Bedstraw, pineywoods	Chamber bitter	Day flower	Hemp
Beggarticks, hairy	Chickweed, common	Deadnettle	Henbit
Betony, Florida	Chickweed, mouseear	Dichondra	Hoary cress
Bindweed, field	Chickweed, sticky	Dock, broadleaf	Horsenettle
Bindweed, hedge	Chicory	Dock, curly	Horseweed
Bitter Wintercress	Cinquefoil	Dogbane	Jimsonweed
Bittercress, hairy	Clover, crimson	Dogfennel	Johnny-Jumpup violet
Bitterweed	Clover, alsike	Dollarweed (pennywort)	Knawel
Black-eyed Susan	Clover, hop	Doveweed	Knotweed, prostrate
Black medic	Clover, rabbit foot	Elderberry	Kochia
Blood flower milkweed	Clover, red	Falseflax	Lambsquarters
Blue lettuce	Clover, strawberry	False sunflower	Lespedeza
Brassbuttons	Clover, yellow sweet	Fiddleneck	Mallow, alkali
Bristly oxtongue	Clover, white sweet	Filaree, redstem	Mallow, bristly
Broomweed	Clover, white	Filaree, whitestem	Mallow, common
Buckhorn	Cockle	Fleabane, daisy (annual)	Mallow, dwarf
Bullnettle	Cocklebur	Fleabane, rough	Mallow, Venice
Burclover	Cocklebur, oriental	Galinsoga, hairy	Marcela
Burdock	Cocklebur, spiny	Galinsoga, smallflower	Matchweed

Mexicanweed	Puncturevine	
Moneywort	Purslane, common	
Morningglory, bigroot	Pusley, Brazil	
Morningglory, ivyleaf	Pusley, Florida	
Morningglory, Mexican	Pusley, large flower	
Morningglory, red	Ragweed, bur	
Morningglory, tall	Ragweed, common	
Morningglory, woolly	Ragweed, lanceleaf	
Mugwort	Ragweed, western	
Mustard, ball	Redstem filaree	
Mustard, black	Rough cinquefoil	
Mustard, blue	Scarlet pimpernel	
Mustard, hedge	Shepherdspurse	
Mustard, Indian,	Smartweed, ladysthumb	
Mustard, tansy	Smartweed, pale	
Mustard, tumble	Smartweed, Pennsylvania	
Mustard, white	Smooth chaff-flower	
Mustard, wormseed	Smooth dock	
Nettle, stinging (burning)	Sorrel, red (sheep)	
Nettle, tall	Sowthistle, annual	
Nettle, wood	Sowthistle, spiny	
Parsley-piert	Spanish needles	
Parsnip	Speedwell, bi-lobed	
Pearlwort	Speedwell, common	
Pennycress (Frenchweed)	Speedwell, corn	
Pepperweed, perennial	Speedwell, ivyleaf	
Pepperweed, Virginia	Speedwell, Persian	
(peppergrass)	Speedwell, purslane	
Pigweed, prostate	Speedwell, slender	
Pigweed, redroot	Speedwell, snow	
Pigweed, Russian	Speedwell, thymeleaf	
Pigweed, smooth	Spiny amaranth	
Pigweed, tumble	Spurge, spotted	
Pineappleweed	Spurge, prostrate	
Plains coreopsis (tickseed)	Spurweed	
Plantain, blackseed	Star of Bethlehem	
Plantain, bracted	Strawberry, Indian mock	
Plantain, broadleaf	Tansy ragwort	
Plantain, buckhorn	Tanweed	
Plantain, hoary	Thistle, blessed	
Plantain, narrowleaf	Thistle, bull	
Plantain, slender	Thistle, Canada	
Plantain, woolly	Thistle, flodman (prairie)	
Poison ivy	Thistle, musk	
Poison oak	Thistle, platte	
Pokeweed	Thistle, plumeless	
Prairie sunflower	Thistle, Russian	
Prickly lettuce	Thistle, Scotch	
(compass plant)	Thistle, wavyleaf	
Prickly sida	Thistle, yellow (horrible)	
Prostrate knotweed	Trailing crownvetch	
	Velvetleaf	
	Vervain, blue	
	Vervain, hoary	
	Vervain, prostrate	
	Vervain, tall	
	Vetch, bird	
	Vetch, hairy	
	Vetch, milk	
	Vetch, narrowleaf	
	Vetch, wild	
	Virginia creeper	
	Western clematis	
	Western salsify	
	Wild aster	
	Wild buckweat	
	Wild carrot	
	Wild four-o'clock	
	Wild garlic	
	Wild lettuce	
	Wild marigold	
	Wild mustard (yellow rocket)	
	Wild onion	
	Wild parsnip	
	Wild radish	
	Wild rape	
	Wild strawberry	
	Wild sweet potato	
	Wild violet	
	Woodsorrel, creeping	
	Woodsorrel, violet	
	Woodsorrel, yellow (Oxalis)	
	Woolly croton	
	Wormseed	
	Yarrow, common	
	Yarrow, western	
	Yarrow, yellow	

GRASSY WEEDS

Crabgrass	Foxtail	Yellow nutsedge
(large and smooth)	(green, giant and yellow)	

WHEN TO USE

Apply this product to actively-growing weeds during the early growth stages for the best results. Two or more applications at 14 day intervals throughout the season may be required for grass weeds. Apply when daytime temperatures are between 45° and 90° F.

SPRING AND EARLY SUMMER:


- **Crabgrass (large and smooth):** Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 14-day interval between applications.
- **Foxtail (green, giant and yellow):** Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 14-day interval between applications.
- **Yellow nutsedge:** Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. Do not apply the second application until 14 days after the first application.
- **Dandelion, plantain, buttercup, speedwell, knotweed, pennywort (dollarweed) and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

FALL:


- **Henbit, chickweed, white clover, ground ivy, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds:** Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.

BATTERY OPERATED SPRAYER with Extendable Wand

1. Remove



- Remove wand from side clip.




- Pull connector by slightly twisting from holder and unwrap hose completely.




- Remove protective strip from battery compartment to activate batteries.

2. Connect




- Insert plug at end of hose into knob opening on cap until it clicks. Twist knob to ON.

3. Extend



- Flip open wand until it clicks and locks into position.
- Extend wand fully.

4. Spray



- Slide trigger lock on wand handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- Point nozzle away from body and hold trigger for continuous spray.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To Replace Batteries: Open battery compartment at bottom of wand with a small screwdriver.

Remove used batteries and replace with new AA alkaline batteries in correct position as marked inside battery compartment.

Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

IMPORTANT SPRAYER INFORMATION

- Read and follow all directions before use.
- Wand is to be used only with Roundup® branded products with a quick-connect cap.
- Wand may not be compatible with other products.
- Do not drop or throw sprayer.
- Do not submerge sprayer in water. Never place sprayer in dishwasher.
- Do not use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.
- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge wand of liquid for winter storage or place wand in a heated storage area.

HOW TO REFILL

To refill this empty container, pour product carefully and directly from the Roundup® For Lawns, container designated as the ready-to-use refill container. DO NOT add water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:	Twist knob to OFF. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.
---------------------------	---

PESTICIDE DISPOSAL AND CONTAINER HANDLING:	Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
---	---

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES:	• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center for treatment advice.
--------------------	--

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-246-7219 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

† **GUARANTEED RESULTS:** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

RESTRICCIONES:



- No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. No permita que las personas o las mascotas ingresen al área tratada hasta que se seque el rocío.

PRECAUCIONES:

Roundup® For Lawns, es un producto listo para usar (RTU) indicado para los propietarios de casas para el tratamiento "localizado" de grama y malezas de hoja ancha en céspedes. Este producto debe aplicarse a los céspedes con las siguientes especies de grama: azul de Kentucky, raigrás perenne, especies de cañuela o festuca (incluyendo las variedades alta, rubra y roja), Bermuda¹, búfalo y zoysia.

¹ La aplicación en el césped Bermuda puede causar amarillamiento o decoloración temporal, pero se puede esperar una recuperación completa. No aplique el producto a césped Bermuda cuando las temperaturas diurnas superen los 85 °F.

Roundup® For Lawns, **no** debe utilizarse en céspedes de las variedades agrostis, San Agustín, bahía, ciempiés o alfombra. **No** lo utilice en diondra ni en céspedes con tréboles o leguminosas que no desee eliminar, huertos de hortalizas, plantas frutales u ornamentales (flores, árboles, cubiertas vegetales, setos, macizos de flores o jardines, y arbustos).

CUÁNDO USARLO

Para obtener los mejores resultados, aplique este producto a las malezas durante las primeras etapas de crecimiento activo. Pueda que se necesiten dos o más aplicaciones, a intervalos de 14 días, durante toda la temporada para eliminar las malezas gramíneas. Aplique cuando la temperatura diurna oscile entre los 45° y los 90° F.

EN LA PRIMAVERA Y A PRINCIPIOS DEL VERANO:


- **Para tratar el zacate mano de cangrejo (variedades lisa y sangradera ancha):** Aplique este producto a partir de la germinación del zacate mano de cangrejo hasta la etapa de 6 hojas (2 brotes) o cuando alcance una altura de 3 a 4 pulgadas. Este período comienza a partir del momento en el que observe zacate mano de cangrejo en el césped. Realice dos aplicaciones, dejando un intervalo de 14 días entre una y otra.
- **Para tratar el zacate cola de zorra (variedades verde, gigante y amarilla):** Aplique este producto al zacate cola de zorra durante las primeras etapas de crecimiento o cuando tenga entre 1 y 4 pulgadas de alto. Use dos aplicaciones, dejando un intervalo de 14 días entre una y otra.
- **Para tratar la juncia avellanada:** Es necesario hacer dos aplicaciones cuando las plantas de juncia avellanada tengan entre 3 y 6 pulgadas de alto. No realice la segunda aplicación hasta 14 días después de la primera.
- **Para tratar el diente de león, el lantén, la celidonia menor, la Verónica, el polígono, la centella asiática (acaricoba) y otras malezas de hoja ancha:** Aplique este producto cuando las malezas de hoja ancha sean pequeñas y estén creciendo de manera activa, con un suelo que tenga la humedad adecuada.

EN EL OTOÑO:


- **Para tratar la ortiga mansa, la estalaria, el trébol blanco, la hiedra rastrera, el codillo prieto del césped, la sagina, el geranio silvestre y otras malezas de hoja ancha:** A fin de obtener los mejores resultados, aplique este producto cuando las malezas de hoja ancha sean pequeñas y estén creciendo de manera activa, con un suelo que tenga la humedad adecuada.

ROCIADOR A PILAS con varilla extensible

1. Retire



- Retire la varilla del sujetador lateral.



- Jale el conector girándolo ligeramente para sacarlo del soporte y desenrolle completamente la manguera.




- Quite la tira protectora del compartimento de las pilas para activarlas.

2. Conecte




- Inserte el conector al final de la manguera en la abertura de la perilla de la tapa hasta que haga clic. Gire la perilla hasta la posición de "ON" (abierto).

3. Extienda



- Abra la varilla hasta que haga clic y quede firmemente asegurada en su lugar.
- Extienda completamente la varilla.

4. Rocíe



- Deslice el seguro del gatillo ubicado en el mango de la varilla hasta la posición de desbloqueo.
- Gire la boquilla a la posición deseada del patrón de rocío.
- Apunte la boquilla lejos del cuerpo y mantenga el gatillo oprimido para obtener un rociado continuo.

Importante información de uso: No sumergir en el agua. Cuando almacene el rociador por períodos prolongados de tiempo, quite las pilas.

Para reemplazar las pilas: Abra el compartimento de las pilas localizado en la parte inferior de la varilla con un desarmador pequeño.

Quite las baterías usadas y reemplácelas con pilas alcalinas AA nuevas colocándolas en la posición correcta, tal como está marcado en el interior del compartimento de las pilas.

Cierre bien la tapadera del compartimento de las pilas y atorníllela firmemente. Cuando cambie las pilas, use siempre un juego completo del mismo tipo. Con las pilas alcalinas se logra un rendimiento mejor. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables. Siga las instrucciones del fabricante para deshechar las pilas usadas o tírelas en la basura de la casa.

INFORMACIÓN IMPORTANTE ACERCA DEL ROCIADOR

- Lea y siga todas las instrucciones antes de usarlo.
- La varilla ha de usarse únicamente con los productos de la marca Roundup® que cuenten con una tapa de conexión rápida "quick-connect".
- La varilla puede no ser compatible con otros productos.
- No aviente ni deje caer el rociador.
- No sumerja el rociador en agua. Nunca coloque el rociador en el lavavajillas.
- No use jabón ni otros productos de limpieza para limpiar el rociador. De ser necesario, limpie la superficie externa del rociador con una toalla húmeda, únicamente.
- Coloque las pilas en la posición correcta (+/-). Retire las pilas cuando guarde el producto durante el invierno o por períodos prolongados.
- Use siempre un juego completo de pilas alcalinas nuevas. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables.
- Siempre siga las instrucciones del fabricante para la eliminación y utilización de las pilas.
- Purgue el líquido de la varilla para guardarla durante el invierno o póngala en un área de almacenamiento con calefacción.

CÓMO RELLENAR

Para rellenar el envase vacío, vierta el producto con cuidado y directamente del envase de Roundup® For Lawns, designado como el envase para rellenar listo para usar. NO agregue agua.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua, la comida ni el pienso para animales al almacenar o eliminar el producto.	
ALMACENAMIENTO DEL PESTICIDA	Gire la perilla hasta la posición "OFF" (cerrado). NO NECESITA DESCONECTAR LA MANGUERA DEL ROCIADOR DE LA TAPA. Gire la boquilla del rociador hasta la posición "OFF" (cerrado). Póngale el seguro al gatillo. Cierre la varilla y colóquela en el sujetador lateral. Guarde el producto en su envase original, en un lugar seguro y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.
ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:	Este envase no se puede rellenar. No vuelva a usar o a rellenar este envase, a menos que las instrucciones de uso permitan que un producto concentrado o listo para usar distinto se pueda echar directamente o diluir en el envase. Este envase se puede reutilizar o rellenar de acuerdo con las instrucciones contenidas en la sección CÓMO RELLENAR . Si está vacío: Tírelo a la basura o recíclelo, de ser posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS:

- Mantenga los ojos abiertos y enjuáguelos lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo.
- Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.

Tenga el envase o la etiqueta del producto con usted cuando llame al centro de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.

RIESGOS MEDIOAMBIENTALES

Este producto es tóxico para los peces y los invertebrados acuáticos, así como para las plantas acuáticas. No lo aplique directamente al agua, en áreas donde haya agua presente en la superficie ni en zonas intermareales por debajo de la línea de la marea alta. El producto que se escurra o sea arrastrado por el viento puede ser peligroso para las plantas y para los organismos acuáticos de los cuerpos de agua adyacentes a las superficies tratadas. No contamine el agua al deshacerse de la que use para lavar o enjuagar los utensilios. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de desagüe, cunetas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostiquen lluvias para las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje.

ADVERTENCIA: En la medida contemplada por las leyes correspondientes, el comprador asume toda la responsabilidad por la seguridad y el uso de este producto si no se siguen las instrucciones.

† RESULTADOS GARANTIZADOS: Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de compra original y le reembolsaremos el precio de compra.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES:	• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center for treatment advice.
--------------------	--

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-246-7219 for emergency medical treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:	Twist knob to OFF. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.



Questions & Comments

Call 1-800-246-7219 or Visit our Website at www.roundup.com

Preguntas y comentarios

Produced for:
Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
© 2020 Monsanto Company
EPA Reg. No. 2217-917-71995
EPA Est. No. 239-IA-3

Roundup and Roundup & Design are registered trademarks of Monsanto Technology LLC.

1005

PPN 10011U1-02



2020

FPO

0 70183 50202 8

PRESS TO RESEAL. / PRESIONE PARA VOLVER A CERRAR.