

Eucatex- Eucaboard, Euca plac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Hardboard

Synonyms: Euca plac, Eucaboard, Eucatile, Hardboard.

1. **DESCRIPTION:** Eucaboard is manufactured from wet, mat formed, hot pressed eucalyptus fiber hardboard. Under heat and pressure the natural wood resins flow and bond into a material with uniform physical properties.
2. **3.Recommended use:** Building Materials, Decorative, Furniture and General Construction
3. **Restriction Use:** HardBoard is intended for dry interior use Only and requires care in Handling
4. **Name, Address, and Telephone of the Responsible Party**
5. **Emergency Telephone Number:** (678) 624-0160 (Monday – Friday, 9:00am ET – 5:30pm ET)

SECTION 2: HAZARDS IDENTIFICATION

This is a wood product composed of wood and cured amino resins. Wood Dust: the hazard information denoted in this SDS apply only when the product is altered downstream by cutting, sawing, sanding, heating or other means and significant dust or fume is generated. In its shipped and finished form, this product is not considered hazardous.

Formaldehyde: This product does not contain formaldehyde on its composition Therefore our hardboard is exempted from the formaldehyde emissions standards on the CARB2 standard, and TSCA Title VI.

EMERGENCY OVERVIEW: Contact with strong oxidizers or exposure to temperatures greater than 400°F may cause a fire. Smoke may contain carbon monoxide, aldehydes, and other toxic materials. Airborne wood and resin dust may explode when combined with an ignition source. Warning! This product contains chemicals known in the state of California to cause cancer.

Potential Health Effects (based on expected use of product)

EYE: Dust may irritate the eyes.

SKIN: Dust may cause skin irritation. INGESTION: Not known.

INHALATION: Dust can cause irritation to mucous membranes and the upper respiratory tract. Wood dust is considered carcinogens.

Unknown Acute Toxicity (GHS-US/CA) No data available

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 1A	H350
STOT SE 3	H335
STOT RE 1	H372
Comb. Dust	

Eucatex- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS #	Exposure Limits	Cancer Designation	Weight %
Wood Dust	NA	TLV-TWA = 1 mg/m ³	MAK-1, NIOSH-Ca, TLV-A1 NTP-K	95+%
Linseed Oil	8001-26-1	TLV-TWA = 10 mg/m ³		.1 - .25%
Ferric Sulfate	10028-22-5			.1 - .25%
Methyl ethyl ketoxime	96-29-7	AIHA WEEL = 10 mg/m ³		<0.1%
Zirconium ethyl hexoate	22464-99-9	TWA = 5 mg/m ³		<0.1%
Cobalt neodecanoate	27253-31-2	TLV-TWA = 0.05 mg/m ³ R	Group 2B	<0.1%
Hexanoic acid, 2-ethyl-, cobalt (+2) salt	136-52-7	TWA = .1 mg/m ³	Group 2B	<0.1%
Filler ⁽¹⁾				
Polyester Resin (cured)		PNOS ⁽²⁾		0 - 0.15%
Crystalline Silica	14808-60-7	TLV-TWA = 0.05 mg/m ³ R	IARC-1, NIOSH-Ca, NTP-K, TLV-A2, MAK-1	0 - <0.1%
Titanium dioxide	13463-67-7	TLV-TWA = 10 mg/m ³	NIOSH-Ca	0 - 0.15%
PGME	107-98-2	TLV-TWA = 100 ppm		0 - 0.15%
Basecoat ⁽¹⁾				
Acrylic Resin (cured)		PNOS ⁽²⁾		.5 - .75%
Aluminum Silicate	1332-58-7	TLV-TWA = 2 mg/m ³ R		<0.1%
Ethyl Alcohol	64-17-5	TLV-TWA = 1000 ppm		<0.1%
Amorphous Silica	7631-86-9	PNOS ⁽²⁾		<0.1%
Topcoat ⁽¹⁾				
Acrylic Resin (cured)		PNOS ⁽²⁾		0.2 - 1%
Formaldehyde	50-00-0	PEL-TWA = 0.75 ppm	EPA-B1, IARC-2A, NIOSH-Ca, NTP-R, OSHA-Ca, TLV-A2	<0.1%
Titanium dioxide	13463-67-7	TLV-TWA = 10 mg/m ³	NIOSH-Ca	0 - .5%
PGMPE	1569-01-3	NE		<0.1%
N-Butyl Alcohol	71-36-3	TLC-C = 20 ppm		<0.1%
Ethyl Benzene	100-41-4	TLV-TWA = 100 ppm	IARC-2B, TLV-A3	<0.1%
Xylene	1330-20-7	TLV-TWA = 100 ppm		<0.1%

(1) Cured filler, base, and topcoats do not contain significant residual amounts of volatile solvents.

(2) (PNOS): PEL-TWA = 15 mg/m³; PEL-TWA = 5 mg/m³, respirable fraction; TLV-TWA = 10 mg/m³ inhalable particulate, 3 mg/m³ respirable particulate. Or applicable

Eucatex- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume percentage (v/v%). Ingredients noted with * are ingredients used in either TFL or painted/printed decorative surfacing. This is a wood product composed of wood and cured amino resins. The hazard information denoted in this SDS apply only when the product is altered downstream by cutting, sawing, sanding, heating or other means and significant dust or fume is generated. In its shipped and finished form, this product is not considered hazardous.

SECTION 4: FIRST AID MEASURES

1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitization. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation). May cause cancer (Inhalation).

Inhalation: Irritation of the respiratory tract and the other mucous membranes. Exposure may produce cough, mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction. Dust may be harmful or cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May cause cancer by inhalation. Causes damage to organs (lungs) through prolonged or repeated exposure

Eucatex- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

(Inhalation).

3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

2. Special Hazards Arising from the Substance or Mixture

Fire Hazard: Not considered flammable but will burn at high temperatures. Dust generated from processing may present a dust explosion hazard.

Explosion Hazard: The following applies to the product if it is cut, sanded or altered in such a way that excessive and/or significant particulates and/or dusts may be generated: Dust explosion hazard in air.

Reactivity: Hazardous reactions will not occur under normal conditions.

3. Advice for Firefighters

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Sodium oxides. Potassium oxides. Titanium oxides. Sulfur oxides. ammonium chloride. Amines. Aldehydes. Hydrogen cyanide. Ammonia. Phosphorous oxide.

Other Information: Fine dust dispersed in air may ignite.

Reference to Other Sections

Refer to Section 9 for flammability properties.

Eucatex- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 6: ACCIDENTAL RELEASE MEASURES

1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid generating dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Remove ignition sources. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

3. Environmental Precautions

Prevent entry to sewers and public waters.

4. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. For particulates and dust: Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Use only non-sparking tools. Contact competent authorities after a spill.

5. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

1. Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Eucatex- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. For particulates and dust: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid creating or spreading dust. Keep away from heat, sparks, open flames, hot surfaces. – No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. For particulates and dust: Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.


Incompatible Materials: Strong acids, strong bases, strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Exposure Controls

Appropriate Engineering Controls: The following applies to the product if it is cut, sanded or altered in such a way that excessive and/or significant particulates and/or dusts may be generated: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

EucateX- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: HardBoard – Dark brown Color
Odor	: No distinctive odor
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: 425 - 475 °F (218.33 - 246.11 °C)
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Notavailable
Upper Flammable Limit	: Notavailable
Vapor Pressure	: Notavailable
Relative Vapor Density at 20°C	: Notavailable
Relative Density	: Notavailable
Specific Gravity	: Notavailable
Solubility	: Insoluble in water.
Partition Coefficient: N-Octanol/Water	: Notavailable
Viscosity	: Notavailable
VOC content	: 0 %

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: (CONDITIONS TO AVOID)
Stable.

INCOMPATIBILITY: Keep away from high temperatures and strong oxidizers, such as concentrated nitric acid, oxygen, hydrogen peroxide, and chlorine.

HAZARDOUS DECOMPOSITION PRODUCTS: monoxide, hydrogen cyanide, and other products of wood combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

EucateX- Eucaboard, EucaPlac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Product does not present an acute toxicity hazard based on known or supplied information.

Chronic Toxicity: Wood dust and formaldehyde have been classified by the International Agency for Research on Cancer (IARC) as known human carcinogens (Group 1).

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood Dust		Group 1	Known	X
Cobalt neodecanoate		Group 2B		X
Hexanoic acid, 2-ethyl-, cobalt (2+) salt		Group 2B		X
Formaldehyde		Group 1	Known	X

IARC (International Agency for Research on Cancer):

Group 1 – Carcinogenic to Humans

Group 2B – Possibly Carcinogenic to Humans

NTP (National Toxicity Program):

Known – Known Carcinogen

OSHA (Occupational Safety & Health Administration):

X – Present

Target Organ Effects:

Respiratory system.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl ethyl ketoxime	EC50: 83 mg/L Desmodesmus subspicatus 72 h	LC50: 777-914 mg/L Pimephales promelas 96 h flow-through LC50: 320-1000 mg/L Leuciscus idus 96 h static LC50: 760 mg/L Poecilia reticulata 96 h static	EC50 = 281 mg/L 17h EC50 = 950 mg/L 5 min	EC50: 750 mg/L Daphnia magna 48 h

Methyl ethyl ketoxime Log Pow: 0.65

Eucatex- Eucaboard, Euca plac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

SECTION 14: TRANSPORT INFORMATION

Ecology - Waste Materials: Avoid release to the environment.

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 1. In Accordance with DOT** Not regulated for transport
- 2. In Accordance with IMDG** Not regulated for transport
- 3. In Accordance with IATA** Not regulated for transport
- 4. In Accordance with TDG** Not regulated for transport

Eucatex- Eucaboard, Euca plac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

MDF, HDF, Decoratively Surfaced	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard Fire hazard Sudden release of pressure hazard
Urea, polymer with formaldehyde (9011-05-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
Urea, polymer with formaldehyde and 1,3,5-triazine-2,4,6-triamine (25036-13-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
Slack wax, petroleum (64742-61-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Urea (57-13-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ammonium sulfate (7783-20-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Formaldehyde (50-00-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb.
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb.

SARA Section 313 - Emission Reporting	0.1 %
Titanium dioxide (13463-67-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Carbon black (1333-86-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Formaldehyde-melamine polymer (9003-08-1)	



EucateX- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
Diethylene glycol (111-46-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ammonium chloride (12125-02-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb.
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ammonium polyphosphate (68333-79-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

US State Regulations

U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
Carbon black (1333-86-4)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List
Diethylene glycol (111-46-6)
U.S. - Pennsylvania - RTK (Right to Know) List
Ammonium chloride (12125-02-9)
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List

EucateX- Eucaboard, Eucaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

Canadian Regulations

Urea, polymer with formaldehyde (9011-05-6)
Listed on the Canadian DSL (Domestic Substances List)
Urea, polymer with formaldehyde and 1,3,5-triazine-2,4,6-triamine (25036-13-9)
Listed on the Canadian DSL (Domestic Substances List)
Slack wax, petroleum (64742-61-6)
Listed on the Canadian DSL (Domestic Substances List)
Urea (57-13-6)
Listed on the Canadian DSL (Domestic Substances List)
Ammonium sulfate (7783-20-2)
Listed on the Canadian DSL (Domestic Substances List)
Formaldehyde (50-00-0)
Listed on the Canadian DSL (Domestic Substances List)
Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)
Carbon black (1333-86-4)
Listed on the Canadian DSL (Domestic Substances List)
Formaldehyde-melamine polymer (9003-08-1)
Listed on the Canadian DSL (Domestic Substances List)
Diethylene glycol (111-46-6)
Listed on the Canadian DSL (Domestic Substances List)
Ammonium chloride (12125-02-9)
Listed on the Canadian DSL (Domestic Substances List)
Water (7732-18-5)
Listed on the Canadian DSL (Domestic Substances List)
Ammonium polyphosphate (68333-79-9)
Listed on the Canadian DSL (Domestic Substances List)



EucateX- Eucaboard, Euaplac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 10/10/19


Revision Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

Eucatex- Eucaboard, Euca plac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

- NFPA Health Hazard** : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA Fire Hazard** : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
- NFPA Reactivity Hazard** : 0 - Material that in themselves are normally stable, even under fire conditions.
- HMIS III Rating
Health : 2 Moderate Hazard - Temporary or minor injury may occur
 * Chronic - Chronic (long-term) health effects may result from repeated overexposure
- Flammability** : 3 Serious Hazard
- Physical** : 0 Minimal Hazard



Wood dust, all soft and hard woods	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Formaldehyde (50-00-0)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Titanium dioxide (13463-67-7)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Carbon black (1333-86-4)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Wood dust, all soft and hard woods	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Ammonium sulfate (7783-20-2)	
U.S. - Massachusetts - Right To Know List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Formaldehyde (50-00-0)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances	
U.S. - Pennsylvania - RTK (Right to Know) List	
Titanium dioxide (13463-67-7)	



EucateX- Eucaboard, EucaPlac, Eucatile- Hardboard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and According to The Hazardous Products Regulation (February 11, 2015).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. The information contained in this Safety Data Sheet is based on the experience of occupational health and safety professionals and comes from sources believed to be accurate or otherwise technically correct. It is the user's responsibility to determine if the product is suitable for its proposed application(s) and to follow necessary safety precautions. The user has the responsibility to make sure that this sheet is the most up-to-date issue.

NA GHS SDS 2019 (Can, US, Mex)

Prop 65 Warning

⚠ WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood.