

Report No. NB2022076007EN Date: July 14, 2022 Page: 1/9

Applicant Name : NANJING REFINERY CO., LTD

Applicant Address : 388# GANJIAXIANG STREET, QIXIA DISTRICT, NANJING

Product Name : Refrigerant R290 (high purity propane)

Received Date : July 12, 2022

Compilation Period : July 12, 2022 to July 14, 2022

Regulatory Requirements : As requested by the applicant, the Safety Data Sheet is prepared

according to Globally Harmonized System of Classification and

Labelling of Chemicals (GHS) Rev_8 (2019).

Signed for and on behalf of Guangdong NewBest Testing Service Co., Ltd.

Approved by:

Manager



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107 **W**ebsite:

Fax: 0769-22777508 E-mail: newbest@nbtscn.com



Report No. NB2022076007EN Date: July 14, 2022 Page: 2/9

SECTION 1. Identification of the substance/preparation and company

1.1 Product Identification : Refrigerant R290 (high purity propane)

1.2 Model No. : R290

1.3 Recommended Use : /

1.4 Manufacturer Name : NANJING REFINERY CO., LTD

1.5 Manufacturer Address : 388# GANJIAXIANG STREET, QIXIA DISTRICT, NANJING

1.6 Manufacturer Tel : 025-58989858

1.7 Manufacturer Fax : /

1.8 Manufacturer Email : /

1.9 Emergency Phone : 025-85477110

SECTION 2. Hazards identifications

2.1 Hazard Class:

According to Globally Harmonized Sysstte em of Classification and Labelling of Chemicals (GHHS S) Rev_8 (part 2~4), classification of risk categor riies.

Flammable gas, category 1

Gases under pressure, compressed gas

2.2 Pictograms:



2.3 Signal word:

Danger

2.4 Hazard description:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

2.5 Precautionary description:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107 **W**ebsite:

Fax: 0769-22777508 E-mal: newbest@nbtscncom



Report No. NB2022076007EN Date: July 14, 2022 Page: 3/9

SECTION 3. Composition / information on ingredients

Ingredient(s) of the product: Pure

Substance name	Conc. (%)	CAS. No
Propane	≥99.9	74-98-6

SECTION 4. First aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

4.1 Following inhalation:

If feeling uncomfortable, victim should be moved into fresh air. Seek medical attention.

4.2 Following skin contact:

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feeling uncomfortable.

4.3 Following eye contact:

In case of contact may cause irritation, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately if eyes are hurt.

4.4 Following ingestion:

If it is ingested, Seek medical attention.

SECTION 5. Firefighting measures

5.1 Hazardous Characteristics:

Flammable gas.

Will form explosive mixtures with air.

Containers exposed to fire may release the contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.

Vapours may travel to source of ignition and flash back.

5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107

Website:

Fax: 0769-22777508 E-mail: newbest@nbtscncom



Report No. NB2022076007EN Date: July 14, 2022 Page: 4/9

5.3 Firefighting procedures:

As in any fire, wear self-contained breathing apparatus(MSHA/NIOSH approved or equivalent) and full protective gear.

Extinguish fire in a safe distance with enough protection

5.4 Hazardous combustion products:

Carbon monoxide

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective measures (SEE SECTION 8).

Beware of vapours accumulating to form explosive concentrations.

Ensure adequate ventilation.

Remove all sources of ignition.

Evacuate personnel to safe areas. Keep people away from upwind of spill/leak.

6.2 Environmental precautions:

Discharge into the environment must be avoided.

6.3 Cleaning method:

Strengthen ventilated.

SECTION 7. Safe handling and storage

7.1 Handling Notes:

Keep indoor ventilation or local exhaust device.

Stay away from heat and direct sunlight.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2 Storage Notes:

Stored in cool and dry condition

Store in a well-ventilated place.

Do not store with incompatible material (see section 10.2)



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, ShengfengRoad, VentureIndustrial Park, Xinhe Community, Wanjang D is trict, Dongguan City, China City, Chin

Tel: 400-877-6107

Website:

Fax: 0769-22777508 E-mail: newbest@nbtscncom



Report No. NB2022076007E Date: July 14, 2022 Page: 5/9

SECTION 8. Exposure controls / personal protection

8.1 Occupational Exposure Limit:

		Occupational exposure		Occupational exposure		
Substance	Country/Region	limit (8h)		limit (sho	limit (short time)	
		ppm	mg/m³	ppm	mg/m³	
Propane	Germany(AGS)	1000	1800	4000	7200	

8.2 Engineering Control:

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Ensure that eyewash stations and safety showers are proximal to the work-station location.

8.3 Personal Protection:

General requirement:	
Respiratory:	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Eyes:	Wear protective goggle (Conform to EC EN 166 or US-NIOSH).
Hands:	Wear antifreeze gloves.

8.4 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

SECTION 9. Physical and chemical properties

Appearance and Color	Colorless gas
Odour	Odorless
PH value	No Data



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Website:

Tel: 400-877-6107

Fax: 0769-22777508 E-mal: newbest@nbtscncom



Report No. NB2022076007E Date: July 14, 2022 Page: 6/9

Flammability	Combustible
Density	0.58 (-44.5℃)
Relative steam density (air = 1)	1.6
Vapor pressure(MPa)	840(20°C)
Octanol/water partition coefficient	2.36
Viscosity	Not Applicable
Flash point(°C,Closed cup)	-104
Boiling point(°C)	-42.1
Melting point (°C)	-189.7
Evaporation rate (kg/s)	No Data
UEL %(V/V)	9.5
LEL %(V/V)	2.1
Auto-ignition temperature(°C)	450
Decomposition temperature (°C)	No Data
Solubility	Slightly soluble in water, soluble in ethanol, ether,
	chloroform

SECTION 10. Stability and reactivity

10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

10.2 Material for avoiding:

Strong oxide, acid, alkali, naked light.

10.3 Contact conditions for avoiding:

Sunlight, high temperature.

10.4 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107 **W**ebsite:

Fax: 0769-22777508 E-mail: newbest@nbtscn.com



Report No. NB2022076007EN Date: July 14, 2022 Page: 7/9

SECTION 11. Toxicological information

11.1 Acute toxicity:

Based on available data, the classification criteria are not met.

11.2 Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

11.3 Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

11.4 Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

11.5 Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

11.6 Carcinogenicity:

Based on available data, the classification criteria are not met.

11.7 Reproductive toxicity:

Based on available data, the classification criteria are not met.

11.8 STOT-single exposure:

Based on available data, the classification criteria are not met.

11.9 STOT-repeated exposure:

Based on available data, the classification criteria are not met.

11.10 Aspiration hazard.:

Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

No data available.

12.2 Persistence and degradability:

No data available.

12.3 Bioaccumulative potential:



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1,8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dong guan City, China and City, China a

Tel: 400-877-6107

Website:

Fax: 0769-22777508 E-mail: newbest@nbtscncom



Report No. NB2022076007EN Date: July 14, 2022 Page: 8/9

No data available.

12.4 Mobility in soil

No data available.

12.5 Other Dangers:

No data available.

SECTION 13. Disposal considerations

13.1 Handling method for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

13.2 Handling method for uncleaned packaging

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

SECTION 14. Transport information

Packaging Label	3
UN NO	1978
Technical name	Propane
Transport hazard class	2.1
Subsidiary hazard class	None
Packing group	Not Applicable
Marine pollutant	No

Transportation Precautions: Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and toolsof which easy to produce sparks. Strictly prohibited shipping or transportation with oxidants, halogens etc. Height shall not exceed the vehicle fence board, and with a triangular wooden pad cards firmly to prevent rolling. Cylinders generally flat, and the



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107

Website:

Fax: 0769-22777508 E-mal: newbest@nbtscncom



Report No. NB2022076007EN Date: July 14, 2022 Page: 9/9

bottles should be in the same direction, should not cross. A safety helmet must be fitted for cylinder transport. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting

SECTION 15. Regulatory information

 $15.1\ Safety, health\ and\ environmental\ regulations\ /\ laws\ for\ pure\ substances\ or\ mixtures$

Catalogue of hazardous chemicals (2015 Edition)

Catalog number of hazardous chemicals: 139

CAS No.: 74-98-6

English name: propane

15.2 Safety assessment of chemical substances

Not evaluated

SECTION 16. Other information

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

******* END ********



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Sheng feng Road, Venture Industrial Park, Xinhe Community, Wanjiang D is trict, Dongguan City, China City,

Tel: 400-877-6107

Website:

Fax: 0769-22777508

E- \mathbf{m} al: newbest @ nbtscn.com