

LED SPOTLIGHT-CANLESS REGRESSED MINI PANEL - CCT SELECTABLE 3", 4", 5", 6"



3"

4"

5"

6"



COLOR SELECTABLE

2700K 3000K 3500K 4000K 5000K

DIMMABLE

TRIAC

HIGH OUTPUT

IC RATED

WET LOCATION RATED

5 YEAR WARRANTY

COMPATIBLE WITH:

LR35126
Emergency LED Driver




COMPATIBLE WITH:
3" - LR22630, LR22638
4" - LR22632, LR22640

LR35124
Emergency LED Driver



COMPATIBLE WITH:
5" - LR22634, LR22642
6" - LR22636, LR22644

LR41002
New Construction Mounting Plate



KNOCKOUTS		KNOCKOUT SIZE	
#0	#1	#0	Ø3.14" (Ø80 mm)
		#1	Ø4.33" (Ø110 mm)
	#2	#2	Ø6.29" (Ø160 mm)

ELECTRICAL

		MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
ROUND	3"	LR22630	LEDRMP3/HO/5CCT/RD/WT/D	10	120V	80	50,000	\$ 1.20
	4"	LR22632	LEDRMP4/HO/5CCT/RD/WT/D	15	120V	87	50,000	\$ 1.80
	5"	LR22634	LEDRMP5/HO/5CCT/RD/WT/D	18	120V	89	50,000	\$ 2.16
	6"	LR22636	LEDRMP6/HO/5CCT/RD/WT/D	18	120V	100	50,000	\$ 2.16
SQUARE	3"	LR22638	LEDRMP3/HO/5CCT/SQ/WT/D	10	120V	80	50,000	\$ 1.20
	4"	LR22640	LEDRMP4/HO/5CCT/SQ/WT/D	15	120V	87	50,000	\$ 1.80
	5"	LR22642	LEDRMP5/HO/5CCT/SQ/WT/D	18	120V	89	50,000	\$ 2.16
	6"	LR22644	LEDRMP6/HO/5CCT/SQ/WT/D	18	120V	100	50,000	\$ 2.16

PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	ETL	ENERGY STAR	PLATE (KNOCKOUT)
LR22630	LEDRMP3/HO/5CCT/RD/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	800	80	YES	YES	LR41002 (#0)
LR22632	LEDRMP4/HO/5CCT/RD/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1300	80	YES	YES	LR41002 (#1)
LR22634	LEDRMP5/HO/5CCT/RD/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1600	80	YES	YES	LR41002 (#2)
LR22636	LEDRMP6/HO/5CCT/RD/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1800	80	YES	YES	LR41002 (#2)
LR22638	LEDRMP3/HO/5CCT/SQ/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	800	80	YES	YES	LR41002 (#0)
LR22640	LEDRMP4/HO/5CCT/SQ/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1300	80	YES	YES	LR41002 (#1)
LR22642	LEDRMP5/HO/5CCT/SQ/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1600	80	YES	YES	LR41002 (#2)
LR22644	LEDRMP6/HO/5CCT/SQ/WT/D	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1800	80	YES	YES	LR41002 (#2)

DIMENSIONS

